

Hutch Tablets.

A CERTAIN REMEDY FOR

Indigestion	Headache
Dyspepsia	Neuralgia
Constipation	Dizziness
Biliousness	Heartburn

AND DISEASES OF THE

Stomach, Liver and Bowels



HUTCH the new ingredient is contained in a little tablet, put up in convenient form for carrying in a watch or vest pocket, and is intended to be taken after each meal by persons who find their digestive organs at all impaired. As the food we eat has to be digested, assimilated and then turned to account as nourishment for the body, it can be seen how important this first step of digestion becomes. Hutch renders digestion easy—one little tablet is potent to relieve any distress.

Hutch is put up in four differently sized packages. First, the 10c. size is put in a sealed vial. Second the 25c. size is enclosed in a little box, most convenient for one's pocket. Third, the 50c. size is put up in bottled form. Fourth the largest size is put up in large bottles for the convenience of physicians or families who have Hutch in constant use; care should be taken to keep the bottle tightly corked. These can be had at all druggists at a dollar a bottle, or six bottles for five dollars. Generally your physician or druggist will procure you Hutch if not in stock, or it can be had by remitting the price to

THE

Woodward Chemical Co.

BRIDGEBURG, ONT., and BUFFALO, N. Y.

Hutch is the Sworn Foe Of

BILIOUSNESS is caused by torpid liver, and is generally accompanied by constipation. If the bowels do not have a natural daily evacuation the liver becomes surcharged, sluggish and inflamed, and the bile becomes infused into the blood instead of being properly given off by the intestines. This so disorders the natural arrangement that in a short time the intestines become highly inflamed, you experience gripping pains, have headache and dizzy spells, and you suffer from what is known as a bilious attack. If the condition of affairs is not remedied these attacks become frequent, and the blood tainted in the manner described gives the skin a nasty yellowish color, and it becomes rough and scaly; you have a constant headache, a thickly "furred" tongue, are constipated, have a sharp pain in the side, and the entire system is deranged. Take one Hutch after meals and continue until you have got rid of the constipation and have no recurrence of bilious attacks.

BRIGHT'S DISEASE is always attended by a complication with dyspepsia, constipation and disordered condition of the liver. All these retard the cure and can be removed by Hutch. Take one Hutch twice a day after meals, and for nourishment take bland liquids and foods, such as milk, etc.

BAD BREATH comes from a diseased stomach and constipation; a thickly-coated tongue is an accompaniment. Take one Hutch twice a day after meals.

CATARRH is due to an enervated condition of the system and an impure condition of the blood. Restore the healthy condition of the blood. Take one Hutch twice a day after meals, and rinse out nose and throat with warm water and salt twice a day.

COLIC is known by terrible cramp-like pains in the stomach, and should be immediately attended to as it induces appendicitis. Avoid improper food, don't neglect stomach troubles; get rid of constipation. Take one Hutch every three hours until the bowels move freely, afterwards take one Hutch night and morning until bowels are properly regulated.

CONSTIPATION is caused by nasty residues being contained in the system instead of being expelled by the intestines naturally and regularly. Acute constipation may be characterized by no movement of the bowels for several days, followed by a natural movement once every day and then a recurrence of the trouble. This condition usually heralds chronic constipation where there is no movement of the bowels for three or four days. Too much stress cannot be laid on the warning to get rid of constipation at once. It generally is the cause and accompanies all disturbances of the stomach, liver and bowels, and all skin diseases. It often causes colic, headache, and many chronic diseases of the intestines. Take one Hutch after each meal and have this most dangerous condition promptly relieved. The use of lemons is also advised.

DIABETES is a chronic disease of the kidneys, and is greatly relieved by Hutch, which assists in the digestion of food, that it may be properly assimilated. Take one Hutch morning and night, after meals, and abstain from starchy and sugary foods.

DISORDERED STOMACH comes from improper diet, irregular hours, eating too much, excess in alcoholic drinks and use of tobacco. Usual symptoms are nausea, headache, dizziness, coated tongue foul breath, and either constipation or chronic diarrhoea are accompaniments. Take one Hutch after meals, and pay attention to the regulation of hours and food.

REPRESSED SPIRITS. This condition is often caused by chronic dyspepsia or chronic liver trouble. Remove the effect by removing the cause. Take one Hutch after meals, night and morning.

DISEASED BLOOD is the cause of many skin affections and general troubles. It usually results from torpid liver, constipation or a defective condition of the digestive organs. Take one Hutch after meals, night and morning.

DYSENTERY is due to the passing of undigested food into the intestines, which causes an inflamed condition of the membranous lining of that organ. This produces frequent bloody and mucous evacuations and violent colicky pains, and is very enervating. Take one Hutch twice a day after meals.

DYSPEPSIA is a diseased or disordered condition of the stomach, causing the difficult or imperfect conversion of food into nutriment. The symptoms occur in the following order:—Distress after eating, this precedes nausea, loss of appetite, headache, pains in the side, constipation, flatulence, dizziness, partial palpitation of the heart, which often leads people to imagine they have a weak heart. All these induce mental depression, brooding, etc., and a general lack of condition is the result. It is well known the chronic state of irritability which characterizes a dyspeptic person. Take one Hutch after each meal and get rid of dyspepsia. If three a day are too active, reduce dose to two and regulate diet.

ECZEMA. An eruption of small vesicles on the skin, usually set close crowded together. This chronic disease of the skin is revolting, particularly when it becomes raw, red, painful, and exudes water from diseased parts. Take one Hutch morning and night, after meals.

ENERVATION is the result of an inactive liver, and the bile being absorbed into the blood. The stomach becomes disordered and jaundice is present. Take one Hutch as often as is necessary to keep bowels open.

FACE BLOTCHES are caused by a sluggish liver and impure blood, and are evidences of an advanced stage of either of these diseases. Take one Hutch night and morning, after meals, until relief is experienced.

FEMALE COMPLAINTS will be very greatly relieved and their cure hastened by keeping the bowels open and the system well nourished. Take one Hutch after meals as often as required.

FLATULENCE. Superabundance of wind, belching, etc., follows and accompanies chronic dyspepsia, and is much aggravated by eating. Take one Hutch after meals as required.

FOULTASTE IN MOUTH may be caused by overeating, dyspepsia or some liver trouble, usually most noticeable in the morning; it causes offensive breath, and is generally accompanied by thickly-coated tongue. Take one Hutch after meals until bowels move freely, then use one or two tablets a day as found necessary.

HIVES. Stomach disturbances or constipation are nearly always accountable for this distressing itchy ailment. Remove these causes, purify the blood, and the trouble disappears. Take one Hutch after meals twice daily.

HEADACHE is generally caused by some derangement of stomach, by constipation or a sluggish liver. Clear out these foul taints. Take one Hutch as soon as symptom makes itself felt, and if chronic take one after morning and evening meal, and increase dose if required.

HEARTBURN. Dyspepsia generally causes heartburn. Too much acid in the gastric juices causes it to break up into the throat and produce that disagreeable, galling sensation. Take one Hutch when symptom appears, and if habitual, after each meal until relieved.

INDIGESTION. When the stomach does not assimilate the food properly for nourishing the body that which results is known as indigestion. While this disease in itself cannot be said to be deadly, it will, if not attended to lead up to very serious complications, and produce most direful results. One sees it in all degrees of severity, from the condition where only certain articles of food cause distress to a state where even the simplest diet causes most intense agony and the plainest food is rejected from the stomach. If not taken in time this insidious disease undermines the constitution, beats down the will and nervous powers, produces an emaciated and weak vitality, and makes a hideous ruin of life. The symptoms are pains in the side, nausea, sometimes vomiting, misery after taking food, constipation, loss of appetite, dizziness and flatulence. Take one Hutch after each meal. When this is found to keep bowels too free reduce to two. Be careful as to food, and avoid the use of tobacco and alcohol to excess.

JAUNDICE is caused by a torpid and sluggish liver, and often leads up to fatal diseases. The blood permeated with bile causes the skin and whites of the eyes to become yellowish, constipation sets in and severe headache is chronic. Take one Hutch morning and night.

KIDNEY COMPLAINT is accompanied with dropsy and weakness. The most trying symptom is the disorder of the organ itself. Constipation and liver and stomach troubles interfere with the cure of this disease. Remove these obstacles to recovery and accelerate the cure. Take one Hutch after morning and evening meal, or oftener if necessary.

LIVER TROUBLE should always be attended to right away, as it almost invariably leads up to jaundice, impure blood, yellow complexion, enervation, constipation, and melancholy depression of spirits. Take one Hutch after each meal, and carefully continue for two or three weeks, with only an occasional intermission.

NAUSEA or sickness at the stomach, is often caused by imperfect digestion or overeating—at its worst after eating—generally accompanied with belching, and is so sickening as to produce vomiting. Take one Hutch when symptoms appear, and as often as found necessary to give relief.

NETTLE RASH—an affliction of the skin, characterized by white blotches and intense itching—generally comes from stomach disorders or constipation. Take one Hutch twice daily, after meals, and thus find immediate relief.

PAINFUL DIGESTION is a most serious disturbance. Pain may be noticed directly after eating or two or three hours later, caused by dyspepsia or flatulence. Take one Hutch after meals as often as required, and experience immediate relief.

PIMPLES appear on the face, generally most unpleasant, and unless attended to at once may continue for a long time. Usually impure blood, stomach trouble or constipation is the cause. Remove the cause and the pimples disappear. Take one Hutch after meals, twice daily.

PAIN AFTER EATING may be due to chronic stomach trouble, eating too much food, or eating too rapidly. Take one Hutch for immediate relief.

RUSH OF BLOOD TO THE HEAD is generally caused by disordered stomach, and produces mist before the eyes, dizziness, etc. Take one Hutch after meals twice daily.

SALLOW COMPLEXION is caused by a chronic sluggish condition of the liver and impure state of blood, which causes loss of appetite and an enervated condition of the entire constitution. Take one Hutch twice a day, after meals.

SALT RHEUM a very nasty form of skin trouble, and readily forms a virulent, chronic condition. The skin becomes scaly and exudes water from the surface. Half the cure in this disorder is to relieve the bowels and regulate the stomach. Take one Hutch two or three times a day as required.

SCALD HEAD a disease peculiar to children. A thick, yellowish crust forms on the head. For children the dose is one-half and one-quarter of a tablet once or twice a day, as found necessary.

SCROFULA. An impure condition of the blood is the cause of this disease, which attacks the bones and covers the body with sores. Get rid of the trouble by improving the blood. Take one Hutch once or twice a day as required.

SICK HEADACHE. Either a torpid liver or a disturbed stomach is accountable for this species of torture. An intense pain in the head, with nausea and vomiting. Take one Hutch every three hours until bowels are acted upon.

SKIN DISEASE. All skin affections are relieved, and oftentimes entirely cured, by regulating the stomach and bowels, and improving the condition of the blood. Take one Hutch twice a day.

SOUR STOMACH comes from dyspepsia, and is due to the fermentation of food taken; generally accompanied by belching, together with scalding of throat with some bitter liquid. Take one Hutch after meals as often as required. Immediate relief.

STOMACH PAINS are generally caused by overeating, improper diet, flatulence or diseased liver. There may be burning pains in the pit of the stomach, a sharp stinging pain in the side, griping and colicky in character. Take one Hutch after meals, or every four hours until bowels move freely.

SUMMER COMPLAINT. The indigestible green apple or cucumber are sometimes the cause of this trouble. Colicky, griping pains in the stomach, vomiting and diarrhoea. Take one Hutch every four hours until three have been taken.

TORPID LIVER is the state the liver gets in when it fails to absorb the bile from the blood. The entire system becomes clogged with impure and poisonous matter which should be taken up by the liver discharged into the intestines, and thus discharged from the body. A sluggish or torpid liver often produces many serious and fatal diseases; it generally causes headache, foul breath, constipation and jaundice. Take one Hutch after meals, or more if required.

ULCERS. Relieve these eruptions by toning up the blood; remove constipation, which is usually an accompaniment, and brace up the entire system. Take one Hutch after meals as often as required.

VERTIGO OR DIZZINESS comes from some derangement of the stomach. Dizziness may produce fainting spells, and should receive immediate attention. Take one Hutch two or three times a day after meals as required.

HUTCH

Is The Friend of the Dyspeptic



BE the case very mild, so that only a passing discomfort is felt after meals, or of such severity that the taking of only a small quantity of good, wholesome food produces great distress—such as nausea, vomiting, severe pains in the side, unnatural heart action—Hutch is a remedy which will give immediate relief.

A very simple experiment will show you how soluble is Hutch: Place one tablet in half a wineglassful of water and watch the result. By reason of its disintegrating so quickly it is able to work on the disturbed organs instantly. The value of a remedy like this is apparent. You may experience a mad, throbbing headache, your stomach may seem to be laden with heavy stones, from undigested food which lies there fermenting and filling it with yeast, alcohol vinegar, etc.; your heart at times may seem to stop, and then career wildly and erratically. To get instant relief from such agonizing pain is an altogether new feature in medical science. To be able to have Hutch with you always (it is put up in a neat little box suitable for a watch or vest pocket) it brings us nearer the millennium by a hundred years.

A business man, if he has to close a deal with both trade competitors and a raw jagged pain in the pit of the stomach against him, hails Hutch as he would a scheme to increase his income a million dollars, only more so. A commercial traveller, when he finds that to catch a train at 5.30 a. m. he has just three minutes in which to eat breakfast, will cherish his Hutch more than a well filled order book. The traveller who finds himself or herself on a long trip will also find that Hutch removes that tendency to constipation usually experienced.

The actor or actress who, like the travelling salesman, finds that their "advance" in his forethought (?) has provided a "jump" of about three hundred miles, necessitating an early hour of rising, will rejoice more in the little box of Hutch than the "hand that put their names on cigar boxes," and so on, AD INFINITUM.

We publish inside a list of the different disorders. Hutch is the all-important factor in each case, in varying quantity.

Always Remember This Little Problem . . .

INSTANT RELIEF **==** ONE HUTCH

FOR SALE AT ALL DRUGGISTS

If you find you've run out of Hutch, you are sure to get it in the best appointed drug establishments of any town in which you find yourself.