

10/20 ff/52.

Strains recd. from Wis. Public Health Lab.
For details, see protocol book.

Stream	Comment	X ⁺ S ^R (uncanc. both)	X ⁺ S ^R washed conc.
1 93940	SR	—	—
2 9 —	direct antagonism K-12 (ψ?)	0	0
3 —		0	0
4 —		0	0
5 93940		0	0
6 94024	SR	—	—
7 93941		0	0
8 94043	strong inhibition of K-12.	0	0

W1362. 22 ~~of~~ X⁺ S^R. All lact+ on EMS. Some of these appear Mal- re-isolate 1362a + b (single colonies) and repeat cross.

9-30 (excl. 18, 19 as SR). Very concentrated inocula to DSM from x1177.

- 9 0
- 10 0
- 11 0 0
- 12 0
- 13 ca 100
- 14 0 succ⁺
- 15 1 succ⁺
- 16 0
- 17 0 0
- 18 —
- 19 —
- 20 0
- 21 0
- 22 0 0
- 23 may have colonies. wh??
- 24 0
- 25 0 succ⁺
- 26 20
- 27 0
- 28 0
- 29 0
- 30 1
- 31 0

= W1373 Pick to EMS Lac. 7+: 24-! Recombination
succ⁻, rather mucoid

= W1374 Pick to EMS Lac, Mal

Plaques in streak!

"K" 3 → not K-12 but W1113!
Test on lact

23 was inadvertently thrown out. Attempt to recover Lac⁺ S^S from cross plate.

W1369 0 / 2 plates heavily mal.
W1370 1 / 2 plates → Mal+. cf. parents

10/20 ff

10/25 ff

M/4

Test 20 prototrophs from cosmid to DSM.

various sugars.

(data reorganized T76)

13x:	lac	MHE	Xyl	Mal
1	-	-	-	-
2	-	-	-	-
3	-	-	-	-
4	-	-	-	-
5	+	-	-	-
6	+	-	-	-
7	-	-	-	-
8	-	-	-	-
9	-	-	-	-
10	-	+	+	+
11	-	-	-	+
12	-	+	+	-
13	+	-	-	-
14	-	-	-	+
15	-	+	+	-
16	+	-	+	+
17	-	+	-	-
18	-	-	-	-
19	+	-	-	-
20	+	-	-	-

Pattern very similar to K12

Many unselected recombinations, undoubtedly

30 tested: all apparently $\lambda^- \lambda^R$. Rare tiny plaques may be cert. Recalate from most suspicious.

26x directly to EMS: lac, Mal.

17 tested: all ~~lac~~ Mal-

16 lac- 1 lac+

6 fested.


1 lac+ } λ^R
1 lac- } λ

4 lac- } λ^+

15x } See } differs from 15 as T2,4,7 same.
30x } protocol } " " 30 as λ^S

26x 10 completely tested:

	lac	λ	1113
1	+	-	S
2	-	+	S
3	-	+	S
4	-	+	S
5	-	+	S
6	-	+	S
7	-	+	S
8	-	+	S
9	-	+	S
10	-	+	S
11	-	+	S
12	-	-	S



Parents
#W1177 T1, T5^R, W1113^S
20 Reach phage and W1113 λ^-

W1373-74 crosses:

W1373 x W1177 20 prototrophs tested:
 (= #13)

count	lac	Mal	H ₂ R	Xyl	λ
10	-	-	-	-	R
4	-	+	+	+	R
6	+	-	-	-	R
parents { W1373	+	+	+	+	R
W1177	-	-	-	-	+

W1374 x W1177 12 tested

	λ	T4,6,7	T5	W1113
1	R	S	S	S
7	+	S	S	S
1	+	S	R	S
3	R	S	S	S
W1177	+	S	R	S
W1373	R	R	R	R

W1375 x #15 1 prototroph T2, T4, T7 sens.

W1376 x #30. 1 " λ^S.

Confirm possible recombinants:

- a) Check prototrophy of #'s. 1, 8, 11, 12
 b) Compare parent and offspring with respect to:

2	39	:	Xyl	sl. different
4	36	:	"	almost identical
13-16	43	:	T4-T6	diff on T4
19	50	:	T6	identical

#39 (W-1400) and #43 (W-1401) especially probably are recombining with W-1177. ~~W~~ 776-36 and W-136 (776-50) very probably are not. W1576 (#30) gave sporadic result.
 # 34, 42, and 46 need to be reexamined.

October 24, 1950.

A. 58-161 x W1177

11 Yellow
11 Pink

B. K-12 x W1177

C. W1302 x W677 → pure Lac-m EMS test!
No yield.

W1302 → lac-!
not recorded!

Grow cultures 24h. in YZ tubes. 0.5ml each parent / 10 ml. YZ
addnl. 30h. Wash and plate m EMS lac SM m EMS lac SM + BM
or TLB₁.

Preliminary (cont'd of 776)

B (m EMS lac SM).

+	-
179	52
178	70

Σ same - probably miscard J.

- " + BM

56	40
----	----

[many minute colonies not scored].

10/27-28.

is missing!

Plates marked 774A m BM EMS-lac-SM:

+	-
23	70
16	122
27	108.

Numerous small colonies not scored. Probably -.

must be repeated!

October 22, 1950.

W-1325 x W-1155 on D(0).

- a. Grown together: no yield.
- B. Grown separately. Ca. 10^8 /pl each.

10/27

b. 1-2/plate. Mostly small colonies. Pick and restreak on D(0). Pick and restreak on EMB Lac. Separate Lac- and +:

Lac- : 1-4, 6-10, 15. Lac+ : 11-14; 16-18; 5. [10+ : 8 +]

Tests for Mal, Suc, colicin.

Lac- : all Suc-; Mal- except #3 Mal+; Lac+ : all Suc+ (varying); Mal+

All Lac- appear to be inhibited by K-12.

10/31

Recheck colicin and lysogenicity by cross-streak

Against:

Brush	K-12	W-518	W-1113	lambda
1	inh. +			inh.
2	inh.			
3	inh.			
1177	---			
1113x	inh.			
K-12 al.	inh.			

inh = inhibited
 100 S = inhibits
 L = lyses
 Ld = lysed.

	"K-12"	W-518	W-1113	λ
-1, 2, 3		lysed	inh.	---
W-1113		→ inhibition	---	---
K-12 no act.	lysed		inh.	---

"K-12" suspension must be mislabeled. Repeat tests from slants.
 ✓ "K12" - Sucrose+. Confusion due to erroneous substitution of
 W1113 (?) for K12. Inquad above. Repeat with verified stocks.

11/2/50.

~~Retest #1 and #12 - A, D. by backcross.~~

~~A = Lac Col^S +~~

~~B = lact Col^R~~

~~New crosses~~

~~[773-A W1325 x W1155 B W677 x W1155]~~

~~C [773-A x W1177] Very high yield~~
~~D [773-B x W1177] Yield prof. All Lac -~~

A W1325 x W1155.

B. W677 x W1155

Maintain colonies. lact+ most prominent.
High yield, lact and -. Purify.

11/9: B: 20 + and 20- prototrophs purified and picked to sucrose.

lact+ : 20 S+

lact- : 19 Suc -

cf. Mal, Colicin sensitive.

1 Suc + → check: mixture of lact+ Suc+
lact- Suc - . 19.

Test further on EM13 Mal, Xyl: all lact+ are Suc+ Xyl+ Mal+
lact- are Suc- Xyl- Mal-
Thus, shows no sign of recombination.

~~Test of reactions: - 1518; T4, T6, T7, T5:~~

~~lact+~~

~~lact-~~

A. Ca 100 addnl. lact+ tested : all Suc+ . No Lac- found
Test on Mal, T4, T7.

11/2/50.

=4875x

A	SR-16)	x	1177
B	K-12	x	1177
C	W 1367	x	X10
D	W 1367	x	K12
E	W 1368	x	W677
	B4SR		W677
			TLB, Lac

broths: 1ml each parent

11/4. A. EMS Lac SM: 2+ : 3 -
 SM + BM: 7+ : 21 - many small unscorable
 20+ : 44 - " " at this time
 14+ : 43 - ...

B. SM 1+ : 3 -

C. SM ca = on a mixed plate
42+ : 35 -

SM + TLB, 64+ : 135 - many small

[Pick small - to EMS Lac for isolation of TL Lac -]

D. (SM) ~~12+ : 0 -~~
13+ : 12 -

E Lac SM 3+ : 1 - (2 plates)
Lac SM + BM (non !!) turbid!

Are 784

Strike out 776-23 cross.

776-23

11/7.../50

Strike out background of original 776-23 cross plate

Pick single colonies and test on var sugars.

Lac⁺ S⁺ selection

Lac	Mal	Xgl	L	M	X	L	M	X
-	-	-	-	-	-			
+	+	+	-	-	+			
+	+	+	-	+	+			
-	-	+	+	-	+			
+	-	+	-	-	+			
+	-	+	+	+	+			
-	-	-	+	+	+			
+	+	+	++	++	+			

L	M	X	L	M	X	L	M	X
all+	all+	all+	all+	all+	all+	all+	all+	all+

all+

presumably parents.

Tests on putative recombinants

776g.

11/10/50.

Purified.

776'32
Hatched
(149 normal)
5-0 normal

EMBS
negl
negr

	w1177	x lac	Mal	Concl.	lac	Mal	MH	Xyl	γ	T4	T5	T6	T7
1	1376	-	-		-	-	-	-	-	S	R	S	S
2	39	+	+		+	+	+	+	+	R	R	R	R
3	36	+	+	—	+	+	+	+	+	R	R	R	R
4	36	+	+		+	+	+	+	+	R	R	R	R
5	32	+	+	—	+	+	+	+	+	R	R	R	R
6	32	+	+	—	+	+	+	-	-	R	R	R	R
7	32	+	+	—	+	+	+	-	-	R	R	R	R
8	32	-	-		-	-	-	-	-	S	R	S	R
9	33	+	+	—	+	+	+	+	+	R	R	R	R
10	35	+	+	—	+	+	+	+	+	R	R	R	R
11	33	+	-		-	-	-	-	-	S	R	S	S
12	33	-	-		-	-	-	-	-	S	R	S	S
13	43	+	+		+	+	+	+	+	S	R	S	R
14	43	+	+		+	+	+	+	+	S	R	S	R
15	43	+	+		+	+	+	+	+	S	R	S	R
16	43	+	+		+	+	+	+	+	S	R	S	R
17	48	+	+	—	-	+	+	+	+	R	R	R	R
18	48	+	+	—	-	+	+	+	+	R	R	R	R
19	50	+	+	—	-	+	+	-	-	R	R	R	R

all R

Type. Prototyp

1177 Rec.
Xyl dif. Par.
Xyl dif. } Par
1177. } Par
1177
1177 } T4 X Rec.
T6 }
Par }
T6 }
T6 }
T6 }

Polio for
EMBS Mal

Test on Xyl, MH, γ , T4 5 6 7

for \rightarrow w1376, 39, 36, 32, 33, 43, 48, 50; 1362a; b.

w1376	+	+	+	R	R	R	R
39	+	+	+	R	R	R	R
36	+	+	+	R	R	R	R
32	+	+	+	R	R	R	R
33	+	+	+	R	R	R	R
43	+	+	+	R	R	R	R
48	-	+	+	R	R	R	R
50	+	+	+	R	R	R	R
1362a	+	+	+	R	R	R	R
1362b	+	+	+	R	R	R	R
30	+	+	+	R	R	R	R
1177	-	-	-	S	S	S	S
48 for.	-	-	-	S	S	S	S

all R

776'32 = Wg 39

other data

See over

39# is a strong Xgl+; 39x is weaker, and may therefore occ. -

36# is stronger + than 36x, but not markedly.

Recombine for 39x

#19 indistinguishable from 776-50.

	T4	T6
# 13	SP	S
14	SP	SP
15	R	R
16	S	S
776-43	R	SP

5 \ clearly different from parent in T4 reactions. Recombination very likely.

New coli crosses

Strain	Yield	Sucr	Rx W578	Propts.	xW1177	Recomb Encl.
W1377	23	-	-	-	+ dense sprinkling of colonies with loose deletions	---
W1398	32	-	-	+	0,0 43m.	---
W1399	33	±	-	+	1cen 2	---
W1395	34	±	-	-	3,100	---
	35	+	-	+	100	---
	36	-	± antag.	+	0,0	---
	37	+ muc.	-	++	0	---
	38	-	++ antag.	-	0	---
W1400	39	-	± ant.	-	0 1	?
	40	-	-	-	+ ant. n.t. repeat 0,00	---
	41	-	++ ant.	+	0 0	---
W1396	42	-	± "	±	100L+100	21 Lact+ all Malt+ ?
W1401	43	-	± "	-	2 2	?
	44	++	-	-	0 0	---
	45	++	-	-	0 0	---
W1397	46a.	+	-	+	300 L+, 0	?
	46b = 47	-	-	-	...	---
K					200 L+, - 200	?
W1375					0,0,0,0,0	
1376					0,0,0,0,0,0,0,0,0,0	1?, 0

some slow note #44.

8 plates each 1/2 DSM 1/2 EMS lac S14

47 M/H 46b Lac-
 48 M/L
 49 C/2 C1
 50 C2

00
 0, 1
 0 0 2
 0001

11/9/50. Strikout colonies from low-yielding parents crosses.

Results: high yielders:

34 Lac+ Malt- ?
 42 All Lac+ Malt+
 46

Repeat crosses

High yield: 23, 34, 42, 46 } give w-numbers.
 Low yield: 32, 33, 39, 43, W1376.

11/12/50

"W1377", at first regarded as S^S , shows anomalous responses:

Cross-streak with SM 20,000 u.

On EMS lac: W1377 and other isolates react as S^S to 10^5 but S^L to 10^6 / 10^7 u.
ca 15

On D(0) W1377 is S^A grows poorly on D(0).
 other isolates also grow poorly.

∴ W1377 is not suitable for crosses owing to partial resistance.

However, it seems very likely to be crossable with K-12. Spiraling of colonies on DSM is due to growth of prototroph mutants (rather mutants which grow on D(0) as well as on EMS lac). Initial appearance of 776-23 plate suggests that W1377 is similar to original stock.

Restreak original plate on EMS lac and examine for S^S prototrophs

Test W1377 on EMS lac: SM (100 - 1000 u/ml).

On 1000 u / W1377 gives only scattered colonies; on 100 u (EMS) turbid growth.

In 40 tests, we reacted S^S to 20,000 u/ml. Careful streaked on EMS lac. Hold as W1377A. Recheck & compare with W1377.

11/12/50.

Summary of Outcross Experiments.

Doubtful Crosses. xW1177

763. W1113. (Known to cross with K-12, using biochemical mutants).

- A. No yield, dilute culture on DSM.
- B. " " conc. " " "
- d. " " " "

11/17/50

	Sucr.	cellob	antag 578 w/578 after 24h.	S	Prototrophy.	Control	X+
51	-	+	-	S	+		00
52X	± ^m	-	-	R	+		
53	±SM	-	+	S	-		-SM T.
54	+	± ^m	-	S	+		+SM 0
55X	±	-	-	S	+		0
56	± ^m	-	+	S	+		0 0
57	± ^m	± ^m	-	S	+		1 ^m 0
58X	±	± ^m	-	R	+		
59	no SM	-P ₂	-	P	-	T	TT
60	-P ₂	-	-	S	+		T
61	±SM	-	±	S	-	-SM T	±SM 0
62	±SM	-	+	S	-	-SM T	±SM 1T
63	±SM	-	-	S	-	-SM TT	±SM 0T
64	±SM	-	-	S	-	±SM	-SM T, 100+
65	±	±	-lac ^{MP?}	S	+	+SM 100+	Turbid, - H&SM: --

58 maybe 4. Shubout lysidacea on W578. → only antag.

Shubout # 59, 60 in E MB Sucr.

58 maybe suitable Sucr + Cellobiose + SAVE.

Also SAVE
53, 56, 61, 62
is colicidal.

No promising cultures

Check 65 in Mal; test crossability.

- 66 W1442
- 67 1443
- 68 1444
- 69 1445

SUMMARY (also see 791 fr.)

W1377. S^P: results of DSM crosses confused, but ferm. recombinants found.

1373 Ferm. Rec. ✓ X⁺S^R all X^R
 1374 " " ✓ " Many X^R; X⁺

1395 } Mostly Lac+Mal+ High yields
 1396 }
 1397 } Lact, -.

1115 DSM; low yield. Note. Very low yield (colicin), but rare ferm. rec. were found; Both parental combinations seen. See 763x.

Confin W1395-6-7
and W1377 X

776

W1377. Partially resistant to streptomycin. Pick 8 colonies ^{? 4+}
₄₋
EMS Malson.

W1395. c. 0 colonies
x >300 / plate. All apparently Lac+ T1^R ... (parental)
Ser+.

W1396 c.
x >300 / plate All+ on EMS Malson; Lac sm.

W1397 c.
x >500 / plate. All EMS Malson + ?
Lac +, and -

W1377A
x Ca. 6-10 / plate Lac+. Transfer to EMS Malson

From Hoop Human culture	Sucrose	colicin on W578	Communt 2 lact mucoid	Cellulose
70	+	-	1 lact	++ muc
71	-	+		-
72	-	-		-
73	-	±		-
74	+	-		-
75	+	-		+
76	-	-		-
77	++	-		-
78	-	++		-
79	++	-		± ^m
80	+	-	-	
81	-	±	-	
82	-	+	±	
83				
84				
85				
86				
87				
88				
89				
90				

SR.

70-82
All Mal+ S^s X⁺

65	-
66	-
67	++
68	+
69	-

0, 2 Mal+
0, 0
1, 1, 0, 0 (Mal+)
0, 0, 0

ER. carotouosa

83

ER. amyloosa

84

w 1281

85

86

87

88

89

90

91

92

93

94

95

83	0
84	0
85	0
86	0
87	0
88	0
89	0
90	0
91	0
92	0
93	0
94	0
95	0

lysozyme
± color
± color
mucoid^{SR} do not use.
Ca 20 Mal+ ; * mucoid + non-mucoid.
3 Mal+
1 Mal-

all
to parent

90: parents: non-mucoid lact+ Mal+ ; r: mucoid + non-mucoid
93: " lact ; r Mal+ (plagues?)
95: par: Mal+ ; r Mal-
103: parents Mal+ and - ; lact+ ; r "Mal-" lact+
106: parent Mal -+ ; r Mal -

YW1177

m	Strain	EM5Mal sens.	Parental	Succ	Colob.
96	FREDERICQ		0	-	-
	CA7		0	-	-
97	CA18		0	-	-
98	CA23		0	-	-
99	CA31		dense spindling of Hal+ (dro-?)	++	-
100	CA38		0	±	-
101	CA42		0	-	-
102	CA46		0	±	-
103	CA53		ca. 20 Mal-	±	-
104	CA57		0	++	-
105	CA58		0	-	-
106	CA62		2 Mal-	-	-
107	KL35		0	-	-
108	C6		0	-	-

109	W. PH Lab	107066	0 0		
110	"	107067	0, 3+		
111	"	107068	0, 0		
112	"		Turbid!		SR

12/14/50. Repeat: EM5Lac.

90	0		
93	0	1+, -, several +?	
95			
103	M-	A few + ?	0
106	M-	5-10 +, -	
107	0 0		

99c → many colonies, dimorphic in EM5Mal sens.
 x " " " " " "

Conclusions:

- 106 is very likely crossable
- 90, 95, 93, 103, 110 should be rechecked.
- Parents should be verified for colicin if relevant.
- 99 is partially SR or gives very frequent mutants.

(FREDERICQ STRAINS).

12/18/50

indicator →

Fredricq	W 578	W 1113	1373	1374	1377	1395	1396	1397	C6
CK									
V	CA7	+	-	+	+	-	+	-	+
B	" 18	++	-	++	++	-	++	-	++
D	" 23	++	+	++	++	+	++	-	++
A	31	+	-	++	-	+	+	+	+
M	38	+	-	+	-	-	+	-	+
G	42	+	-	+	-	-	+	-	+
T	46	+	-	+	+	-	-	-	+
I	53	+	-	+	+	-	-	-	+
C	57	-	-	++	+	++	-	-	++
N	58	+	-	+	-	+	-	-	+
J	62	+	-	+	-	-	+	-	+
	K235	+	-	+	-	-	+	-	+
W	1396	- ?	-	-	-	-	-	-	+
	W1397	-	-	-	-	-	-	-	- ?

+ indicates colicin action; - indicates no action.

Colicins provide clear differentials between W6 - stocks.
Colicidal action of W1396 is very weak, if any.

Note. CA53 and CA62 are both mixed in respect to H₂O₂ and -. However each component is CK+ on W578. CA53 is Lac+ CA62 is Lac-.

CA62 H₂O₂- is a weak fermenter. It gives H₂O₂+ readily. Some have a radiating appearance, but no stability H₂O₂+ → - detailed.

12/23/50.

w1177x

Confirmations

- #5110
- 66
- 68
- 70
- 75
- 90
- 93
- 95
- 103
- 106
- K12
- 109
- 110
- 111
- 112

See Colicin/578 Cellulose

λ + SR in EMS lac sur

- 1 lact +
- 1 lact
- 0
- 1 muc 2 nonmuc lact
- 2 muc + ?
- 0, #
- 2 v. sur. Lac - 1 lact
- 10 lac - ; 10 lac -
- 3 lac -
- ca 300 lact, -

113	110007	+	-	-
114	111171	-	+++	-
115	110565 sp?	-	-	-
116	112774	-	-	-
117	111552	-	++	-
118		+	± 6?	-
119		-	++	-
120		+	± 6?	-
121		-	± 6?	-
122		+	± 6?	-
123		-	∴	-
124		-	∴	-
125	mucoid lact	-	-	-
126	muc lact + muc	+	∴	+ muc
127	muc	-	-	* + muc
128		-	-	-

- 2 v. sur.
- 2 lact
- 0
- 8 lact
- 0
- 1 lact, 0
- 0
- ca 100 lact var. cl
- ca 100 lact sur. cl.
- 0
- 0 0
- 5 lact
- 0 0
- 2 muc 1 muc

Conclusions:

106: Mal- prototrophs. Mal- ∴ recombinants all λ -colicin -?

103: also gives Mal- prototrophs. lac - ∴ 103 also intermutable

95: 1 Mal+lact : prot not prototroph. ??

Rechecks # 70, 90, 93, 95; 116; 120; 121; 124

PRESERVATION:

	1	2	3	4	5	6	7	8	9	10
776- Origin	K-12	1113	1373	1374	W1377	W1395	W1396	W1397	W1494	1526A
Blair-Clifton Feces		3-Shepero	13	26	23	34	42	46	(CA-62)	(CA-53)
Nutrition	+	+	+	+	± suc	± suc	± suc	± suc	+	+
F:	+	-	[+]	-(+)	-	+?	-	-	-	-
lac	+	AG	+	AG	+	AG	+	AG	+	AG
Mal	+	+	+	+	+	+	+	+	+	+
Xyl	+	+	+	+	+	+	+	+	+	+
Suc	-	+	-	-	-	+	-	+	-	+
Gal	+	+	+	+	+	+	+	+	+	+
M+L	+	+	+	+	+	+	+	+	+	+
Stl										
Ara	+	+	+	+	+	+	+	+	+	+
Stu	+	+	+	+	+	+	+	+	+	+
Cello	-	-	-	-	-	-	-	-	-	-
Rhamn	+	+	+	+	+	+	+	+	+	+

	0	R ^c	77	17	8	8	25	25	-	-	2	-	12	R
serifl.	R	S	S	S	RS	S	R	S	S	S	S	S	S	R
Edicin sup.	all but C	0	S A ±	S A ±	S A ±	S A ±	S A ±	S A ±	S A ±	S A ±	S A ±	S A ±	S A ±	S A ±

	++	++	++	++	+	-	✓	++	+	++	++	++
HA	++	++	++	++	+	-	✓	++	+	++	++	++
VP	-	-	-	-	+	+	-	-	+	-	-	-
T1	S	R	R	R	R	R	R	R	R	R	R	S
2	S.P	S.P	R	R	R	R	R	R	R	R	R	R
3K	S	R	R	R	R	R	R	R	R	R	R	R
4	S	R	R	R	R	R	R	R	R	R	R	R
5	S	R	R	R	R	R	R	R	R	R	R	R
6	S	R	R	R	R	R	R	R	R	R	R	R
7	S	R	R	R	R	R	R	R	R	R	R	R
λ	+	R	R	R	R	R	R	R	R	R	R	R
R2	S	R	R	R	R	R	R	R	R	R	R	R
Valina	S	R	R	R	R	R	R	R	R	R	R	R

probably
infertile
see 967

WG	11	12	13	14	15	16	17	18	19	20
W-	1549 ✓	1550 ✓	1548 ✓	1584 ✓	1715 ✓	1716 ✓	1633 ✓	1718 ✓	1719	1720
776-	398	403	234	237	475	479	609	613	629	635
Origin	Sputum	F	BB45	(BB34)	Bohnhoff 68 HB-4 Pan	Bohnhoff 17 Gut	T797-gallbl.	Lung	U	U
Nutrition	+	+	+	Proline	+	+	++			

F	+	+	-	+	-	+	+	-	-	-
Lac	+	AG+	AG+	AG-	P (ag)	+	+	+	-	+
Mal			+	+			+	+	+	+
Xyl										
Sdc			-	++	-	-	-	-	-	-
Gal			+	+	+	+				
MH										
SH										
Ara										
Glu										
Cello			-	-	-	-	-	-	+	-
Rhamn			+	+	+	+				

Acifl.	15				16					
O										
K										
H										
	5	5?	10	10	10	5	5	5	5	5

Colicin R ₂										
60m. 1072										
				wg2-5		Lysozyme				

Valine										
Inde	++	++	++	++	+	+				
M.R.										
V.P.										
Citrate	-	-	-	(-)	-	-				

T1	R	R	R	R	R	R	R	R	R	R
T2	R	R	R	R	R	R	R	R	R	R
T3K	R	R	R	R	R	R	R	R	R	R
T4	R	R	R	R	R	R	R	R	R	R
T5	R	R	R	R	R	R	R	R	R	R
T6	R	R	R	R	R	R	R	R	R	R
T7	S	R	R	R	R	R	R	R	R	R
λ	R	R	R	R	R	R	R	R	R	R
λ 370	R	R	R	R	R	R	R	R	R	R

↓ 13 needed for ...

W6 21 ✓ 22 ✓ 23 ✓ 24 ✓ 25 ✓ 26 ✓ 27 28 29 30
 W 1721 1722 1723 1710 1711 1712 1714 1258 1115 1762
 776- 665 657 672 1051 1056 1081 1188 Cavalli Shapiro 1286
 F F U Inf. Drain Inf. Drain Inf. Drain ~~Inf~~ U Ausrough?? Chick. F K-130
 NTEC 123 28A=prot. 5

Cystineless
 F + - - (-) - - - - -
 Lac + + + + unstab. + + + + + + +
 Mal + + + - + + + + + + +
 Xyl + - - - - - ± + - - -
 Sal - - - - - - - - - - -
 MH - - - - - - - - - - -
 Stl - - - - - - - - - - -
 Ana - - - - - - - - - - -
 Glycerol - - - - - - - - - - -
 Phen - - - - - - - - - - -

Acif. S(R) S S S
 H ++ H+ 4 1 - 27

Cls - +++ - - → 1082. ~~+++~~ R12
 4/28 4/18

T1 R R R R R R S R R Few Plaques
 T2 R R R R R R S S R R S
 T3K R R R R R R S S R R S
 T4 R R R R R R S S R R R masked
 T5 R R R R R R S S R R R
 T6 R R R R R R S S R R R
 T7 R R R R R R S S R R R
 A R R R R R S S R R R
 X2 R R R R R R S S R R R

WG 36 & 38 from same patient.

Wg	31	32	33	34	35	36	37	38	39	40
W	1376	1754	1904	1905	1906	1913	1914	1916	1398	1917
776	30	1052	1542	1417	Waksman	1667	1696	1666	32	436
	U WPHL	Catlin	Catlin	Benham	Davis	Catlin	Catlin	Catlin	U WPHL	Benham (V)

F	31	32	33	34	35	36	37	38	39	40
lac	+	-	-	+	+	+	+	+	+	+
Mal	+	+	+	+	+	+	+	+	+	+
Xyl	+	-	-	+	+	+	-	+	-	+
Suc	-	-	-	-	+	+	-	±	-	-
Gal	+	+	+	-	+	+	+	+	+	+
MHP										
Sol										
Arg										
Glu	+	+	+	-		+	+	+	+	+
Cello	±	-	-	-		-	-	-	-	-
Rh										

Aer	31	32	33	34	35	36	37	38	39	40
O			21 ✓		9					
K										
H	-	±	4 ✓	-						

4 (18) 4
3 2
26 (14) 5

4 (18)
12
+

Uls. catalase

Lysoq. K12

T1	31	32	33	34	35	36	37	38	39	40
T1	R		R	R	S (p)	R	R	R	R	R
T2	R		R	R	R	S	R	S	R	R
T3	R		R	R	R	R	R	R	R	R
T4	R		R	R	R	R	R	R	R	R
T5	R		R	R	R	R	R	R	R	R
T6	R		R	R	R	R	R	R	R	R
T7	R		R	R	R	R	R	R	R	R
A										
A2	R		R	R	R	R	R	R	R	R



wgSD appears a mixture of stable Mal+ and -!

(cf e.g. W1939a as recently received. Easily separated

Mal- appears stable; same frt!)

but does give rare + papillae (see 1004)

WG	51	52	53	54	55	56	57	58	59	60
W	2049	1988	1970	1971	1975	2665	2691			
(176-)	122	293	295	296	300	1854	1890			
	"C"									
	Weigle	Kauffmann	K.	K.	K.	Facco. Ewing				

F	- ⁺ Butani	- ⁺ Byno	- ⁺ vae. Byno	- ⁺ Byno	- ⁺ Byno	- ⁺ AB	- ⁺ AB
Lac	+	+	+	+	+	+	+
Mal		+	+	+	+	+	+
Xyl						+	+
Suer		-	-	-	+	-	+
Gal						+	+
MHL						+	+
SHL							
Ara						+	+
Glu						+	+
Cello						-	-
Aham		+	-	+	+		

Acr		18	20	21	25	S	S
O		-	17	20	19	26	X
K						36	X
H	- , +	14 +	17 +	-	12	-	X

ch

020 = Fla

Orskov: mixed i
WG52
+ another

Orskov: mixed i
WG54

025
H12
= wg55?

T

1	S
2	S
3	S
4	S±
5	S
6	S
7	S±

λ

λ	S
λ2	S

R
R
R
R
R
R
R
R
R

R
R

12/27/50.

Retest: cross on EMS lac sm. 2 plates each.

-65	V. numerous, mostly small colonies
66	0 0
68	0 0
70	0 1+
75	1+ muc 1+ muc.
90	0 0
93	1+ 1+
95	0 0
103	1+ 0
106	1-, 1- large 4- small
110.	0, 0.

very low yields!

Purify on EMB lac + recheck.

all Mal-: ↓

65: parent culture is mixture of Mal- and Mal+. Frasniss, all Mal-
Reisolate from slant!

70:	lac- Xyl-	Control: lac+ Xyl+	} autotrophs!
75:	2 lac- Xyl-	" lac+ Xyl+	
93	2 " "	" "	
103	1 " "	" "	
106	7 lac- Xyl-	" lac- Xyl+	

Test for prototrophy! 106: x+ SR. Others did not grow on EMS lac SM. Repeat crosses:

106: Rather dilute plating: numerous colonies developing slowly with lac+ appearance!
When streaked, these are pure, rather beginning lac-. After 48-72 hours, they developed a mottled appearance something like the EMS colonies.

65 test:

separate Mal+ and Mal- components.

A: (Mal-) gave colonies, control as well as X1177, on EMS Lac⁺ sup.

B was infertile.

65 is considered not infertile.

WG 3.

W1421-1429.

1421 Cys
 1423 IV
 1425 Tyr
 1427 Tr or Tyr
 1429 HIST

1448 IX
 → Leu (only!) W1450. → HIST W1451

1449 Leu

1448 Cys IV → 1473-75 Mal-

WG 4 1430-1434

1430 Leuc
 1431 Prot
 1441 Prot

1446 TRY 1447 PRO

TRY 1454 Meth, 1455 1456 Arg 1457 Cys
 Leu 1458 IV 1459

1446 Leu Tyr → 1460-1466 Lac- (incl. Leu-) → 1464 Mal-Lac-Leu Tyr (1482-84)

1454 Prot Tyr → 1476-81 Lac-

↓
 SR (SRP factor)
W1611

Reacts as F+ but
 does not transmit
 unless infected.

WG-7

W1396.

1495 Cys → 1978 Cyst. Pool, 1987 Cyst. typ.
1496 Sol
1497 IV
1498 ben

WG 9

CA62 Lac -

1504 Pro or Tyr!

1505 Tyr

1506 Pro

1507 Hist or Pol.

WG 10

W1526A

math
hist

W1877 math

1878 hist

W2022 hid

W2023 W.

W2024 lysine → W2025 lysine + ?

Induction and isolation of biochemical mutants

15249
Mutants were isolated from stock cultures of W1715 (WG 10) and W1715 (WG 15) of E. coli ~~strain K-12~~. Cultures were grown in complete medium without either aeration or subsequent irradiation. Washed cells were incubated in minimal medium, to which various amounts of penicillin (100, 150 and 300 units per ml respectively) were added.

By using the replicate ~~plating~~ plating technique, mutants were isolated in 4 experiments.

<u>Experiment</u>	<u>Stock</u>	<u>Biochemical mutants</u>
1.	WG 10	A - histidineless B - isoleucine-valineless C - methionineless. D - lysineless
2.	WG 10	E - isoleucine-valineless F - lysineless G - histidineless H - lysineless
3.	WG 15	- 1 - 32 all prolineless
4.	WG 10 lysineless (mutant F)	FLX - diauxotroph Lysineless and unknown factor

Subsequent testing indicated that the following were stable mutants. Others were discarded as repeated isolates of the same mutation or for other reasons.

1	A ₂ - histidineless	5	F - lysineless
2	B ₂ - isoleucine-valineless	6	H - lysineless
3	D ₂ - lysineless	8	24 - prolineless (WG 15)
4	E - isoleucine-valineless	7	FLX - diauxotroph lysineless + unknown factor.

WG Mutants and Crosses

see #76 book


A description of all WG mutants made will be found on a separate sheet. The first number given the mutant is the one under which the mutant can be found in my notebook; the second number given is the W number. The chart indicates which mutants were obtained in the same experiment and the number in parent~~th~~es indicates the experiment number in my notebook. All mutants were selected by the penicillin method. Sp indicates that the mutants selected had arisen spontaneously; U.V. indicates that mutants were induced by means of ultraviolet light. Four separate attempts to put a marker other than histidineless or prolineless on W1895 ? failed.

The following crosses were made between WG strains:

Strain	WGs Crossed	Mutants used	Colonies/Plate
WG11	11 x 13	see under WG13	
WG12	12 x 12	1865 x 1868	ca 10
	12 x K12	1868 x 58-161	ca 50
		1868 x 1177	ca 30
		1865 x 1448	0, 2
	12 x 3	1868 x 1448	ca 5
		1868 x 1445	1, 2
12 x 4			
	12 x 13	see under WG13	
WG13	13 x 13	1901 x 1902	1 to 6
	13 x 12	1902 x 1868	ca 200
	13 x K12	1902 x 311	6 to 10
	13 x 11	1902 x 1883	2, 0, 0
		1902 x 1915	1, 0, 0
		1902 x 1884	2, 0, 3
		1882 x 1883	1, 0, 0
		1882 x 1915	0, 0, 0
1882 x 1884	0, 0, 0		

LF E. Cahn

E.L.




wg15 (w1715)



w2026 proline

Wg 16

Moss
p. 160 and less



Wg 24

PDSkaan 3-12-1

↓ spont. t pen.

W2264 (trypto⁻)

→<sup>spont
t pen.</sup>

W2267 (trypto⁻: hist⁻)

W2265 (arg⁻)

→

W2268 (arg⁻: IU⁻)


W2266 (hist⁻)

→


W2269 (hist⁻: Leuc⁻)

Wg 26


PD Skoan 3-12-1



WIG 28-A
 = W1258-A (2^s)Mp^sS^r
 F⁻



7/5/66 EMI



Inventory of SB2401 line 28A ♀

2401 ara

↑

2400 stl⁻

↑

2394 xyl⁻

↑

2393 mtl⁻

↑

2384 mal⁻

↑

2338 lac⁻ F⁻ S^R L^S H⁻ M⁻

↑

1958 ? met⁻


↑

1589 his⁻

↑



1258 NTCC123 L^S F⁻

WIG 28-A
 = W1258-A (2^s)M_p^sS^r
 F⁻





WG 31
(W-1376)

EM Laserberg



+1177 SRP
31A
W-1415 SRP



Gooding

Wg 33 (W1904)

W1974 prot- → W1984 prot- ~~hist-~~ ^{cyst-} → W2017 met-
W1991 IV- → IV trypt (W2006) and IV hist (W2007) → W2014 {
W1992 φal- hist-
W1993 trypt- met-
W1994 hist- lac+
W1996 aromatic (requires φal + trypt + tyrosine)

gosting

Crosses with Wg 33 and Wg 34

Wg 33

W2006 (Wg 33)	x	W1984 (Wg 33)	→ 0
2006	x	W1990 (Wg 34)	→ 0
2006	x	W1177	→ 6 very small
2006	x	W1817	→ 25

Wg 34

W1990 (Wg 34)	x	W1964 (Wg 34)	→ 0
1990	x	W2006 (Wg 33)	→ 21 very small
1990	x	W1865 (Wg 12)	→ 0
1990	x	W1902 (Wg 13)	→ 1
1990	x	W1177	→ 1 small
1990	x	W1817	→ ca 350

Gooding

Wg 34 (W1905)


W1933 hist- → W1990 hist-cypt-
W1952 lac- → W1964 prot-lac- → W2009 prot lac-SR
W1961 prot-

WG 47

E.M. Lederberg

W-1799 F-2^o Mp³

3 components:



Wg 50 (W1939)

W2008 mal +

WG 51 = W2049

Rec'd from Weigel as C

⇒ NTEC #122 Related to 28+28A?

+2 →

2176

4+

2376


Bentane C(P₂) Mal-

2

1954-5

W 2655 = W 2665 (Bernstein)

F- Suc- S^S V₁-? R λ, T₂ 210.



Handwritten signature

LP 5) = L2691 F-55 V1-7 no 7, 72 no.

2719
F+

Erwinia stearnsii x W1177.

Jan 10 ff. 1951.

Repeat *E. amylovora* + *E. carotovora* x W1177. (EMS Lac sm.)
30 + 37°.

- 1 car.
- 2 amy.
- 3 "
- 4 car.
- 5 amy.
- 6 "

All ~~carotovora~~ ^{amylovora} strains gave 20-30 colonies, lact+, in EMS lac sm.
 At 30°, heavy background; at 37° light background but the colonies were pronounced lact+
carotovora gave rather dense background but no colonies.

Repeat *amylovora* crosses: controls. Pick colonies from "2" and streak on EMS lac, 37°.

New controls and crosses (grown together briefly) gave no colonies at 37.

Or 2 x above eventually gave a gummy lact growing at 37.

Repeat crosses under initial conditions (long growth together).

2/17 (5 days on EMS; 6 in both)

776. Or	C1.	no sm:	1 Lac ⁺ colony seen.	1	N.G.
	C2	" "	2 "	3-4	lac-
	X1	sm	1 very tiny.		} glucose + but no growth m D (0) no phototrophs grew out!
	X2	" "	0		
	W1-23 plates		0		
	W2		1 lact?	2	lac-

No lact
 Repeat and test for phototrophy.

1/19/51.

H.

edium

	Juca	STP	Cello.	Mal	Sm.
128	+	-	++	+	S
129	-	-	-	±	↓
130	-	-	-	±	
131	±	-	±	+	
132	-	-	-	+	
133	-	-	-	+	
134	+	±	-	+	
135	+ ^{unc}	±	-	+	
136	+	±	-	+	
137	+	-	-	+	
138	+	±	-	+	
139	-	-	-	+	
140	-	-	-	+	

v. unicolor
lac - ±
"
"

x 1177 m ERT-lactum.

0
0
Ca 400 sm. cels.
0
1 lact
0
0
1 lact
0
1 lact
0
1 lact
0

W1587

		Suc	Col	Ch	X1177
186		++	-	-	2 lact 2 Lact
187	Bdamhoff	-	-	-	0 0
188		±	+	-	2 lact 0
189	2/23	-	-	-	
190	mouse	±	-	-	1
191	f.	-	±	-	0
192		±	-	-	2+
193		±	-	-	0
194	"s"	±	-	-	0

Repeats.
with
controls

141 sl					1 Lact 1?
144 sl					1, 5, 6
148 sl					3+, 2?
152					0 0
153 sl					0 0
155					0 0 1+
162					0 1?
165 sl					0 0
170					1 Lact 1?
175					1, 0
176					0, 1
177 sl					0 0
171					0

		Suc	col	Ch	
195	449231 scalp fol.	-	-	+	0
196	345751 eye	+	-	+	0
197	479829 F	+	-	+	
198	517533 U	-	+++	-	
199	Bettin F	+	-	-	* 0 0 1+
200	519143 v. g. un	±	-	+	
201	372732 U	±	+	+	
202	61130 F	-	+	-	1 Malt
203	519432	-	-	+	0
204	218696 Thr	+	-	+	1 M+
205	405568 F	+	-	-	
206	520165 U	+	-	-	
207	321610 F	±	-	-	0
208	Kenebawa Thr	±	-	±	0 0
209	52069 F	-	-	-	* 0 0
210	274372	+	-	-	* 0 0
211	519697	+	-	-	* 1+
212	520116	+	-	-	* 1+
213	196082 U	+	±	±	0 0

SR!

xyl-

pigmented

175 } very unlikely as
177 } crossable

176 ??

U. chi. 2/26/51

slant

2

sl

251

			Lac	Sec	col	Cl	S ₁₄	Xyl		
214	P 150333	ANL	F	+	-	-	P	+	0	
215	P 314101			-	-	-	PP	+	5	Mal -
216	P 463250			-	-	-	P	-	1	M+
217	P 50676	pacac	F	-	-	-		+	0	
218	P 520320	F		-	++	-		+	0	
219	P 579389	±		+	-	-		+	1	try M+
220	18257	U		-	++	-		+	0	
221	579624	U	- try	-	-	-		15h	0	0.
222	P 519530	F	+ gummy	+ 8	-	-		+	1	gummy+
223	P 100340	F	ANL ± gummy	+ 8	-	+		+	0	
224	P 100340	"	"	+	-	-		+	50-100	Malt, -?
225	298848	U		+	-	-	R	-	0	
226	P-ANL	F		+	-	-		+	0	
227	P 100340	F	ANL - gummy	+	-	+		+	0	
228	100325	LNP		-	+	-		+	0	
229	385576P			++	-	-		+	0	
230	P 418566	F	humid.	±	-	-		+	0	
231	CA Street 2/26			.	.	.				
232	4412		lac - nu	-	-	-		+	5	Malt Lect
233	26711		mixed +, ±	+	-	-		+	6	Mal?
234	10370		glassy.	+	-	-		-	5	Malt
235	BB45			-	+	-		+	4?	only 548 W ₁₃
236	1711			+	+	+		+	0	
237	DH19			+	+	+		+	1	M+
238	BB34			+	+	+		+	3?	W 1584 redinches!
239	3411		ng. back; 1/2	+	+	+		+	0	
240	4411			+	+	+		+	0	
241	BB4			+	+	+		+	0	
242	33211			+	+	+		+	0	
243	W539			+	+	+		+	0	
244	DH40		slow	+	+	+		+	0	
245	V1			+	+	+		+	0	
246	V7			+	+	+		+	0	
247	V16			+	+	+		+	0	
248	V5			+	+	+		+	0	
249	V9			+	+	+		+	0	
250	BB2			+	+	+		+	0	
251	AA41			+	+	+		+	0	
252	AH9		slow	+	+	+		+	0	
253	W175			+	+	+		+	0	
254	W282			+	+	+		+	0	
255	W545			+	+	+		+	0	
256	W710			+	+	+		+	0	
257	CB7			+	+	+		+	0	
258	W485			+	+	+		+	0	
259	BB3			+	+	+		+	0	
260	DH7		slow	+	+	+		+	0	
261	DH7			+	+	+		+	0	

did not grow out on EMH Mal

Parent mal - nu

Per. mixture Malt.


W 1584 redinches!

100 Malt + lact (per 250)

all cellulose-negative


all S's

not repeated Recheck!



Recheck colicin interactions, and verify
numbering of all of Stuart cultures found
Suert Replicate from original vial (C.A.S.)
and cross-streak.

Each was Suert+ as reported, but none
showed reciprocal inhibition as first
noted for "776-260." This was probably
an artefact (poorly linked?)



The numbering is re-assessed!

Cattens rec'd from Beubam 3/3/51. No directly to Incl Pennasray.

x W1177 EMS Mal sun

Row	Code	Sex	Notes	Lac	Suc	58 Ch	Other
301	P 474632	F		Lac	Suc	58 Ch	
2	LUP 100345	F		+	+	-	
3	P 517488	F	para	±	+	+	m?
4	84467	F		+	+	-	
5	501064	F		+	+	-	
6	520817	F		±	+	+	
7	490633	U		+	-	±	
8	517488	F		+	-	-	
9	520165	U		+	-	+	
10	100366	U	PAAL	+	+	-	
11	P 520927	F		±	+	+	
12	500684	F		±	+	+	
13	P 249502	F		+	+	+	
14	520791	U		+	+	+	
15	519187	U		sg.	+	-	sg.
16	448851	U		+	-	+	
17	P 369483	F		+	-	-	
Rec'd 3/5 C P Miller: Mouse (x Ray)							
318	1	MB	700x	-	-	-	2+ (strong satellite effect)
19	2	"	"	-	-	-	0
20	3	"	"	-	-	-	6+
21	4	"	500x	-	-	-	2+
22	5	"	"	±	-	-	8+?
23	6	F	"	±	-	-	2+ 1-?
24	7	MB	"	±	-	-	10+ several -? sm. col. probably w/ 500x
25	8	"	"	±	-	-	1+
26	9	F	"	-	-	-	2+ 2-?
27	10	"	"	±	-	-	0 0
18	"	"	"	±	-	-	0 0
29	12	"	"	±	-	-	0 0
30	13	"	"	-	+	-	0 0
31	14	"	"	±	+	-	2+ 2-?
32	15	"	"	±	-	-	10+
33	16	"	"	±	-	-	Mal ^p Maltose mutabile 1-
34	17	"	"	±	-	-	2+
35	18	"	"	±	+	-	0 0
36	19	"	"	±	-	-	0 0
37	20	F	"	±	±	-	0

CA Stuart claims that 771-266
ferments lactose, later reverses pH!

I could not confirm this on EMB

or in NB-lactose - BCP.

Recheck: several isolates verified (R)

✓ some Kaufmann strains EMB Mal, Lac

W 15.. 68, 70, 71, 72, 75 are verified pure +

72 "SPP" n.g. in one day. hold. n.g.

✓ isolates from EMS Mal on

	Mal	MAL	Lac	Gal	
68	4-	+	+	+	} conjugating K/O?
70	4-	+	+	+	
71	3-1+	+	+	+	all K?
75	1-1-	-	-	-	

Recd. 3/7/51.		Miller X-ray mouse	All Cl ⁻ - Rham ⁺ X ^R
338	21	Mal sm Suc Et ⁻	0
39	22		2+
40	23		3+
41	24		1+ 1-?? small
42	25		1+
43	26	SR	3+
44	27		
45	28		4+
46	29		4+ 1-?
47	30		0
48	31		0
49	32		4+ 2+
50	33		2++
51	34		4++
52	35		0
53	36		2+
54	37		ca 100+
55	38		5+ 1-?
56	39		
357	40		
UW-PHL. Kuni cultures 3/8/51.			
358	18399	Mal - Cl [±]	0
59	20879		0
60	-		0
61	-		0
62			0
63			0
64			3 large.
65			0
66	lac ^{sh}	Cl [±]	0
67			0
68			0
69			0
70	SR		lysogenic phase
71			0
72	lac - Mal ⁻		0
73	SR		lysogenic phase
74			0
75			0
76	recognised		1+8

3/14/51.

Restructure from EMS Mal var. to same.

Replics single colonies to EMS Mal var.
Lac & Mal.
EMS Mal var.

C:++

A

B

		Mal-?	L	M
1	326	Mal-?	+	+
2	"	"	+	+
3	"	Malt ♂	+	+
4	"	"	+	+
5	318	-?	+	-?
6	"	+ sl.	+	-?
7	341	+	+	+
8	"	+	+	+
9	216	+?	+	+
10	287	-?	+	+
11	346	+	+	+
12	215	±	±	±
13	"	±	±	±
14	356	+	+	+
15	"	+	+	+
16	"	+	+	+
17	"	+	+	+
18	"	+	+	+
19	324	+	+	+
20	"	+	+	+
21	"	+	+	+
22	331	+	+	+
23	308			
24	"			
25	"			
26	"			
27	350	+	+	-
28	"	±	±	±
29	"	±	±	±
30	"	±	±	±

		L	M
31	199	+	+
32	323	+	+
33	"	+	+
34	"	+	+
35	351	+	+
36	"	+	+
37	170	+	+
38	333	+	+
39	215	+	+
40	"	+	+
41	345	+	+
42	"	+	+
43	355	+	+
44	"	+	+
45	"	+	+
46	"	+	+
47	234	-?	-?
48	"	±	±
49	"	-	-
50	"	+	+
51	237	-	-
52	"	-	-
53	"	-	-
54	"	-	-
55	322	+	+
56	"	+	+
57	"	+	+
58	"	+	+
59	352	+	+
60	"	+	+
"	"	+	+
"	"	+	+

✓ non parental!
also Mtl-Xyl -

BB4)

	Mal	Lac	Xyl (var?)
234	+	+	+
344	-	-	-
"1	-	+	-
"2	-	-	-
"3	-	-	-
"4	-	+	-

Very likely recombining!

141 315 165 349 gave no growth on restructuring

Recd. Bannock 3/14/51

XW1177

	lac (original state)	lac present	rdn	Cl ₂	Suc	Cl ₂ ⁵¹⁸	Mal-Sm all X ^R	
377	+	+	-	-	-	-	R	
78	+	+	-	-	-	-		0
79	+	+	-	-	-	-		0
80	+	+	-	-	-	-		0
81	+	+	-	-	-	++		0
82	±	±	++	+	±	-	R	1+
83	+	+	-	-	-	-		0
84	+	+	-	-	-	±		0
85	+	+	-	-	-	±		0
86	±	+	-	-	-	-		Ca 500 Malt, Rechele.
87	+	+	-	-	-	-		1?
88	+	+	++	±	±	-		2 muc
89	+	+	-	-	-	±		0
90	-	-	++	±	±	-		Turbid.
91	-	-	-	-	-	+		0
92	-	+	-	-	-	-		1+
93	-	-	-	-	-	-		0
94	+	+	-	-	-	+		0
95	+	+	-	-	-	-	R	1?
96	+	+	-	-	-	+		0
97	+	+	-	-	-	+		0
98	+	+	-	-	-	-		Ca 40 Malt and Mal - . W1549
99	+	+	-	-	-	-		5 muc
400	+	+	-	-	-	±		probably 406 out of order
401	+	+	++	+	±	-		5 muc
402	+	+	++	+	±	-		Ca 40 Malt and Mal - . W1550
403	+	+	-	-	-	-		10+
404	+	+	-	-	-	-		8+
405	+	+	-	-	-	-		→ all - + Rechele
406	±	±	++	±	±	-	R	→ all - + Not repeatable
407	±	±	++	±	±	-		
408	±	±	++	±	±	-		
409	±	±	++	±	±	-		
410	±	±	++	±	±	-		Mal-p.9.
411	-	-	-	-	-	±		Mal-
412	-	-	++	±	±	-		
413	+	+	-	-	-	+		3+

present or in probably present tally with this numbering

398: 8 streaked out ++ ++ ++ ++ -- ++ ++ --
 403: (+) - - - - ++ ++ ++ ++

Sucrose:

On cellobiose plates,

11 spots were found on series 391-400

9 " " " " 401-410.

These had following character:

	Cl	Suc	Suc original series	Lac orig.
	-	-	-	-
	-	-	-	+
	-	-	-	-
	-	-	-	+
	-	-	-	-
	-	-	-	+
	-	-	-	+
	-	-	-	+
	-	-	-	+
	-	-	-	+
400a	+	+	+	400 +
	+	+	+	+
	+	+	+	401 +
	+	+	+	+
	-	+	+	+
	-	-	-	+
	-	-	-	-
	+	+	+	+
	-	-	-	+
	+	+	+	-
	-	+	+	+
	-	+	+	-
-p.9.		p.9.	-p.9.	+

It is inferred that 406 was misplaced to 400a.

Check on EMB lac; in presumed count sequence.

Recd. 3/12/51 Uchi Benham

??
Stool samples?
one only had coli

776	5805
77	5711
78	5708
79	5707
777-80	6557
780 81	4982
781 82	5712
782 83	5710
783 84	5396
884 85	5713
785 86	5125
786 87	6382
787 88	6554
788	5805

Verification and Repeat tests

287C	0	x: 1+	Repeat!
162 X	0,0		
215 X	1+, 1-?	6+ 1-?	
266 C	0		
X	0,1		Repeat!
144:	Mis-test		
153:	"		
279 C	0		
285 C	2 -?		Repeat!
165 X	ca 10+		
284 C	0	!	
280 C	0		
148 X	A		

In addition to purification and classification of above, further crosses should be done on:

232: smaller growing colonies prove to be Mal-mutable also! Repeat controls

Summary.

- ✓ variants
- 162 ✓ 1 prototroph [w1177] = w1546
 - 165: ✗ several [par]
 - 170 ✗ 4 [par]
 - 232 ✗ several [par] = Mal-lac- unstable! others picked from EMB Mal streaks: X⁺ (= w1177)
 - ~~268~~ ✗ grow out poorly. Recovered [w1177].
 - ~~215~~ ✗ s^D

- 175 ✗ 1 s^D 1 [par]
- 176 ✗ 1 [par] but v. slow on EMB Mal
- 177 1 s^D
- 266 ✓ 1 X⁺ [w1177]. Par. X⁻! w1547
- 269 ✗ many X⁺ [par]
- 250 ✗ " "
- 231 ✗ ca 5 " "

Recrosses

- Repeat
- 250 ✗ ca 60 Malt+. But 250C: also 60-100 Malt+
 - 288C ca. 100 Malt+. (mutatis!) (but 288X: 0)! Repeat!
 - 31
 - 141 ca 50 +
 - 170 1 +
 - 269 ✗ ca 60+ 3 morph. types! But 269C also 60-100 Malt+ (Mal = also?)
 - 224 ✗ Turbid! (+, -?) tested plating mixed. (turbid plate streaked out and colonies tested
224C: turbid 30: all Malt+ or --)
 - 317 ✗ C: 0 X: 0 Again 317X: 1 M+

776
Summary 3/19/51.

In series 377-413, Rebecka group of 11 cultures to insure correct recovery of "398" and "403". Cellulose plate shows 11 spots in row 391-400 and 9 in 401-410 bespeaking a misplacement. Also confirm S^R from 386

B) Repeat 287, 266, 285 Z, X

Criteria in outcross tests.

a) 10 or more X^+S^R in first test

1) Occurring consistently in repeated tests, not in controls
or

b) Any X^+S^R in first test showing a non-parental combination.

Program 3/21/51. *super sales others*

W1177 monulum

z: faint turbidity

x: near turbidity

- 130 ✓ C, X
- 141 X 1?
- 144 X 11+, -??
- 153 X
- 165 X
- 176 X
- 215 X

234 P C 0 0
X 0 0

~~232~~ separate +, - X - ca 20 -^m
+ 1 M+

(Turb) A 1-
B 1-

- 233 X 147
- 268 ~~separate +~~ X price +
- 279 C, X C 1? X 2?
- 280 " CO X 2+
- 284 " 0 0
- 287 " X 1+ C: 3+4"-

234 } clean up.
237 }

- 292 X ca 20+
- ~~294~~ X 0
- ~~304~~ (sep. +, -) X 304+ 13+ P (4-5)
304 - Turbid! Polym. turbidity
- ~~308~~ X crowded + But 308^c also
- ~~314~~ X 0
- ~~315~~ X -
- ~~333~~ X - 0 PZ 0 333+ 0
20
- ~~402~~ X 0
- ~~405~~ X 0 405 P 1+
C 1 0
X 0
- ~~408~~ X 0
- 318 X 2+
- ~~356~~ X - 0
- 324 X 0 P C 0
X 0

350	X	0
355	X	0
361	X	2-

3/21/51

130 Many small cols.
141 ^① 50+

144 ^① 18 Lac? ^② 4 ++

153 (Lac-) 1 Lac+? ^② 0

162 1 Lac-Mal- . Sterile or further tests

165 ^① 60++ ^② 0 ^③ 10++

176 ^① 1 Mal± (parents is ++)
^② 0, 1

215 ^① 5 Mal- did not grow out 80?
^② +, - ? : ++ ^③ 3+ 1-?

~~224~~ ^① 50-100 Mal+, -? ^③ hybrid

~~231~~ 5 M+L+ ^② 0
232 16 M? (232 par: mixed) Pure 1 mal-^m lac-^m

233 5 M+L+

~~234~~ 4: misc. +, - ^② many "+-"
^③ hybrid ✓
✓

~~237~~ 3-4: +, -

~~250~~ ^① 100 M+L+. ^② 60++ ^③ 60-100++

~~266:~~ ① [white ML] ② 0,1 ③ 0 ✓

268: ① 2 M+ [par mutable -] did not grow out

~~269:~~ ① 50 ++ ② 60 ++ ③ 60 ++

279 ① Turbid ② 0

280 " ② 0

284 " ② 0

285 " ② 2-?

287 ① 100-250 M+ ② 1 ++ ③ 0

~~288~~ 100 M+ ① 288C → 5^A

292 minute colonies

294 3 M-?

304 ① 50 M+, - (par. lac-, +). ② Turbid +

~~308~~ ① 100+ ② 100+ ③ ++

314 25+ ++

315 10+

~~317~~ ① 50-100+ ② 0 ③ 0 ④ 1

333 ① --

~~336~~ ① 500+ ② Turbid

~~398~~ ① 40+, -

402 ① 5 ++ muc.

~~403~~ + -

405 10 ++

406 8+

318 ② 2 M-?

356 ①
② + - ?

324 ① + - ?
327

350 ① + - ?

355 ① 100 ++

361 ① 6-7 M-, straw, grew out poorly. → S^D! Not recant.

In same series as 377-413.

K128 control

several hundred ~~Md~~ -, +.

W1177

0, 0.

3/20/51

promiscuity

Amount necessary for K12 x W1177 on EMS sm? :

(also of existing recombinable stocks)

K12 -
 W1490 -
 K12 x W1490 several hundred +, -
 x W1177 " " "

This method ok.

ug stocks by ↑ EMS Md sm

1	396	2+
2	397	0
3	398	10-20 + -
4	399	0
5	400	ca 30+
6	406	0
7	401	0
8	402	0
9	403	10-20 + -
10	404	0
11	405	2+
	408	0
	409	0
	410	0
	411	0
	412	0

1	100 - +
2	3+ 1- (tiny)
3	1-
4	0
5	Turbid
6	ca 200+, 100 sm + same - ?
7	0
8	ca 100+, 200 small + same - ?
9	0
10	7+

Method may be no more efficacious than mixed culture except where colicin action supercedes. This should certainly be used.

U. Chicago Benham 3/22/51 xW1177 EMS Malson
all λ^R

			LAC	Mal	Suc	Cl	Cl	Turbid
414	401120	F	-	+	++	+	-	Turbid
415	LN 100410	F P.A.N.L.	+	+	-	-	±	1+
416	P-520370	F	+	+	-	-	-	0
417	P-520982	F	+	+	-	-	+	0
418	P-381020	F HEM.	+	+	-	-	-	0
419	P-160818	F	+	-	±	-	-	0
420	446552	U	+	+	-	-	-	0
421	P-501021	F	+	+	-	-	±	0
422	521351	THROAT	+g	+g	+g	+	-	0
423	P-54841	F	+	±	-	-	-	1+
424	LN100411	F P-ANL	+	+	±	-	-	0
425	467324	U	+g	+	±	-	-	0
426	441614-P	F	+	+	-	-	-	0
427	P-520347	F	+	-	-	-	-	0
428	521250	U	+g	+g	+g	+g	-	Turbid
429	P-160818	F	+	+	±	-	-	6+
430	458645	U	+	+	-	-	-	20+ (variable appearance)
431	P-447925	F	+	+	-	-	-	3 -?
432	P-22795	F HEM.	+	+	++	-	-	0

Benham - Turner 3/24/51

				Mal	Suc
433	T324	Ear	+	+	-
434	171	U	+g	+	-
435	1505	F	-	+	-
(hand) 436	253	U	+g	+	-
437	1349	Wound	+	+	±
438	1678	Thr	+	+	-
439	330	Foot Lesion	- ⊕ 454	-	-
(hand) 440	1627	Bronchial	+	+	-
441	1528	Throat	+	+	+
442	1588	U	+	+	-
443	1428	F	-	+	-
444	1650	Tonsil	+	+	-
445	120	U	±	+	+g
446	1595	Throat	+	+	+
447	393	U	+	+	-
448	1471	Branch	-g	+g	+
449	237	Branch	+	±g	±
450	1684	F. Fistula	+	+	+
451	1498	U	+	±	+g
452	1464	Vag.	+	±	-
453			+	+g	+g
454	see 439			+g	±g



all λ^R

1+

0

0

+ -?] all → lac-Mal-
via EMBO

3+ (1 large + 2 ±)

Turbid ±

14+ (-?) → ++ and --
via EMB.0

Turbid

0

~~1+ ±~~

Turbid

2+

0

0

0

0

10+ muc. 10+

10+ muc.

Turbid

2+

2+

Check prototrophy of 776 f.
440, 436.
Restructure 440.

436. All finally proven prototrophs were Malt bact like parent, but delayed.

440. " " " "

However, this should be repeated again.

U Chicago - Benham - Reed 4/2/51

xw1177/50

			hcc	Malsm	Se	Cl ₂	Cl ₃	
495	452149	F	+	+	-	++	-	0
496	427671	F	+	+	-	-	-	3+
497	448304	F	+	+	±	±	-	0
498	489886	U	-	+	±	-	+	0
499	292625	F	+	+	-	-	-	2T
500	484071	F	+	+	-	±	-	1+
501	522064	F	-	+	+	-	+	
502	64224	U	+	-	-	-	-	ca 150 -? (like 477)
503	522611	F	+	+	±	-	-	1+
504	299124	F	-	+	-	±	-	0
505	439495	U	±	+	-	-	-	T
506	463920	Spotum	-	+	±	-	+	T
507	511218	U	+	+	±	-	-	T
508	522268	F	-	+	-	±	-	10+
509	522084	F	-	+	-	-	-	0
510	330139	F	+	+	-	-	-	0
511	GREENLER	F	+	+	-	±	-	0
512	522035	F	+	+	±	+	-	0
513	445683	F	+	x	-	±	-	ca 30 mucoid +
514	519625	F	+	x	-	-	-	0
515	185708	F	+	+	-	-	-	2+
516	477561	F	+	+	-	+	-	ca 20+ "
517	457131	U	+	x	-	±	-	9+
518	485841	U	+g	x	+g	-	+g	ca 40 muc +
519	521422	U (BLADDER)	+g	x	+g	-	+g	T
520	1270	VAGINA	+g	x	+g	-	+g	0
521	474858	THROAT	±	-	±	-	+	4 mucoid 2 unmu
522	522	325416	F					
517	523	572128	U					
498	524	ERLENBORN	F					
		4/12/51						
522	Monkey-culoritis	uw	+	+	S	-	-	
523	nw PHL	24612	+	+		-	+	5+
224	"	24613	+	+		-	-	24+
525	"		+	+		±	±	ca 60+ 2- ! sl. background
526	"		+	+		±	±	
527	"		+	+		-	±	
528	"		+	+		±	-	
529	"		+	+		-	-	
530	"		-	-		-	-	

475 } both gave Mal⁺ Lac⁻
479 } and Mal - Lac⁺
recombinants.
Fertile!

502: Mostly did not grow out. Those which did were partial S⁺.
Mal - Lac⁺. Check, if possible, on MHL.
all Xyl - MHL like 502.

(234, 237, 998, 403) tentatively accepted as unprofitable.
162, 266

Still to be repeated again:

old business

144, 292

361, 153

New prospects:

(+ - ??)

436

440

472

477

~~477~~ ✓

502

++ only or ?

400.

430

431

490

513

518

521

	P ^{1+ 3±}	PX ^{3 times -}	X ^{2 -}
440	P	PX	X
436	0	0	0 0 0
475	1+	18+	0
477	5+ (sum?)	5 5+1-	1+
490	4+	0	0
495	0		
502	6-	3 times -	6-
479	5+	1	0

Malt^S λ^R

Berthmann

loc Malmsen Su Ch Cr

531	P-511218	F								0
532	P-524148	F								0
533	522051	F								0
534	522959	F								0
535	P-324274	F								0
536	324931	F								0
537	500680	F								0
538	P-501572	F								9+
539	391539	F								0
540	52392	F								0
541	294961	F								0
542	523925	F								0
543	349760	F								0
544	524034	F								0
545	P-501519	F								0
546	P-334483	F								0
547	498458	F								0
548	P-5759	F								0
549	523914	U								0

uw PHL 4/16/51

all Malt^S λ^R MK to ±

550	micoid									1 -?
551	"									0
552	"									Turbid
553	"									0
554	-									0
555										0
556										0
557										0
~~~~~										
558										0
559										0
560										0
561										0
562										0
563										0
564										4+
565										Turbid
566										0

U₁ & listed for λ. Negative unless otherwise stated

Ch

CP Miller (Chi) 5/1/51

Lac

Suc

~~Ch~~ Ch

Sm

Mal

R

EMSMalson

567	81	+	++	-	±	-	0
568	82	+	-	-	-	-	0
569	83	+	-	-	-	-	0
570	84	+	-	-	±	-	0
571	85	+	±	-	±	-	+
572	86	+	++	-	+	-	0
573	87	+	- P	-	±	-	5+
574	88	+	-	-	±	-	0
575	89	+	++	-	±	-	5+
576	90	+	++	-	±	-	0
577	91	+	±	-	-	-	0
578	92	+	-	-	-	-	0
579	93	+	±	-	±	-	0
580	94	-	-	-	-	-	+
581	95	x	±	-	-	-	0
582	96	+	-	-	-	-	0
583	97	+	-	-	-	-	2+
584	98	+	±	-	±	-	7+
585	99	+	-	-	-	-	0
586	100	+	-	-	-	-	0
587	101	-	-	+	-	-	0

UW-PHL 5/1/51

588	-	+	9	9	-	R	
589	+	- P	-	-	-	R	
590	+	-	-	-	±		
591	-	++	8	±	±	RR	
592	-	++	8	±	-	R	
593	+	+	-	-	-		
594	+	++	-	-	±		
595	+	-	-	-	-		
596	+	-	-	-	±		
597	+	-	-	-	-		
598	+	-	-	-	-		
599	+	-	-	-	±		
600	+	-	-	-	±		
601	+	-	-	-	-		
602	+	±	9	±	-		
603	-	±	9	±	-	RR	
604	+	±	9	±	-		
605	+	-	-	-	-		
606	+	-	-	-	-		

5-1-51  
00000  
00000  
02000  
0  
1+

Berham - U. Chi 5/7/51

	loc	S	Mal	Clb	Clb Suc	
wg 17	607	T662	F	-	-	0
	608	T452	F	-	± ++	1+
	609	T797	gall bladder	-	-	Ca 200 Mal - ; 20% lact
	610	T1247	U	-	++	
	611	P523432	-	-	-	2 ?
wg 18	612	P-320694	F	-	-	Repeat
	613	T-1430	Lu Ng	-	-	ca 100+; 3 types (lact+)
	614	T-1433	BRONCHIAL	-	-	lac -
	615	T-1006	U	+	+	T
	616	T-1163	U	-	++	1+
	617	T-904	U	-	± ++	2 - ?
	618	T-664	SPUTUM	-	-	4 - ?
	619	P-57924	F	-	+	0
	620	T-938	WOUND	-	+	0
	621	T-852	U	-	+	0
	622	T-1716	U	-	-	0
	623	T-1506	U	-	-	0
	624	T-1281	SPUTUM	-	-	0
	625	T-919	LUNG	P	±	
	626	T-1643	BRONCHIAL	I	-	3 - ?
	627	T-1623	R. Tibia	-	- ++	1 - ?
	628	T-529	EAR	-	+	5+ → lact ^{sic} =, Malt
wg 19	629	T-968	U	-	-	0
	630	T-1010	LUNG	-	-	0
	631	T-632	F	-	+	0
	632	T-1546	U	R	+	3 ?
	633	T-357	BRONCHIAL	-	± ++	
	634	T-514	U	R	+	
wg 20	635	T-718	U	-	++	ca 100 Mal + Lact
	636	T-1041	F	-	-	0
	637	T-1617	U	-	++	4+ 1?
	638	T-669	U	-	-	T
	639	T-687	F	-	±	

	Uchi - Benham	loc	Mal	MAR	S	Cb	ck	Suc	EMSMAD sum	loc transfer
640	P-444050 F		+	±g	S	++	-	++	25+	suitable for fecund. mutation → ++
641	P-349760 F	±g				++	-	±g	0	
642	528527 U					-	++	++	0	
643	441814 U					-	-	-	1+	
sl 644	417961 U					-	++	+	30M+	+
645	524438 U					-	-	++	T	
646	T-1435 U					-	-	++	T	
647	434910 U					-	-	++	0	
648	437362 U					-	++	-	T	
649	511243 U					-	-	-	0	
650	308312-P F					-	++	-	0	
651	P-308312 F PARACOLON	-				++	±g	±g	1+	
652	11591 U					-	-	-	0	
653	P-454517 F PARACOLON	-				±	-	+	0	
sl 654	P-1559 F					-	-	-	0	
655	P-523392 F	WG 21				-	-	++	50+	5-
656	P-469762 F					-	-	++	2+	
657	P-449672 F	WG 22				-	++	-	30-	
658	P-523877 F					-	++	+	40+	
659	P-52360 F					-	++	+	0	
660	P-445038 F	±g		±g		++	±	±g	0	
sl 661	P-393085 F					-	±g	++	2+	1-?
662	P-448812 F PARACOLON	-g				+	±g	±g	0	
663	P-440707 F					-	-	-	0	
664	P-446437 F					-	±	-	0	
665	402951-P F					-	±g	-	0	
666	523643 F					-	±g	-	0	
667	P-493127 F	±g				+	-	±g	T	
668	P-448780 F PARACOLON	-				±	-	±	T	
669	P-523115 F					-	++	-		
670	P-524992 F									

644 and 658 concluded not fertile but kept in logbook

- 644
- 655
- 657
- 658





PHL - U. W.

			Lys	cblla	Suc		
709			-	+	-		
710			-	+	-	0	
711			+	+	-	50+, same var.	2 Lact + others 4-5.
712			+	+	+	2+	
713			+	+	-	0	
714			+	+	-	0	
715			+	+	-	0	
716			+	+	+	0	
717			+	+	+	H	M+L+
718			+	+	+	0	
719			+	+	+	0	
720			+	+	-		semi turbid +, - becting; no further growth
721			+	+	-		Proteus; +
722	sl		+	+	-		swirl -?, corner of plate mostly NG
723	sl		+	+	-	ca 200+	Same L - rest of spreaders.
724	sl		+	+	±	6+	
725		49155	+	±	±	0	
726			+	+	-	0	
727			+	+	±	0	
728			+	+	±	1+	1-?
729			+	+	-	0	2 Lact + {NG} result

Benham - Chicago

730	T-193	F	-	-	-	7+	4-g.
731	T-294	U	Lysogenic	+	±	10+	4-g.
732	T-374	U		+	+	ca 500+	4-g., 2 lact
733	T-1891	U		+	+	T	
734	T-67	U		+	-	0	
735	T-61	F		+	+	0	
736	T-481	F		+	+	0	
737	T-1817	AEROGENES		+	+	T	
738	T-179	F		+	+	1v. muc ±	
739	T-1817	Pa		+	+	T	

724: grow out very slowly on EMS lac var.

Repeat 724  
4-8-52 731 parent -

A-Malt  
unleavened.

Bentham - Chicago

6/26/51

			Lac	cb	Suc	Ch
740	T-721	U	+	++	-	-
741	T-568	U	tg	-	-	-
742	#831	U	RT. KIDNEY	+	-	-
743	P-228373	F	+	-	-	-
744	P-226566	F	+	-	-	-
745	P-525618	F	+	-	-	-
746	P-525656	F	-	+	-	-
747	P-442010	F	+	++	-	-
748	T-503	F	+	++	-	-
749	P-526647	F	-g	+	-	-
750	P-525627	F	+	-	++	-
751	T-855	F	-g	+	-	-
752	P-523641	F	+	-	-	-
753	P-524786	F	+	-	+	-
754	P-447929	F	+	+	-	-
755	T-444	Sputum	-	-	-	-
756	P-525625	F	+	++	-	-
757	T-581	F	+	-	-	-
758	T-789	BILE	(-)	-	-	-
759	T-543	U	RT. URETER (-)	-	-	-
760	T-514	F	-	-	-	-
761	T-826	U	tg	++P	-	-
762	T-571	F	tg	-	-	-
763	T-566	F	+	-	-	-
764	T-677	WOUND	tg	+	-	-
765	526561	F	-	Mal - slow	-	-
766	T-567	BILE	+	ng	+	-
767	T-669	BRON. ASPIR.	-	-	-	-
768	T-735	U	+	-	-	-
769	T-630	PUS	+	-	-	-
770	T-586	BRON. ASPIR.	+	-	-	-
771	T-455	WOUND	tg	+	-	-
772	T-845	F	+	-	-	-
773	T-721	LUNG (POST)	tg	g	-	-
774	T-547	VAGINA	tg	-	-	-
775	T-481	F	-g	+	-	-
776	P-525639	F	+	-	-	-
777	526446	U	-	-	±	+
778	P-511731	F	+	-	-	-
779	P-526931	F	+	-	-	-
780	P-449019	F	tg	-	-	-
834	<del>781</del>	<del>526391</del>	U	NG	+	-
782	T-618	PLEURAL FL.	-	+	-	-
783	522900	U	+	-	-	-
784	281645	F	-g	-	-	-
785	T-572	F	tg	-	-	-
786	512712	U	-	-	-	-
787	T-584	F	tg	-	-	-
788	459541	F	g	-	-	-

EMSSm Mal (Lac)

200+	n.g.
60 nuc?	n.g.
Malt 30 small Mal - ?	slowly lac
ca 30 " "	NG lac
4 nuc +	lac-pap?
0	
0	
1?	Lac + Malt
0	
0	
Nuc +	n.g.
50+, var size	n.g.
many +	n.g.
" "	n.g.
50 M+	mostly n.g. i. lact
T	
0	
0	
150+	NG
6+	NG
20 nuc + 15E?	Mostly n.g. 2 lac
150+ var size	3 lact others n.g.
100+ var size	1 lact; n.g.
4+	NG
all Malt	10 lact
Mal - 2	lac - 2
0	
Nuc +	n.g.
0	
0	
13+ ca 5 small -	
20 Nucraft	3+
100+ mostly n.g.	1-
50+ mostly n.g.	1+
300+ " "	1+
2+	
50+	
T	
T	
try: nuc to all Malt, small	
T	
30+ most n.g.	1-
T	
T	
0	

sl

sl

Bentham - Chicago 6/26/51

			Lac	Ch	Mal	Sur	Ch
789	P-65318	F	+	-	-	-	-
790	414989-P	F	+	-	±	±	-
791	P-525654	F	+	-	-	-	-
792	T-520	u	+	-	-	-	-
793	P-525686	F	-	-	-	-	-
794	P-487660	F	+	-	-	-	-

T  
T  
T  
~~2~~ all 3+  
0

C. P. Miller - U. of Chicago. 6/26/51

795	151	H.B.	+	-	-	-	-
796	152	H.B.	+	-	-	-	-
797	153	H.B.	+	-	±	-	-
798	154	H.B.	+	-	±	-	-
799	155	H.B.	+	-	+	-	-
800	156	H.B.	+	-	-	-	-
801	158	H.B.	+	-	±	-	-
802	158	H.B.	+	-	±	-	-
803	159	H.B.	+	±	±	-	-
804	160	H.B.	+	-	±	-	-
805	161	H.B.	+	-	-	-	-
806	162	F	tg	-	-	-	-
807	163	H.B.	+	-	-	-	-
808	164	F	+	-	-	-	-
809	165	H.B.	+	-	-	-	-
810	166	H.B.	+	-	mutab. ++	±	-
811	167	H.B.	±	-	±	-	-
812	168	H.B.	+	-	±	-	-
813	169	H.B.	+	-	-	-	-
814	170	H.B.	tg	-	-	-	-
815	171	H.B.	tg	-	-	-	-
816	172	F	+	-	-	-	-
817	173	H.B.	+	-	-	-	-
818	174	H.B.	±	-	±	-	-
819	175	H.B.	±	-	±	-	-
820	176	H.B.	+	-	±	-	-
821	177	H.B.	+	-	-	-	-
822	178	H.B.	+	-	±	-	-
823	179	H.B.	+	-	-	-	-
824	180	H.B.	+	-	-	-	-
825	181	F	+	-	±	-	-
826	182	F	tg	-	-	-	-
827	183	F	+	-	-	-	-
828	184	F	+	-	-	-	-
829	185	F	+	-	-	-	-
830	186	F	+	-	-	-	-
831	187	COLON	+	-	-	-	-
832	188	COLON	+	-	-	-	-
833	189	COLON	+	-	-	-	-

0  
0  
1+  
400  
T  
500+  
500+  
T  
semi T some-?  
" " "  
" " "  
T  
semi T some-  
20-30 kg-? all lact, pub. mat.  
T  
semi T some-  
semi T some-  
" "  
" "  
" "  
T  
O  
semi T -  
T  
semi T; some-?  
"  
T  
O  
semi T some-?  
" all+  
300+  
semi T  
T

# RECHECK. 776 types.

No.	SLANT	WG	Previous history			Control	x	lac	mal
			Mal	lac	Remains				
629	✓		5+	+,-	Lac -				
✓ 635	✓		100	100					
644	✓		30	30					
655	✓		50+5-	-(+)					
657	✓		30-	-					
658	✓		40+	+					
661	✓		2+1-?		v. sm		v. sm.		
671	✓		100+	+	T		T		
reg # 672	✓	Mal+ lact pure D12	10+, ±	+ ±	O		15 variable +, (←?)		
690	✓		4+	+ 2 typ	O		ca 15+, bc legd..		
694	✓		600+	+	200-		200-		
722	✓		small	u.g.?	v. sm.		40 v sm		
724	✓		6+	-(spr?)	lact ✓				
731	✓		100+ (-?)	u.g.	Turbid		Turbid		
765	✓		?-	-+?	60-		60-		
772	✓		13+ $\frac{5}{sm}$		ca 15+		<del>20+</del> 600#		
810	✓					40-	300+		
804	✓	From plate			semi T		semi T.		

Rechecks 772, 690, 672

C.P. Miller - U. of Chicago 6/26/51

781  
~~834~~ 190 ILEUM

lac cb

Vaughn

834	127	+	-
835	129	+	+
836	130	+	-
837	160	+	+
838	167	+	-
839	168	+	+
840	187	+	+
841	188	+	+
842	331	(+)	-
(843)	475	(+)	+
BENHAM 844	P-465454	+	-
845			

W1647

W1648

T

T  
T  
T  
250 small, variable Malt  
T  
10 Mal-odor  
200 variable Malt; 2 types  
50 variable +  
T  
100 large Malt  
semi-T. Rysset!

804

805  
206 etc

may be same organism.

Z. W - P. H. L. 7/10/57 all  $\lambda^+$  Mal⁺ S^S

	LAC	Cl ⁺ Sec ⁺	Mal ⁺ Z ⁺	S	
845	+	(P) +	-	-	0
846	+	-	-	-	0
847	+	- ++	-	-	2+
848	+	-	-	±	0
849	+(g)	-	-	-	0
850	+(g)	-	-	++	0
851	+	- +++	-	-	0
852	+	-	-	-	0
853	+	-	-	-	0
854	+	+ +	-	-	0
855	+	- +++	-	-	0
<del>856</del>					

Repeat, + units/penicillin to mixture with W1177 in Permassoy  
 846-850 } no prototrophs S^R.  
 852-855 }  
 exp. to test activity of penicillin in stimulating recombination



Berkham - Chicago 7/16/51

all  $\Delta^R$  S^S Malt

EHS/7d sm

	LAC	Cb	Suc	Malt	ck	S	
856 P-448151 F	+	-	++	-	-		T
857 P-457730 F	+	-	-	-	-	SR	T
858 P-278502 F	+	-	-P	++	-		T
859 527869 U	+	-	+	-	-		T
860 489015 U	+	-	-	-	±		300 variable +
861 528763 U	+	-	++	-	-		O
862 P-301814 F	±	+g	+g	-	-		O
863 P-406231 F	+	-	-	-	-		T
864 P-525666	+	+g	+g	-	-		40 Malt +
865 P-446497 F	+	-	-	-	±		T
866 P-528819 F	+	-	±	-	-		O
867 ANL101126 F	+	-	±	-	-		O
868 479425 U	+	-	++	-	-		O
869 P-497362 F	+	-	++	-	-		T
870 P-434711 F	(-)	-	-	-	-		It
871 P-522918 F	+	-	-	-	-		T in Malt; O in Lac !!
872 P-487631 F	+	-	±	-	-		T
873 P-500604 F	+	-	-	-	-		T
874 P-522826 F	+	-	± ^{sk?}	-	-		T
875 P-440777 F	±	±	++	-	-		I
876 P-407476 F	+	-	-	-	-		T
877 P-453521 F	+g	+g	+g	-	-		100 mic
878 P-412280 F	+g	rg	rg	-	-		60 mic
879 P-522847 F	(S)	-	-	-	-	Mel-	60 mic (sm) ±
880 P-525658 F	+	-	-	++	-		O, some v. tum
881 P-190341 F	+	-	-	++	-		T
882 P-414666 F	+	-	-	-	-	✓ lysogenic	T
883 ANL101212 F	+	-	++	-	-		T
884 P-447944 F	+g	rg	rg	-	-		10SD
<del>885 P-526955 F</del>	<del>+</del>	<del>-</del>	<del>-</del>	<del>-</del>	<del>-</del>		<del>O</del>
886 P-431475 F	+	-	-	-	-		O

sl

C.P. Miller - U. of Chicago - 9/23/57

all Mat+S

	LAC	cb	ch	Suc	Suc	
887	191	H.B	+	-	- ^p	0
888	192	"	+	-	- ^p	0
889	193	"	+	-	+ ^g	0
890	194	"	+	-	+ ^g	0
	1	"				0
891	195	"	+	-	-	T
892	196	"	+	-	-	semi T.
893	197	"	+	-	-	="
894	198	"	+	-	-	0
895	199	"	+	-	-	0
896	200	"	+	-	-	0
897	201	"	+	-	-	0
898	202	"	+	-	+ ^g	0
899	203	"	+	-	+ ^g	0
900	204	"	+	-	-	0
						0
901	205	"	+	-	-	0
902	206	"	+	-	-	T
903	207	"	+	-	+ ^p	T
904	208	"	+	-	+ ^p	T
905	209	"	+	-	+ ^p	semi T.
906	210	"	+	-	+ ^p	T
907	211	"	+	-	+ ^p	T
908	212	"	+	-	-	T
909	213	"	+	-	-	T
910	214	"	+	-	-	T
						T
911	215	"	+	-	-	T
912	216	"	+	-	-	T
913	217	"	+	-	+ ^p	T
914	218	"	+	-	+ ^p	T
915	219	"	+	-	-	T
916	220	"	+	-	-	0
917	221	"	+	-	-	0
918	222	"	+	-	-	0
919	223	"	+	-	-	0

Mat±

Handwritten notes and arrows in the table columns, including a large arrow pointing downwards.



Miller-U.C.

AA

9/27/57

			Lac	Suc	Ch	cb	Mal	
937	120	H.B.	+	+	-	-	+	0
938	121	H.B.	+	±	-	-	+	8+
939	122	SPLEEN	+	+	-	-	+	0
940	123	SPLEEN	+	+	-	-	+	0
941	124	H.B.	+	-	-	-	+	1+
942	125	H.B.	+	-	-	-	+	0
943	126	SPLEEN	+	-	-	-	+	0
944	127	PATIENT WITH URETHRITIS	+	-	-	-	+	1+
945	128	SPLEEN	+	+	+	-	+	0
946	129	SPLEEN	+	+	+	-	+	2- ^m
947	130	H.B.	+	+	+	-	+	0
948	131	"	+	-	-	-	+	0
949	132	"	+	-	-	-	+	1+
950	133	"	+	-	-	-	+	0
951	134	"	+	+	-	-	+	0
952	135	"	+	+	-	-	+	0
953	136	"	+	-	-	-	+	0
954	137	"	+	+	-	-	+	0
955	138	"	+	+	-	-	+	0
956	139	"	+	+	-	-	+	0
957	140	"	+	+	-	-	+	ca 12 variable; satellite
958	141	"	+	-	-	-	+	0
959	142	"	+	-	-	-	+	0
960	143	"	+	-	-	-	+	0
slant 961	144	"	+	-	-	-	+	T
962	145	"	+	+	-	-	+	semi T, (many +, -)
963	146	SPLEEN	-	±	-	+	+	SR
964	147	"	-	-	-	+	+	SR
965	148	"	-	+	-	+	+	T
966	149	"	±	-	-	+	+	T
967	150	"	(± slow)	-	-	+	+	0

962 Lac+ok, Mal-^{mut.} Same for retest. Colonies on EMS seen w.g. n transfer.

Benham - Chicago

		lac	cl	DR	CL	Suc	Mal	ETS Malson
968	T CARTER, EDITH U	+	-	-	-	-	+	0
969	T CROWLEY, ERRON RT. EAR	+	++	-	+	g	+	0
970	T MCKINNEY, ELIZ. F	+	+ mix?	-	-	+	+	0
971	T BOSSI, CHARLOTTE F	-	-	-	-	-	-	0
972	T MENAGUO, RUTH F	+	-	-	-	-	-	0
973	T FOWLER, MATTIE U	+g	+g	-	+	g	-	0
974	T QUAN, JENNIE F	+	-	-	-	-	-	0
975	T MILLER, HAZEL F	+	-	-	+	-	-	0
976	T STINE, ALPA F	+	-	-	-	-	-	0
977	T SMALL, SANDRA U	+g	+g	-	+	g	-	0
978	T WILKINSON, GUY F	+	-	+	+	g	-	1+
979	T CHRISTOPHER, J. WOUND	+	-	-	+	g	-	4+ 3g.
980	<del>946</del> 955-	-	-	-	-	+	-	0
981	T MCHARY, LOVET Sp. FLUID	+	-	-	-	-	-	0
982	T O'NEIL, IRAE F	-	-	-	+	-	-	0
983	T SMITH, MARY F	+	-	-	+	-	-	3+
984	T MURRAY, L.V. LONG	+	-	-	-	-	-	0
985	T REISCH, CAROLINE F	+	-	-	-	-	-	T
986	938 -	-	-	-	-	-	-	T

Malt  
S₆

Benham - Chicago 9/30/51

		LAC	cb	Clr	Sue	Mal	S	
987	SHAWAWEIT, D. ISCHIAL ABSCESS	-	-	+	-	-	-	0
988	GANSKAT, A. U	+g	+g	-	+g	-	-	0
989	BIRRIANO, M. F	+	-	-	-	-	-	0
990	NORMANT, A. RT. EYE	+	-	-	-	-	-	0
991	SKINNEY, M. U	-	+	-	+	-	-	4+
992	FORTNER, M. THROAT	+	-	-	-	-	-	2+
993	MARTIN, V. PANCREAS	+	-	-	-	-	-	2+
994	ISHMIAL, D. WOUND	+	-	-	-	-	-	T
995	SMITH, STEPH. TRACHEOTOMY	+g	+g	-	+g	-	-	T
996	WILLIAMS, N. LOCHIA	+	-	-	-	-	-	0
997	HENLEY, D. PERITONEUM	+	-	±	-	-	-	0
998	CHRISTOPHERSEN, E. PENIS	+	-	-	-	-	-	0
999	McMICKEL, M. U	+g	+	-	+g	-	-	0
1000	YORK, DEROT. F	+g	-	-	-	-	-	0
1001	JORDAN, DWIGHT F	+	-	-	-	-	-	0
1002	HAND, WILLIE U	-	-	+p	-	-	Mal - S ^s	
1003	THOMPSON, A U	+g	+g	-	+g	-	SR	
1004	CORRIGAN, J. U	+	-	-	+	-	-	T
1005	DIBENETTO, T. U	+g	-	-	-	-	-	ca 800 +g
1006	JAFFE, M. U	+g	-	-	-	-	-	0
8-21-51								
1007	LN 101206 F	+g	+	-	+g	+	S	0
1008	LN 101379	+	-	+	-	+	S	0
1009	125993 F	-	+	-	-	+	R? S	0
1010	187447 F	-	-	-	-	±	S	0

Lysogenic.

Retests of colicin-producing strains

8/26/51

776-	Test of colicin activity		XW1695 on EMS-lac-Sm mal	
	40.518	45. W1695		
25	++	-	0	
53	-	-	0	
56	+	-	1+ (slow)	
61	++	-	0	
62	-	-	5+	5+
65B	-	-	0	
70	-	-	T	
75	-	-	0	
90	-	-	0	
93	+	+	1+	1+
95	+	+	11 (slow)	
750	+	+	2+	2+
753	+	-	0	
850	++	-	0	
903	-	-	0	
913	-	-	4+ (slow)	
919	-	-	0	
945	+	+	-	
946	+	+	0	
947	+	-	3+	3+
978	++	-	0	
987	-	-	-	
1002	-	-	-	
1008	++	-	0	
1013	+	+	-	
1016	+	+	0	
1017	+	+	0	
1018	+	-	T	
1028	+	-	1	1+
1036	++	-	0	





Catlin - Marquette - 8-17-51

acc JR

151

ENSPMUM lac-sm

		+	-	+	+	S
		lac	Cb	Smc	Ch	Mal
1011	23a	+				S
1012	26f	+				S
1013	31a	+		+	+	S
1014	35a	+		+	+	S
1015	38a	+		+	+	S
1016	44a	+		+	+	S
1017	45a	+		+	+	S
1018	46d	+		±	+	S
MISS. 1019	51c	+		+	+	S
1020	55e	+		+	+	S
1021	57b	+		+	+	S
1022	58b	+		+	+	S
1023	59a	+		+	+	S
1024	64c	+		+	+	S
1025	66a	+		+	+	S
1026	69b	+		+	+	S
1027	73a	+		+	+	S
1028	74c	+		+	+	S
1029	75a	+		+	+	S
1030	86a	+		+	+	S
1031	89a	+		+	+	S
1032	90b	+		+	+	S
1033	91a	+		+	+	S
1034	94a	+		+	+	S
1035	95a	+		+	+	S
1036	96a	+		+	+	S
1037	102c	+		+	+	S
1038	103a	+		+	+	S
1039	106a	+		+	+	S
1040	107b	+		+	+	S
1041	108a	+		+	+	S
1042	109a	+		+	+	S
1043	110a	+		+	+	S
1044	111b	+		+	+	S
1045	112a	+		+	+	S
1046	113a	+		+	+	S
1047	114c	+		+	+	S
1048	115b	+		+	+	S
1049	116a	+		+	+	S
1050	118a	+		+	+	S
1051	119a	+		+	+	S
1052	121a	+		+	+	S
1053	124a	+		+	+	S
1054	125b	+		+	+	S
1055	127a	+		+	+	S
1056	129d	+		+	+	S
1057	131a	+		+	+	S
1058	132a	+		+	+	S
1059	133a	+		+	+	S
1060	135b	+		+	+	S

W1710 1- 1+? Both lac-Mal-  
W1754 0 later; Fertile  
W1755 0 Fertile  
W1766 2- tiny Fertile  
1+, 1+? → 1lac+Mal+; 1lac-Mal-  
1+ ?  
2+ ?  
T  
W17570 Fertile

dg = didn't grow, prot. marginally resist to Sm.

Catlin - Marquette - 8-17-51

	Lac	Chr	SucCh	Mal	EMS Mal son
1061	138a	+	-	+	4+
1062	140a	-	-	+	0
1063	143a*	+	+✓	-+	0 W1758 ? Par: Mal-
1064	145a	-	-	+	0
1065	146b	-	-	+	0
1066	147a	-	-	+	0
1067	150a	-	-	+	3± tiny ?
1068	151b	-	-	+	0
1069	153b	-	-	+	0
1070	154c	-	-	+	2- tiny
1071	155b	-	-	+	0
1072	157a	-	-	-	0 n. viable ?
1073	158a	+	+	+	0
1074	161a	-	+✓	+	1-?
1075	162a	-	-	+	0
1076	163c	-	-	+	0
1077	164a	-	-	+	0
1078	165a	-	-	+	0
1079	168a	-	-	+	1-?
1080	169c	-	+✓	+	1+
1081	170c	-	+8 ↓	+	1-? 2+? : 2 ^{lac-} Mal-(blue); 1 lac- Mal- light
1082	171b	-	-	+	4+
1083	172b	-	-	+	0
1084	173c	-	+	+	0
1085	174a	-	-	+	4+
1086	175b	-	-	+	0
1087	176a	-	-	+	2+
1088	177a	-	+	+	0

1051: mixed: lac+, - Mal-.  
 A = lac+ (not pure 1st isol.)  
 B = lac- (mutable?)

Recheck 1051, 1071. 1051 shows 2 components on lac. (see over)

10/5/57

1051A is unstable lact.  
Each of 4 "clean" colonies  
showed lac- components.

UV (10-12 sec  
for 10⁻⁶ surv.)  
increased proportion  
of lac- entered cells,  
but left mostly  
lact. +.

Check through SR mutations.

776 - 1051 = W1710. Possibility of conjugation  
not ruled out.

1051C = stable lac + from B.

Retests:

Check prototrophy

1051 A	3	lac+ Mal- Xyl- MHR±
B	1	lac- Mal- Xyl- MHR±
1056	1	++
	1	--
1081	1	lac+ Mal+ Xyl+ MHR+
	1	lac- Mal- Xyl- MHR-

But Par. is Lac+, Mal- Xyl-!

PDS. checked W1710 lac- x W1490 : very high yield  
W1394 : " low or 0.  
W10/57

## Berkham - Chicago

8-21-51

T:

			lac	Cl	Suc Cl	Mal sm
1089	383857 ^P	F	+ ^g	+		1+ gummy
1090	366548 ^P	F	+	-		0
1091	437817	<del>abasso</del>	+	-		0
1092	443915 ^P	F	+	-		0
1093	482333	U	±	-		0
1094	502080 ^P	F	± ^g	+		0
1095	516884 ^P	F	+	-		0
1096	P-522824	F	+	-		0
1097	528879	U	+	-		1+
1098	528964	U	-	-		0
1099	529857 ^P	F	+	-		0
1100	<del>XXXX</del>	<del>abdominal</del>	<del>+</del>	<del>-</del>		<del>0</del>

## U. W. - P. H. L.

8-21-51

1101	74251		+ ^g	+		0
1102	74252		+ ^g	+		0
1103	74254		+ ^g spreader			0
1104	74257		+	-		0
1105	74335		+	±		
1106	74336		+(fold)	±		
1107	74351		+	-		
1108	74354		(+), -	-		0
1109	74522		+	-		
1110	74761		+ ^g	+		
1111	74763		+(fold)	+		
1112	75243		+	-		
1113	75789		+ ^g	+		
1114	75791		+	-		
1115	75819		+	-		
1116	75820		+	+		
1117	75860		+	-		
1118	75916		+	-		
1119	76201		+ ^g	+		
1120	76202		±	+		
1121	76209		+ ^g	+		
1122	76307		+ ^g	+		
1123	76308		+	-		
1124	lac-fr. 1108		-	+		0

776 UW PH Lab. 9/14/51

		Lac	Cb.	Suc	Ch	Mal	S
1125	—	+	—				
6	78961	+	—				
7	80807	+	—				
8	—	+	—				
9	78349	+	—				
1130	78389	+	—				
1	80742	+	—				
2	78390	+	+				
3	78522	+	—				
4	78960	+	—				
1135	80015	+	—				
6	83552	+	—				
7	78344	+	—				
8	79267	+	—				
9	78953	+	—				
1140	78753	+	—				
1	79125	+	—				
2	79545	+	+				
3	79562	+	+				
4	79361	+	—				
1145	79816	+?	—				
6	85133	+	+				
7	Lac-fp.1133	—	—				
8	78952	+?	—				
9	Lac-fp.1156	—	—				
1150	Lac-fp.1126	—	—				
1	Lac-fp.1127	—	—				
2	77547	+	—				
3	Lac-fp.1138	—	—				
4	77872	+	—				
1155	77546	+	+				
6	79696	+	—				
7	79264	+	—				
8	79180	+	—				
9	Lac-fp.1141	—	—				
1160	Lac-fp.1144	—	—				

U of Chi Berkham

Q A R

	loc	Ch	Sec	CK	Mel	Sm	EMS	med	sw
1161	519345 U	+	+	+9	-	+	R?	x	
1162	520214 Abd Inc.	+	+	+8	-	+	R?	x	
1163	<del>T138044</del> 1595 F	+	-	+	+	+	R?	x	
1164	P428740.14546 F	+?	+	+8	-	+	S	1+	+8
1165	303404 U	+	-	-	+	+	S	0	
1166	532475 U	+	-	-	-	+	R	x	
1167	P410798.1425 F	+	±	+8	-	+	S	0	
1168	360353 U	+	-	-	-	+	S	0	
1169	T602 Halp. Bl.	+	-	-	-	+	R	x	
1170	465546 U	+	-	-	-	+	S	0	
1171	299828 U	-	-	-	-	-	-	-	-
1172	B3192 Ab	+	-	-	+	+	-	0	
1173	P501503.1685 F	+	-	-	-	+	-	0	
1174	239457 U	-	-	+8	-	+	-	0	
1175	P531933.1649 F	+	-	-	-	+	-	0	
1176	P443661.1703 F	+	-	-	+	+	S	0	1+
1177	531369 U	+	-	-	+	+	S	0	
1178	532439 U	+	-	-	+	+	S	0	
1179	200517 U	-	-	-	-	-	-	-	-
1180	530836 Simms	-	-	-	-	-	S?	0	
1181	T1260 Bellamy F	+	-	-	-	+	R?	0	x
1182	T1287 F	+	-	-	+	+	-	0	
1183	T1398 U	+8	+	+8	-	+	S	0	
1184	T516 F	+	-	-	+	+	P	x	
1185	T921 F	+	-	-	±	+	S	0	
1186	P527128 F	+	-	-	+	+	S	0	
1187	T807 F	+	-	-	-	+	P	x	
wg 27	488 T1205 U	+	-	+	±	+	S	6-	→ Hal-x+
1189	T1258 U	±8	-	-	±	+	S?	0	
1190	T1681 liver abscess	+	-	-	±	+	S	0	
1191	T436 F	+	-	-	-	+	S	1+	→ lact
1192	T662 F	+	-	-	±	+	S	0	
1193	T1521 U	+	-	-	±	+	S	0	
1194	T1289 U	+	-	-	±	+	S	0	
1195	T605 vag.	±9	-	-	±8	+	S	0	
1196	T805 F	-	-	-	-	+	S	0	
1197	T1517 U	-	-	-	±	+	S	0	
1198	T1676 F	+	-	-	-	+	S	0	
1199	T582 F	+	-	-	+	+	S	2+	→ lact
1200	T447 U	+	-	-	±	+	S	0	
1201	T1513 abd	+	-	-	±	+	S	0	
1202	T938 lymph node	+	-	-	-	+	S	0	
1203	T855 ?	+	-	-	+	+	S	0	
1204	P530163.1738 F	+	-	-	-	+	S	0	
1205	T569 bile	+	±	+	-	+	S	0	
1206	T704 F	+	-	-	+8	+	S	1+	lact
1207	T917 throat	+	-	-	±	+	S	1+	lact
1208	T526 U	+8	+	+8	-	+	R		
1209	T529 F	+	-	-	+	+	S	0	
1210	P101755 F	+	-	-	+	+	S	0	
1211	T1793 U	+8	+	8	-	+	S	0	
1212	T1378 sputum	+	+	±	-	+	S	0	
1213	T1606 F	+8	+	+	-	+	S	0	

1194 may be susceptible to CK from 1195

	U. of Chri.	Berham lac	Ch	Suc	CK. Mel	Sm	EMS	ml	Sm
1214	P5324// -1709 F	+	-	-	-	+	S	1+	lac ⁺
1215	T1603 F	+ <del>#</del>	-	+	-	+	S	1+	lac ⁺
1216	T927 Bld, post mort	-	-	±8	-	+	S	0	
1217	T1785 U	±8	+	±8	-	+	R		
1218	T523 F	+	-	-8	-	+	S	0	
1219	lac ⁻ fr 1208	-	-	-	-	-	R		
1220	lac ⁻ fr 1215	-	-	+	-	+	S	0	

Starr - California

all R  
O unless otherwise

1221	T56: 3g	+	-	±9	+	+	S		1+
1222	T64: 3g	+	-	±9	+	+			
1223	T65: 3g	+	-	-	+	+			1+
1224	T66: 3g	+	-	-	+	+			
1225	T69: 3g	+	-	-	-	-			1+
1226	T70: 3g	+	-	-	+	+			
1227	T73: 1g	+	-	-	+	+			
1228	T74: 1g	-	+	+	-	-			1+
1229	T75: 1g	+	+	+	+	+			
1230	T76: 3g	+	-	+	+	+			
1231	T77: 1g	+	-	+	+	+	P		
1232	T78: 3g	+	-	+	+	+	S		
1233	T81: 3g	+	-	+	-	-	R		
1234	T86: 3g								
1235	T131								
1236	T146: 10g	+	-	-	-	-	S		
1237	T152: 10g	+	-	±	-	-			
1238	T153: 10g	+	-	-	-	-			
1239	T155: 3g	+	-	-	-	-			
1240	T180: 3g	+	-	-	-	-			1+
1241	T181: 10g	+	-	-	-	-			
1242	T182: 10g	+	-	-	-	-			4+
1243	T256: 3g	+	-	-	-	-			
1244	T258: 3g	+	-	-	-	-			1?
1245	T259: 3g	+	-	-	-	-			
1246	T260: 3g	+	-	-	-	-			
1247	T287: 3g	+	-	-	-	-			
1248	T288: 3g	+	+	-	-	-			
1249	T289: 3g	+	+	-	-	-			
1250	T290: 3g	+	-	-	-	-			0
1251	T292: 3g	+	-	-	-	-			0
1252	T293: 3g	±8	+	+	-	-			0
1253	T294: 3g	+	-	-	-	-			
1254	T295:	+	-	-	-	-			
1255	T297: 3g	+	-	-	-	-			
1256	T298: 3g	+	-	-	-	-			
1257	T299: 3g	+	-	-	-	-			
1258	T300: 3g	+	-	-	-	-			
1259	T301: 3g	+	-	-	-	-			
1260	T304: 3g	+	-	-	-	-			
1261	T306: 3g	+	-	-	-	-			
1262	T383: 1g	+	-	-	-	-			+

Spruder  
Spruder

	UWPAH lab	lac	Cl	Suc	Ch	Mal	sm		
1263	86518	+	-		±	+			1+
1264	86978	+	-		±	+			1+
1265	86981	+	-		±	+			
1266	87328	+	-		-	+			
1267	88410	<del>+</del>	-		-	+			2+ <del>+</del>
1268	89456	+	-		-	+			
1269	90184	+ ^g	+ ^g		-	+	R		3?
1270	90204	+	-		-	+			
1271	90296	+	-		-	+			
1272	90297	+	-		-	+			
1273	91479	+	-		-	+			
1274	91715	+	-		-	+			
1275	92086	+	-		+ ^{v. sharp}	+			
1276	lac-fr 1267	-	-		-	-	R	T	pigmented?



776 RESUME  
August 5, 1952.

These cultures have been returned  
 on slants for further test.

W 776	SMal sm x 1177	x 1177F+	x other testers
1362	22 lac ⁺ . Dimorphic in noted: lac, TS.		
a suc ^r - b			
1547 266 Stuart W1	lac-Mal+	1--✓	Residual lac mutation
1755 1053	Mal+ lac± ⁺	1-✓ 1-	Mal-x 1611 ?
1756 1055	Mal-	?	
1757 1060	Mal+	+	
1763 1246	Cliffon K201	--, 0	
1764 1281	Cliffon K93	2- >100+?; all+	
95	lac Mal+	1-, ?XX.	
232	lac ^m Mal ^m	16? sev?	5+
-731	lac ^r , Mal ^r	(100+, -)(T); [1-?]	small lac-mal-. "utter confusion. Mal-lac- on control!
1390		3+ 11-; 1--✓	0, 0,
1413 ? 1444 }	several hundred + and -		0, 0 later, 0 F1, F--
1507 ++	14, 6-; 9-8		2- <del>8</del> PARENT MOTTLED
1545 ++	2+ 7-;		3+, 10+.
1554 L+M-	60-- , 0, 0		0
1560 ± -?	60+ 3-) all lact,		2+ 1- (small) 1002
1575 ++	many -- , 0,		small ++
1578 ++	3+ 4-Σ L+ 0		0, 0
1605 ++ ¹	many - (7, -); 0 0		0
1608 ++	17-20+; 0, 0		0
1622 ++	3+ 6- (4 neg) 20+-		1602: 18+ 4-?
1623 ++	14+ # 1--		1-
1638 ++	100+, T control T corso +, -?		0
1663 ++	25+ 5-, 2+, 1+,		3+ 162
1680 ++	100-, 100+ m X + control		
1689 ++	18+, 4-, 1-sm;		13+, 20-c 1817

1693 ++ 374 3-; 3+1-^{small};  
 1699 1-

2+5-x1817  
 1602 2-

776-  
 Vials.

Also saved in vials and slants  
 slants

11 86 1302  
 89 1303  
 90 1304  
 91 1305  
 98 11  
 1200 14  
 01 15  
 08 16  
 09 17  
 10 18  
 15 19  
 16 20  
 17 83  
 18 84  
 20 85  
 21 86  
 22 87  
 23 88  
 24 89  
 29 91  
 30 92  
 32 93  
 37 94  
 38 95  
 39 96  
 40 97  
 46 99  
 47 1400  
 49 01  
 50 02  
 03  
 04  
 05  
 06  
 07  
 08  
 09  
 10  
 11  
 16  
 18  
 19  
 20

1421  
 22  
 23  
 24

2 722  
 7 724  
 11 804  
 14 810  
 17 843  
 20 962  
 21 1057  
 27 1074  
 53 1080  
 56 1328  
 58 1454  
 61 1574  
 62 1620  
 93 1621  
 144 1641  
 153 1681  
 208 1692  
 440 1694  
 644 1701  
 658 1731  
 661 1758  
 671  
 690  
 694

W1611  
 SRP crosses: (Wg 4) x wgs 1-30.  
 W1611 (lac⁻ S^R aux) x Wg m (lac⁺ S^S proto)

11/6/52 grew parents together in 5 cc for a day, centrif, washed mco + plated on EMS-lac-sm. One plate per cross. No control plates studied simultaneously. Poor washing (probably) accounts for successive turbidity on some of plates at 42 hrs (when all were skinned). The large spots of larger colonies appear on such plates, then, may or may not be prototrophs.

Wg	# colonies	turbidity
1	40+	-
2	0	-
3	0	-
4	0	-
5	200+	+++
6	28+	-
7	200+	+++
8	0	++
9	0	-
10	0	-
11	0	-
12	1+, 1-	+
13	0	-
14	0	-
15	2+	-
16	0	+
17	0	-
18	0	+
19	0	-
20	0	-
21	400	-
22	0	-
23	0	-
24	100	+++
25	0	-
26	0	-
27	0	-
28	300	+++
29	4+	-
30	3+	-

WG serotypes.

O K H

Kauffmann type    Dr. Shaw    Cunningham    EML    Shaver

- 013

new H

citrate +  
nitrate +  
starch +

Number	K30?	x	Other	EML	Shaver
1					
2		+	77		
3	8	0	8	0	
4	25	0	25	0	
5	-				
6	-				
7			2		
8	-				
9		0	12		
10		0	x		
11		0		15	1,12
12					13
13					
14					
15	86	12		131	
16					
17	41	0			
18		0			
19					
20				9	7
21					
22					
23					
24	40	13			14
25					1
26	1	12			
27		0			
28	x	14			
29					
30					27
31	14,133	0			
32		0			
33	21	4		21	4
34					
35		+		21	
36				9	
37	4	5		4	
38		0			
39	4	5		4	
40	7	0		7	
41				11	
42					
43	21	0?			
44					
45					
46	76	7		76	7
47	x	new			10
48	81	27		81	
49		0			
50		0			

28A

= 37?

x=range

X     $\phi$     -    Ew    EML    PDS

51					
52	18	46	14	x	✓
53	20	17	0		✓
54	21	20	0		✓
55	25	19	12		✓
56				026/36	0
57				025	

K76 = B20

026

probably duplicate of ug 55

	A	B	C	D		A	B	C	D	
1	1	1	1	2		1c	2c	3c	4c	CONTROL SERA (non-immune)
2	2	2	2	3		5c	6c	7c	8c	
3	3	3	3	3		9c	10c	11c	12c	
4	4	4	4	4		12c(6)	13c	14c	15c	
5	5	5	5	5	ANTI-WG SERA	Ic	IIc	IIIc	SIc	
6	5	5	5	5	1-3 = $\frac{WG}{3}$	S2c	S3c	S4c	S5c	
7	5	5	5	5	4-6 = 4	S6c	S7c	S8c	S9c	
8	5	5	5	6	7 = 16	S10c	P1c	P2c		
9	6	6	6	6	8 = 24					
10	6	7	7	7	9 = 2					
11	7	8	8	8	10 = 26	1P	2P	3P	4P	POOLED + HEMOLYSED SERA (COLI)
12	8	8	9	9	11 = 15	5P	6P	8P	9P	
13	9	9	9	10	12 = 19	9P	10P	11P	12P	
14	10	10	10	10	13 = 11					
15	11	11	11	11	14 = 1					
16	12	12	12	12	15 = 5					
17	12	12	13	13		I				
18	13	13	13	14			S1P	S2P	S2	
19	14	14	14	15		S2	S2	S3P	S4P	
20	15	P1	P1	P1	ANTI-PHAGE SERA	S4	S4	S4	S5P	
21	P1	P1	P1	P1	P1 = $\lambda_2$	S5	S5	S5	S6P	
22	P1	P1	P1	P1		S6	S6	S6	S7	
23			C	C	RABBIT COMPARTMENT	S7	S7	S7	S7	
24	C	C	C	C		S8	S8	S9	S10	
25	C	C	C	C		S10	S10	S10	S16	

### ANTISERA IN STORAGE

Dark entries = 5-10 cc quantities  
Pencil entries = 1-2 cc "

Prefixes: P = phage  
S = Salmonella  
none = coli

Suffixes: c = control  
P = Pooled trial  
bleeding

### Titers

S7 =  $\frac{1}{2560}$  (slide aggl.)  
S10 =  $\frac{1}{320}$  ( " )  
S1-6 =  $> \frac{1}{20,480}$ .

GENETICS  
FREEZER  
(LOWER LEFT CORNER)

STOCK PAULION  
FREEZER  
(NEAR RIGHT)

2/2 - 2/13/53

E. coli typing via Kauffmann-Ewing

SEROTYPE

Agglut. tests.

K12	SEROTYPE			Agglut. tests.			
	H*	O	K	H	O	K	
wy 1	+	-	-	wy 41	rod (G)	077	3!
11	-	-	X	42			
12				43	+4	OK	
13	FG pool			44	26 (21?)		
14			K119?	45	+	077	
15	+1, 12			46	+7?	076	+
16	AC pool			47	+13		3(23)
17				48	(F) pool	081	X
18				49			
19	H		K19?	50			
20	+7			3	-	08	+
21	MC pool			4	-	group C (NK)	
22			X	B	-	-	-
23	+						
24	+9						
25							
26	+1						
27							
28							
29	FG pool						
30	+27						
31							
32							
33	+4?	021	5, 9, 29 K 28				
34							
35	(E) pool						
36		09	55, 9, 26, 32				
37	+26(14)	04, 18	K3				
38							
39	+	04 (18)	K12	15	15		
40	+	07					

Legend  
 H+ swarm but not agglut.  
 X tried but neg.  
 * firm swarms at 37°  
 ( ) slight, secondary agglut  
 during test

#	O	K
2	17	
3	8	
4	25	
5	-	
6	-	
7	2	
8	-	
9	12	
10	R	

no aggl. titers determined

33 H types  
 124 O types  
 60 K types





φ = possible phage lysis

# SRP tests of KK cultures

= Ewing's Kserotypes ✓  
of EML505

Each tested against W1177(F-) and W1817(F+) on EMS mal.  
+o - refer to mal reaction

KK #	First trial	Second trial	Comment
1	no SRPs (0)		
2	no SRPs (0)		
3	1 mal- $\bar{c}$ 1817	0	
4	no SRPs (0)		
5	no SRPs; confluent mal + on control plate		
6	no SRPs; 4 + on control plate		
7	0		
8	$\bar{c}$ 1817, ca 150 protos, + + - Many mal + on control, 0 $\bar{c}$ 1177	$\bar{c}$ 1817 ca 200, + + -	Appears to be fertile, F-
9	0		
10	ca 100 col, + + -, on control + $\bar{c}$ 1177; 1 + $\bar{c}$ 1817	$\bar{c}$ 1817, 1 -	
11	4 + $\bar{c}$ 1817	$\bar{c}$ 1817, 1 -	
12	0		
13	0		
14	0		
15	Control 1 +; 1177 0; 1817 10 +, 8 -	control 1 +, 1 - 1177 0 1817 2 +, 2 -	
16	+ + - on all plates	ca 20-30 col, +, -, on all plates	KK culture found to be mixed $\bar{c}$ respect to mal
17	$\bar{c}$ 1817, ca 60 col, +, -, v		
18	$\bar{c}$ 1817, 1 +, 1 -	$\bar{c}$ 1817, 2 +	
19	$\bar{c}$ 1817, ca 100, + + - φ		Appears to be fertile, F-
20	$\bar{c}$ 1817, 3 +, 6 -	0	
21	0		
22	$\bar{c}$ 1817, 1 +, 16 -, 1 v		
23	0		
24	0		
25	control, 1 col 1817, 12 v(?)	0	
26	control, 1 - (?) 1817, ca 250, +, -, v. φ	1817 ca 200, +, -, v φ	Appears to be fertile, F-

# SRP tests of KK cultures

KK #	First trial	Second trial	Comment
27	control 1+ 1817 ca 600, +, -, v		Appears to be fertile, F-
28	1817 1-	1177 1+ 1817 ca 200, all mal -	?
29	0		
30	0		
31	1817 ca 100, +, -, v		Appears to be fertile, F-
32	0		
33	1817 ca 50, + & -		Appears to be fertile, F-
34	0		
35	1817 11 slow gummy, $\phi$ ca 200 -		Appears to be fertile, F-
36	1817 ca 500, + & -		Appears to be fertile, F-
37	1817 1+	1817 1+	
38	1817 ca 150, + & - $\phi$		Appears to be fertile, F-
39	1817 ca 1000, + & - $\phi$		Appears to be fertile, F-
40	1817 ca 50, + & -		Appears to be fertile, F-
41	control 2+		
42	0		
43	Control, smear, + & - 1177 11+ 1817 ca 150, + & -	Control: several very small - 1177: 3 mal + or v 1817 ca 200, +, -, v	Probably fertile
44	0		
45	0		
46	0		
47	0		
48	1817, 2+, 7-		
49	1817 2+	0	
50	1817 1+	0	
51	0		
52	1817 1+, 1-	0	

SAP tests of KK cultures

KK#	First trial	Second trial	Comment
53	0		
54	1817, ca 200, ++ - control 1 -	control 1 + n sl 1177 0 1817 ca 100 -	Appears to be fertile; F - Probably fertile
55	1817 6+, 4-		
56	1177 6+ 1817 12+	0	
57	1817 ca 200+, 10 -		Appears to be fertile; F -
58	Control 200 +		
59	1817 1 -	0	
60	0		

			Suc	Mal	x 1177	x 1490	x 1802	
119a	= 1051	unstable lac+	-	-	✓			wg 24
**	115	1048	-	-	0			
	112	1045	-	+	0			
	124	= 1053	<del>also lac unstable</del>	+	0	✓		
			lac ± unstable	cells				
129d	1056		-	+	✓	✓		wg 25
131a	1057		+	+	0	(1+) 2+1-	?	
170c	1081		±?	+	✓	✓		wg 26
	1074		+	+		1-2		
	1080		±?	+		1+?		

1063 (143a) Same as 055: B5-type

What serological reactions on the most types?

1052 121e - (143a) ¹⁰⁶³ inconsistent reaction: Same for rest  
 Mal - "rough" lac unstable?

- 127a
- 135b
- 145a
- 151b

Clifton

FMS mel SM

	loc	cl	mal	SM	Sec	CK	λ			
1270	K 52	+	-	+	S	±	-	R		
1278	K 61	-	-	-	S	-	-	R		
1279	K 63	+	-	+	S	-	±	R		
1280	K 88	+	-	+	S	-	+	R		
1281	K 93	+	-	+	S	+8	-	R	2, >100+	✓ all+
1282	K 99	+	-	+	S	+8	-	R	2+	W-1764 (Psychosis isol. 1929)
1283	K 108	+	-	+	S	-	?	R		
1284	K 120	+	-	+	S	+8	±	R		
1285	K 122	+	-	+	S	+9	-	R		
1286	K 130	+	-	+	S	-	-	R	5-(?) ✓	W-1762
1287	K 131	+8	+	+	S	+8	-	R	✓	(psychosis, isol. 1929)
1288	K 133	+	-	+	S	-	±	R		Wg 30
1289	K 135	+	-	+	S	-	-	R		
1290	K 137	+8	+	+	S	+9	-	R		
1291	K 142	+	-	+	S	-	±	R		
1292	K 144	+	-	+	S	-	-	R		
1293	K 153	+	-	+	S	-	-	R	2+	
1294	K 175	+	-	+	S	+8	-	R	3+	
1295	K 197	+	-	+	S	-	±	R	1+	
1296	K 201	+	-	+	S	-	-	R	2+, 15-	several -- ✓ fertile? (Schwarzmann) W176

later, W1763 x 1817 → 14+, several hundred - x W1817

W1762 ✓ loc-Mal- S/R recovered in checks  
 W1763 No yield in 1st checks 1-7-52 | 12+, no-  
 W1764 excess + (Control?) 1-7-52 | nothing

1296, 1281

~~rechecked~~

W1763 on rechecks - control, approx. equal no. mal + on cross + control. No -  
 W1764 on rechecks - ca 500 mal + on control, confluent growth on cross.

Miller - U. of Chi. 11-30-51

		loc	dr	ovc	ck	mel	SM	all AR E MS mel SM		
1297	1	⊕, al+	-	-	+	+	S			
1298	2	+	-	-	+	+	S			
1299	3	+	-	-	+	+	S			
1300	4	+	-	-	+	+8	S			
1301	5	+	-	+	-	+	S	1+, 1-	Wg 44	
1302	6	+	-	-	+	+8	S			
1303	7	+	-	+	+	+	S			
1304	8	+	-	+	+	+	S			
1305	9	+	-	+	+	+		4+, 2-(?)		
1306	10	+	-	-	+	+		2+, 2 al	3-9-52	cross & control gave = no SPP
1307	11	+	-	+	+	+	S			
1308	12	+	-	-	+	+	S			
1309	13	+	-	-	+	+	S			
1310	14	+	-	-	+	+	S			
1311	15	+	-	-	+	+	S			
1312	16	+	-	-	+	+	S			
1313	17	+	-	-	+	+	S			
1314	18	+	-	-	+	+	S			
1315	19	+	-	-	+	+	S			
1316	20	+	-	-	+	+	S			
1317	21	+	-	-	+	+	S			
1318	22	+	-	-	+	+	S			
1319	23	+	-	-	+	+	S			
1320	24	+	-	-	+	+	S	21+, 1-		
1321	25	+	-	-	+	+	S	1+		
1322	26	+	-	-	+	+	S			
1323	27	+	-	-	+	+	S			
1324	28	+	-	-	+	+	S			
1325	29	+	-	-	+	+	S			
1326	30	+	-	-	+	+	S			
1327	31	+	-	-	+	+	S			
1328	32	+	-	-	+	+	S	plate crowded, - and al+	nothing on second or third trials (11-7-52, 3-7-52)	
1329	33	+	-	-	+	+	S			
1330	34	⊕, al+	-	-	+	+	S			
1331	35	+	-	-	+	+	S			
1332	36	+	-	-	+	+	S			
1333	37	+	-	-	+	+	S			
1334	38	+	-	-	+	+	S			
1335	39	+	-	-	+	+	S			
1336	40	+	-	-	+	+	S			
1337	41	+	-	+8	-	+8	S	1 al		
1338	42	+	-	-	-	+	S			
1339	43	+	-	-	-	+	S			
1340	45	al+	+	-	-	+	S			
1341	46	al+	+	-	-	+	S			
1342	47	al+	+	-	-	+	S			
1343	48	al+	+	-	-	+	S			
1344	49	al+	+	-	-	+	S			
1345	50	al+	+	-	-	+	S			
1346	51	al+	+	-	-	+	S			
1347	52	al+	+	-	-	+	S			

Miller, U. of Chi.

11-30-51

		<u>loc</u>	<u>cl</u>	<u>acc</u>	<u>ck</u>	<u>mal</u>	<u>SM</u>	<u>FMS</u>	<u>mal SM</u>
1348	53	el+	+	-	-	+	S		
1349	54	el+	+	-	-	+	S		
1350	55	el+	+	-	-	+	S		
1351	56	el+	+	-	-	+	S		
1352	57	el+	+	-	-	+	S		
1353	58	el+	+	-	-	+	S		
1354	59	el+	+	-	-	+	S		
1355	60	el+	+	-	-	+	S		
1356	61	el+	+	-	-	+	S		
1357	62	el+	+	-	-	+	S		
1358	63	el+	+	-	-	+	S		
1359	64	el+	+	-	-	+	S		
1360	65	el+	+	-	-	+	S		
1361	66	+	+	-	-	+	S		
1362	67	el+	+	-	-	+	S		
1363	68	el+	+	-	-	+	S		
1364	69	el+	+	-	-	+	S		
1365	70	el+	+	-	-	+	S		
1366	71	el+	+	-	-	+	S		
1367	72	el+	+	-	-	+	S		
1368	73	el+	+	-	-	+	S		
1369	74	el+	+	-	-	+	S		
1370	75	+	+	-	-	+	S		
1371	76	+	-	-	-	+	S		
1372	77	+	-	-	-	+	S		
1373	78	+	-	-	-	+	S		
1374	79	+	-	-	-	+	S		
1375	80	el+	+	-	-	+	S		
1376	81	el+	+	-	-	+	S		
1377	82	el+	+	-	-	+	S		
1378	83	el+	+	-	-	+	S		
1379	84	el+	+	-	-	+	S		
1380	85	el+	+	-	-	+	S		
1381	86	el+	+	-	-	+	S		
1382	87	el+	+	-	-	+	S		

little or no ground

0

1396

Benham, Chicago

12-4-51

		loc	cl	ovc	CK	mal	SM	EMS mal SM
1383	P-2826	+	-	+8	-	-	S	
1384	97466	+	-	±8	-	-	S	
1385	P-103312	+	-	-	+	+	S	
1386	P-315797	+	-	-	+	+	S	
1387	P-349584	+	-	±8	+	+	S	
1388	P-395659	+	-	±8	+	+	P	
1389	409468 U	+	-	+	+	+	S	
1390	P-430208	+	-	-	+	+	S	
1391	P-444266	+	-	-	+	+	S	
1392	P-448851	+	-	-	+	+	S	
1393	P-484064	+	-	-	-	+	S	
1394	P-497502 (2)	±	-	±8	-	±8	R	
1395	P-497502	+	-	±8	+	±8	R	
1396	P-524147	+	-	+	+	+	S	1+
1397	P-528421	±	+	±8	-	+	S	
1398	P-534103	+	-	-	+	+	S	150 Fertile, F-
1399	P-536140	+	-	+	+	+	S	Wg 47
1400	P-536484	+	-	+	+	+	S	
1401	P-537830 U	+	-	-	-	+	S	
1402	537880 U	+	-	±8	+	+	S	
1403	P-538022	+	-	±8	+	+	S	
1404	538031 U	+	-	-	-	+	S	
1405	P-538241	+	-	-	±	+	S	
1406	P-538268	+	-	-	±	+	S	
1407	593345 wound	+	-	-	+	+	S	fertile F+
1408	P-539686	-	-	-	+	+	S	
1409	Kruze throat	+	-	-	±	+	S	1+
1410	loc al from 1297	al	+	-	-	+	S	
1411	loc al from 1330	al	-	-	-	-	S	

3+, 11- can't confirm

150 Fertile, F- Wg 47

fertile F+ Wg 49

Benham, Chicago

12-6-51

1412	18411	+8	+	+8	+	+	S	
1413	P-21664	+	-	-	+	+	S	several hundred, +4-
1414	P-102836	+	-	-	+	+	S	several hundred, +3-
1415	P-440680	+	-	-	+	+	S	fertile F+; Wg 48
1416	454575 abdom. fluid	+8 (1-)	-	±8	+	+	S	ca 100; 2+ 64+, 95 Wg 34
1417	P-503202	+	-	-	+	+	S	
1418	P-534617	+8	+	±8	-	+	R	
1419	535633 peritoneum	+	+	-	+	+	R	
1420	536603	+	+	+	+	+	S	
1421	P-537686	+	-	-	+	+	S	ca 250, +, +3, -
1422	P-537856	+	-	-	+	+	S	check purity of parent
1423	538263	+	-	-	+	+	S	1+
1424	loc from 1416	-	-	±8	+	+	S	OK

check purity of parent  
OK

See opp. page



Catlin - Marquette

		loc	cello	Suc	ck	mel	SM	SRP		
1425	27c	+ ^g	+	+ ^g	-	+	P			
1426	35b	+	-	+ ^g	-	+	S			
1427	38b	+	-	+ ^g	-	+	P			
1428	38c	+	-	+ ^g	-	+	P			
1429	38d	+	-	+ ^g	-	+	P			
1430	46f	+	-	+	-	+	S	1+, 1- (?)		
1431	51d	+	-	-	+	+	R			
1432	55b	+ ^g	+	+ ^g	-	+	S			
1433	55c	-	+	± ^g	-	+ ^g	R			
1434	57d	+	-	-	+	+	S			
1435	58d	+	-	+ ^g	-	+	S	cf. catlin letter		
1436	58e	+	-	± ^g	+	+	S	2+		
1437	58f	+	-	± ^g	-	+	S			
1438	59f	+	-	+	-	- little g.	S			
1439	66b	+	+	+	-	+	S			
1440	66c	+	+	+	-	+	S			
1441	66d	+	-	+	-	+	S			
1442	66e	+	+	+	-	+	S	1+		
1443	66f	+	+	+	-	+	S			
1444	69b	+	-	-	±	+	S			
1445	84d	+	-	+	-	+	P			
1446	84b	+	-	+	-	+	P			
1447	84d	+	-	+	-	+	R			
1448	84f	+	-	+	-	+	R			
1449	85d	+	+	+	-	+	S	ca 100 col, all mal +		
1450	85c	+	+	+	-	+	S			
1451	85d	+	+	+	-	+	S			
1452	85a	+	+	+	-	+	S			
1453	86b	+	-	-	+	mixed?	S			
1454	86e	+	-	-	+	mixed?	S			
1455	89b	+	-	+	±	+	S			
1456	89d	+	-	+	±	+	S			
1457	89f	+	-	+	±	+	S			
1458	90b	+	-	+	+	+	S			
1459	90f	+	-	+	+	+	S	9+		
1460	91c	+	-	-	+	+	S			
1461	91d	+	-	-	+	+	S			
1462	91a	+	-	-	+	+	S	4+		
1463	91f	+	-	-	+	+	S	15+		
1464	94b	+	-	+	-	+	S			
1465	94c	al	+	+	-	+	R			
1466	94d	al	+	+	-	+	R			
1467	94a	+	-	+	+	+	S			
1468	95b	+	-	-	+	+	S			
1469	95c	+	-	-	+	+	S	ca 50+		
1470	95f	+	-	-	+	+	S	7+		
1471	96b	+	-	-	+	+	S			
1472	96f	+	-	-	+	+	S			
1473	98a	+	-	+	-	+	S			
1474	98b	+	-	+	-	+	S	plate covered, all +		
1475	98c	+	-	+	-	+	S			
1476	98d	+	-	+	-	+	S	1+		
1477	98e	+	-	±	-	+	R	preserved		
1478	99a	al	-	+	-	+	S	ca 100, + and - (?)		
1479	99a	al	-	+	-	+	S			

Quantifiable form  
large, spreading light-  
colored colonies

1421 - on rechecking  
(3-9-52) got approx equal  
numbers mal + prototrophs on  
cross and control. No mal -.

Cattin - Marquette

		lac	cello	Suc	CK	meat	SM	SRP	
1480	99c	(+)	+	+	±	+	S		
1481	99d	+, (+)	+	+	±	+	R		
* 1482	99e	+, (-)??	+	+	±	+	S	13+, 1- (?)	* see opp. page
1483	990b	sl	+	+	-	+	R		
1484	100ccc	sl	+	+	-	+	R		
1485	101d	sl	+	+8	-	+	R		
1486	101e	sl	+	+8	-	+	R		
1487	101f	sl	+	+8	-	+	R		
1488	102b	sl	+	+8	-	+	R		
1489	102d	sl	+	+8	-	+	R		
1490	102e	sl	+	+8	-	+	R		
1491	102g	+	-	-	+	+	S	ca 200+; several - (?)	
1492	103	+	-	-	+	+	S		
1493	103e	+8	+	+8	-	+	R		
1494	105a	+	-	+	-	+	S	15+, also background of small + column	
1495	105b	+	-	+	-	+	S		
1496	105c	+8	+	+	±	+	S		
1497	105d	+	-	+	-	+	S		
1498	105e	(+) +8	-	+	-	+	S	W/Y, (A/T/P)	
1499	105f	+	-	+	-	+	S		
1500	106b	+, (+)	+	+	-	+	S		
1501	106c	+8	+	+	-	+	S		
1502	106d	+8	+	+	-	+	S	3+, 2 - (?)	
1503	106e	+8	+	+	±	+	S		
1504	106f	+8	+	+	±	+	S		
1505	107a	+	+	+	-	+	S		
1506	107c	+	-	-	±	+	S	W/H	
SL (1507)	107d	+8	-	-	±	+	S	11+, 6-	
1508	107e	+8	-	-	±	-	S	1-	
1509	108b	+	-	+	-	+	S	turbid	
1510	108c	+	-	+	-	-	S		
1511	108d	+	-	+	-	-	S		
1512	108e	+	-	+	-	-	S		
1513	108f	+	-	+	-	-	S	1-	
1514	109b	+	-	-	±	+	S		
1515	109c	+	-	-	-	+	S	15+	
1516	109d	+	-	-	-	+	S	22+	
1517	109e	+	-	-	-	+	S	6+	
1518	110b	+	±	+	-	+	S		
1519	110c	no gr.	-	-	-	-	-		
1520	110d	+	-	+	-	+	S		
1521	110e	+	-	±	+	+	S	4+	
1522	110f	+	-	±	+	+	S		
1523	111a	+	+	±	+	+	S	1+	
1524	111c	(-) +8	+	±	-	-	R	Though SR, did not grow on Small SM	
1525	111d	(+) +8	±	±	-	+	P		
1526	111e	-	-	+8	-	+	P	turbid	
1527	111f	+	-	+	±	+	S	turbid shows plaques	
1528	112b	(+) +8	-	-	-	-	S	1-	
1529	112c	(+) +8	-	-	-	-	S	1+, 16- Replicated to Small SM, 16 lac+, 1 lac-	
1530	112d	(+) +8	-	-	-	-	S	6-	all lac+
1531	112e	(+) +8	-	-	-	-	S		
1532	112f	+	-	-	-	-	S	5-	
1533	113b	+	-	+	±	+	S	5+	
1534	113c	+	-	+	±	+	S	ca 50+	

Transferred

W1817 used

←

✓

* One culture short between 1528 and 1537;  
 missing culture provisionally assumed to be 1537 (113f) 776

Catlin - Marquette

		loc	cello	Suc	CK	mal	SM	SRP			
1535	113d	+	-	+ ^g	-	+	S				
1536	113e	+	-	-	-	+	S				
<del>1537</del>	<del>113f</del>										
1538	114d	sl	-	-	-	+	S				
1539	114f	-	-	-	±	+	S				
1540	115c	+	-	-	+	+	S				
1541	115d	+	-	-	-	±g	S				
el 1542	115e	-	-	-	+	+	S	4+, 2-	Recheck in fertilized (6*, 32-)		WG 33
1543	115f	sl	-	-	-	±g	S				
1544	116b	+	-	-	-	±g	S				
1545	116c	+	-	-	-	±g	S	2+ 7-	9hact		
1546	116d	+	-	-	-	+	S	3+			
1547	116e	+	-	-	-	+	S	1+			
1548	116f	+	-	-	-	+	S	7+			
1549	117a	+act	+	+	-	+	S	2+			
1550	117b	+	+	+	-	+	S	1+			
1551	117c	sp ⁺	+	+	-	+	S	.			
1552	117f	sp ⁺	+	+	-	-	S	## no-			
1553	118b	+	-	-	-	-	S	.			
1554	118c	+	-	-	-	-	S	60-	→ all lac-		
1555	118d	+	-	-	-	-	S	.			
1556	118e	+	-	-	-	-	S	.			
1557	118f	+	-	-	-	-	S	.			
1558	119a	+ (m.g.)	-	-	-	-	S	3 days: 1 Mal-			
1559	119c	+ (m.g.)	-	-	-	-	S	1-			
1560	119d	+/-	-	-	-	+	S	60+ 3-	lac- all lact	on recheck ca 200 cells, control gene cross - sufficient q.	
1561	119e	+/-	-	-	-	+	S	.			
1562	119f	+/-	+	-	-	+	S	ca 80 ⁺ sp. -	5hact m plate wg 43	on recheck control 1 mal + cross 200 mal + see 17/19	
1563	120a	+/-	-	-	-	+	SR				
1564	120b	+/-	-	-	-	+	SR				
1565	120d	+	-	-	-	+	SR				
1566	124c	ng sl	0	-	-	-					
1567	125c	+	-	-	-	+	R	## no-	all lact	Recheck, sufficient q. in cross control	
1568	126b	sl	-	-	-	+	S				
1569	127b	ng 18us	+	+	-	+	SM				
1570	127c	+	-	-	-	+	S	## no-	all lact		
1571	127d	+	-	-	-	+	SR	.			
1572	127e	+	-	-	-	+	S	.			
1573	128b	+	-	-	-	+	S	1+			
1574	128d	+	-	-	-	+	S	3 days 3-2+			
1575	129a	+	-	-	-	+	S	## all -	→ all lac-		
1576	129c	+	-	-	-	+	S	.			
1577	129e	+	-	-	-	+	S	18+	18 lact		
1578	129f	+	-	-	-	+	S	3+ 1-	all lact		
1579	130b	sl	+	-	-	+	SR	.			
1580	130c	sp	+	-	-	+	R				
1581	130d	sl	+	-	-	+	SR				
1582	130e	+	+	-	-	+	SR				
1583	131b	+	-	-	-	+	S				
1584	131f	ng. -	+	-	-	+	SP				
1585	132b	+ m.g.	-	-	-	+	S	0			
1586	132c	+	+	-	-	+	S	2+			
1587	132d	+ m.g.	-	-	-	+	S	0			
1588	132e	+ m.g.	-	-	-	+	S	0			
1589	133b	m.g.	-	-	-	+	S	0			

3 components from 1482 All three cells +

1482 a: lac +, small colonies

1482 b: lac +, large colonies

1482 c: lac +, extremely gummy

1524 pinpoint colonies - may  
be +, but too small to tell.

Catlin - Marquette

		lac	cello	mc	ck	mal	SM	SRP		
1590	133c	-	±	±	-	+	R			
1591	133d	+	+	+	-	+	R			
1592	133a	+ <del>mm</del>	+	+	-	+	R			
1593	133f	-	±	±	-	+	R			
1594	135a	(+) +al	+	+g	-	+g	R			
1595	135c	+	+	+g	-	+g	R			
1596	135d	(+) +al	+	+g	-	+g	R			
1597	135e	(+) +al	+	+g	-	+g	R			
1598	135f	+	+	+g	-	+g	R			
1599	137a	+ <del>mm</del>	+	+g	-	+g	S	0		
1600	138d	+ <del>mm</del>	-	-	-	+	S	1		
1601	139a	+g	+	+g	-	+g	S	1mc		
1602	140b	+	+	-	-	+g	S	0		
1603	140c	+ <del>mm</del>	+	-	±	+g	S	1-	lac+	
1604	140d	+ <del>mm</del>	+	+g	±	+g	S	0		
al (1605)	140e	+ <del>mm</del>	+	±g	±	+g	S	+	1-?	Appear lac+ + lac- on replica to S lac SM
1606	140f	+ <del>mm</del>	+	±g	-	+g	S	1-	lac- (?)	low crowded to be seen
1607	140g	+ <del>mm</del>	+	±g	-	+g	S	0		rapid 2 control
al (1608)	140h	+ <del>mm</del>	+	±g	-	+g	S	17-20+	about same proportion lac- / lac+	
1609	141a	+g	-	±g	-	+	S	1+		
1610	142a	±g	-	+g	-	+	S	1mc		
1611	142b	+g	+	+g	-	+	S	3-	1-	others n.g.
(1612)	142c	±g	+	+g	-	+	S	30+	all lac+	
1613	143a	+	-	+	-	+	S	0		
1614	143c	+ <del>mm</del>	-	+	-	+	S	7-	all lac+	
1615	143d	n.g.								
1616	143e	+ <del>mm</del>	+	+	-	-	S	2-	lac+g	
1617	143f	+	+	+	-	-	S	0		
1618	143g	+ <del>mm</del>	+	+	-	-	S	0		
1619	145b	+ <del>mm</del>	+	+	±	+g	S	0		
al (1620)	145c	+	+	-	-	+	S	7+/-	7+/- (?)	
al (1621)	145d	+ <del>mm</del>	+	-	-	+	S	10+/-	all lac+	
al (1622)	145e	+	+	-	-	+	S	3+/-	5 lac+; 4 failed to grow	
al (1623)	145f	+ <del>mm</del>	+	-	-	+	S	4+/-	1 lac+; 1 lac-	
1624	145g	+ <del>mm</del>	+	-	-	+	S	0		
← 1625	147a	+	-	-	-	+	S	*		
1626	147d	+	-	-	-	+	S	*		
1627	147e	+	-	-	-	+	S	*		
1628	147f	+	-	-	±	+	S	*		
1629	147g	+	-	-	+	+	S	*		
1630	148a	al	+	+g	-	+g	R			
1631	148b	al	+	+g	-	+	R			
1632	149a	+	-	-	+	+	S	*		
1633	149c	+	+	+	-	+	S	15+		
1634	149d	+	+	+	-	+	S			
1635	149f	+	-	-	+	+	S	*		
1636	150c	+	+	+g	-	+	R			
1637	150d	+	+	+g	-	+	R			
(1638)	150e	+	-	-	-	+	R		ca 100+	
1639	150f	+ <del>mm</del>	-	-	±	+	S		appeared SR in cross	
1640	150g	+	+	+g	-	+	S			
(1641)	151a	+	-	-	+	+	S	9+, 3- (?)		
1642	151e	+	-	-	+	+	S	1+		
1643	152a	+	+	+g	-	+	R			
1644	152b	+	+	+g	-	+	R			

Cattin - Marquette

		loc	cello	vue	CK	mal	SM	SRP	
1645	153a	+	-	-	±	+	S	*	
✓1646	153c	+	-	-	±	+	S		Peripheral cy, also 1- in center
1647	153e	<del>+</del> ^{400mg}	-	-	-	+	S	*	
1648	153f	<del>+</del> *	+	+	-	+	S	*	
1649	153g	+	-	-	+	+	S	*	
1650	154b	+, al	+	+3	-	+	R		
1651	154e	+, al	+	+8	-	+	R		
1652	154f	n.g.	-	-	-	+	S		appeared SP in cross
1653	154g	+	-	-	±	+	S	*	
1654	155e	+	-	-	±	+	S	*	
1655	155d	n.g.	-	-	±	+	S	*	
1656	155e	+	-	-	+	+	S	*	
1657	155f	n.g.	-	-	+	+	S	*	
1658	155fg	n.g.	-	-	+	+	S	*	
1659	156a	+	+	+3	-	+	S		ca 100+; 2 gummy
1660	156b	+	+	+3	±	+	R		
1661	156d	+	+	+8	±	+	S		1+
1662	157b	-	±	-	-	±	S		
1663	157c	+	+	+9	-	+	S		25+, 5-
1664	158b	+	±	-	+	+	S	*	W1885 strong colony; many separate colonies of W58 in center zone
1665	158c	+	-	-	+	+	S		
1666	158d	+	-	-	+	+	S		11+, 20- Recheck 3+, 6- Wg 38 on recheck, Wg 36 70+, 49-
1667	158e	+	-	±	±	+	S		
1668	158f	+	-	-	+	+	S		
1669	158g	+	-	-	+	+	S		50+, 45- 5+, 9- 11+, 4-
1670	159a	+al	+	±	-	+	R		
1671	159b	+	+	+	-	+	S		keep 1666, 1667 as diff. sees. T.O. 68, 69
1672	159c	+	+	+	-	+	S		
1673	161b	+	-	-	+	-	S		2-
1674	161c	+	-	+	-	+	S		
1675	161d	+8	+	+8	±	+	R		
1676	161e	+	-	±8	-	+	S		1+
1677	161f	+	-	+	-	+	S		
1678	161g	+	-	-	+	-	S		
1679	162b	+	-	+8	-	+	S		ca 600+
1680	162c	+	-	-	+	+	S		ca 100-
1681	162d	+	+	+8	-	+	S		1-
1682	162e	+	±	+8	-	+	S		
1683	162f	+	-	+	-	+	S		partially resistant in SRP plating
1684	162g	+	-	-	+	with cy.	S		
1685	163b	+	-	-	±	+	S		4+
1686	163c	+8g	+	+	-	+	S		
1687	163d	+8g	+	+	-	+	S		
1688	163e	+	-	-	±	+	S		[1+, 2- (?)] [10+, 2-] Wg 42
1689	163f	+	-	-	-	+	S		18+
1690	164b	+	-	-	+	+	S		
1691	164c	+	-	-	+	+	S		
1692	164d	+	-	-	+	+	S		ca 100 mal - or mal slow
1693	165b	+	-	-	-	+	S		37+, 3-
1694	165c	+	-	-	±	+	S		5- a slow
1695	165d	+	-	-	-	+	S		
1696	168b	+	-	-	-	+	S		32+ Recheck 1+, 1-
1697	168c	+	-	-	-	+	S		
1698	169a	+	-	+	-	+	S		
1699	169b	+	-	+	-	+	S		

1625 - 1664

SRP ~~cross~~ done on 5 mal  $\bar{3}$  SM  
by adding 1 drop regular SM  
soln to each suspension.

Strains marked * showed  
ring of growth around  
edge of plate where  
SM was more dilute,  
though center of plate  
was clear. All such  
growth mal +



Catlin - Marquette

		lac	cello	Suc	CK	med	SM	SRP
1700	169d	+	-	+	-	+	S	400 75+
1701	169e	+	-	+	-	+	S	1-
1702	169f	+	-	+	-	+	S	1+
1703	169g	+	-	+	-	+	S	
1704	170a	+	-	+	-	+	S	
1705	170b	+g	+	+g	-	+	R	
1706	170d	+	-	-	±	+	S	
1707	171a	+g	±	+g	±	+	R	
1708	171c	+g	±	+g	±	+	R	
1709	171d	+g	±	+g	-	+	R	
1710	171e	+	-	-	+g	+	S	1+
1711	172a	+	+	+	-	+	S	
1712	172c	+	+	+	-	+	S	
1713	172d	+g	+	±	-	+	S	
1714	172e	+g	+	+	-	+	S	
1715	172f	+	+	+	-	+	S	
1716	172g	+	-	-	+	+	S	
1717	173a	+	-	+	+	+	S	
1718	173c	+	-	+	+	+	S	
1719	173d	+	-	+	-	+	S	5+
1720	173da	+	+	+	-	+	S	
1721	173e	+	-	+	+	+	S	15+
1722	174a	+	+	+g	-	+	S	
1723	174b	+	-	-	+g	+	S	1+
1724	174c	+	-	-	+g	+	S	
1725	174d	+	-	-	+g	+	S	
1726	176b	+	-	-	-	+	S	
1727	176c	+	-	-	-	+	S	
1728	176d	+	-	-	+	+	S	
1729	176e	+	-	-	-	+	S	
1730	177b	+g	-	-	+	+	S	
1731	177e	+g	-	-	+	+g	S	1+
1732	177f	+	-	-	+	+	S	
1733	lac+ph 1497	+	+	-	-	-	S	
1734	lac+ph 1498	+g	-	±	-	+	S	
1735	lac - ph 1460	+	+	+	±	+	S	
1736	lac+g 1461	+g	+	+	±	+	R	
1737	lac+g 1482	+	+	+	±	+	S	1+
1738	lac+g 1498	+g	+	+	±	+	S	6+, 2 - (?)
1739	lac+g 1500	+	+	+	±	+	S	
1740	lac+g 1524	+	±	±	±	+	P	
1741	lac+g 1525	+	+g	+g	-	+	R	
1742	lac+rough 1528	+	±	-	-	-	S	
1743	lac - fr 1529	-	-	-	-	-	S	24-
1744	lac - fr 1530	-	-	-	-	-	S	10-
1745	lac - fr 1531	-	-	-	-	-	S	
1746	1559	-	-	-	-	-	S	
1747	1560	-	-	-	+	+	S	# 20-
1748	1561	-	-	-	+	+	S	# 20-
1749	1562	-	-	-	+	+	S	# 20-
1750	1563	-	-	-	+	+	S	# 20-
1751	1582	-	+	+	-	+	S	
1752	1564	-	-	+	-	+	S	
1753	1693	-	-	-	-	+	S	# 20-
1754	1697	-	-	-	-	+	S	
1755	1682	-	+	+	-	+	S	# 20-

			lac	cello	Suc	CK	mal	SM	SRP		
1756	lac+ fr	1586	+8		+8	-	+	S	0		
1757	lac al fr	1594	al		+8	518?	+	R			
1758	" " fr	1596	al		+8	-	"?	R			
1759	" " "	1597	al		+8	-	"?	R			
1760	lac- fr	1648	-					S			
1761	lac al fr	1650	al					R			
1762	lac al fr	1651	al					R			
1763	E. coli II	Edwell	+		+	+	-	S			= W1939 = Wg 50
<p><u>Benetton</u> - (from) 9/16/53. (All known - isolates).          117) 1817.</p>											
1764	(Coli 0558)	J.D. 798	+		-	-	+	R			
1765		J.D. 790	+		+	-	+	S			
1766		J.D. 2711	+		+	-	-	S			
1767		J.D. 6816	+		-	-	+	S			1+L+ 1+L+
1768		J.D. 6882	+		-	-	+	S			2+ 1+
1769		AB 1	+		-	-	+	S			
1770		AB 2	+		-	-	+	S			
1771		AB 3	+		+	-	-	S			
1772		AB 6	+		+	-	-	S			
1773		AB 7	+		+	-	-	S			1-
1774		AB 15	+		+	-	-	S			1-L-
1775		AB 21	+		+	-	-	S			
1776		J.D. 888	+		-	-	+	S			
1777		J.D. 890	+		-	-	+	S			
1778		J.D. 905	+		-	-	+	S			
1779		J.D. 3601	+		-	-	+	S			
1780		J.D. 903	+		+	-	-	S			
1781		AB 5	+		+	-	-	S			
1782		AB 27	+		+	-	-	S			
1783		AB 53	+		+	-	-	S			
1784		AB 52	+		+	-	-	S			
1785		AB 46	+		+	-	-	S			
1786		AB 5087b	+		+	-	-	S			
1787		J.D. 900	+		-	-	+	S			
1788		J.D. 917	+		-	-	+	S			
1789		AB 4	+		+	-	-	S			
1790		AB 8	+		+	-	-	S			16+
1791		AB 9	+		-	-	+	S			<del>Reference</del>
1792		AB 10	+		-	-	+	S			
1793		AB 11	+		-	-	+	S			
1794		AB 12	+		-	-	+	S			
1795		AB 14	+		-	-	+	S			
1796		AB 16	+		-	-	+	S			
1797		AB 17	+		-	-	+	S			2lac-
1798		AB 18	+		-	-	+	S			<del>Reference</del>
1799		AB 19	+		-	-	+	S			
1800		AB 20	+		-	-	+	S			3- <del>Reference</del> (reference)

				fac	alb	rac	ck	no	etc	S.R.P. 117/187		
1801	Class 55	AB	22	+		-	+	+	S			
1802		AB	23	+		-	+	+	S			
1803		AB	24	+		+	-	-	S			
1804		AB	25	+		+	-	-	S			
1805		AB	26	+		+	-	-	S			
1806		AB	28	+		+	-	-	S			
1807		AB	29	+		+	-	-	S			
1808		AB	30	+		+	-	-	S			
1809		AB	31	+		+	-	-	S			
1810		AB	32	+		+	-	-	S			
1811		AB	33	+		+	-	-	S			
1812		AB	34	+		+	-	-	S			
1813		AB	36	+		+	-	-	S			
1814		AB	37	+		+	-	-	S			
1815		AB	38	+		+	-	-	S			
1816		AB	39	+		+	-	-	S			
1817		AB	40	+		+	-	-	S			
1818		AB	41	+		+	-	-	S			
1819		AB	42	+		+	-	-	S			
1820		AB	43	+		+	-	-	S			
1821		AB	44	+		+	-	-	S			
1822		AB	45	+		+	+	-	S			
1823		AB	47	+		+	-	-	S			
1824		AB	48	+		-	-	+	S			
1825		AB	49	+		-	-	+	S			
1826		AB	50	+		-	-	+	S			
1827		AB	51	+		-	-	+	S			
1828		AB	53	+		-	-	+	S			
1829		AB	54	+		+	-	-	S			
1830		AB	56	+		-	-	+	S			
1831		AB	57	+		-	-	+	S			
1832		AB	58	+		+	-	-	S			
1833		AB	59	+		+	-	-	S			
1834	Class 134	AB	60	+		-	-	+	S		2+	check o
1835		AB	61	+		+	-	-	S			
1836		AB	62	+		-	-	+	S			
1837		AB	63	+		-	-	+	S			
1838		AB	64	+		-	-	+	S			
1839		AB	65	+		-	-	+	S			
1840		JL	69	+		-	-	-	S			
1841		JL	5344	+		-	-	+	S			
1842	Class 2636	AB	1	+		-	-	+	S		1+	check o
1843		AB	2	+		-	-	+	S			
1844		AB	3	+		-	-	+	S			
1845		AB	4	+		-	-	+	S			
1846		AB	5	+		-	-	+	S		1-	check o
1847		AB	6	+		-	-	+	S		1+	check o
1848		AB	7	+		-	-	+	S			
1849		AB	8	+		-	-	+	S			
1850		AB	9	+		-	-	+	S		8+	check o

				loc	Cell.	Sur	CK	Real	Sal.
1851	Ch 02656	AB	10	+	-	+	-	+	117, 151
1852		AB	11	+	-	+	-	+	0
1853		AB	12	+	-	-	-	+	0
1854		AB	13	+	-	-	-	+	4+8-
1855		AB	14	+	-	+	-	+	check = 177 - 187 + ...
1856		AB	15	+	-	+	-	+	0
1857		AB	16	+	-	+	-	+	0
1858		AB	17	+	-	+	-	+	0
1859		AB	18	+	-	+	+	+	0
1860		AB	19	+	-	+	+	+	0
1861		AB	20	+	-	+	+	+	0

*Rogus - Jim in pen*

1862	Johnson	011	+	-	-	-	+	+	0
3	Smyth	011	+	-	-	-	+	+	0
4	Helm	011	+	-	-	-	+	+	0
5	Flater	011	+	-	-	-	+	+	0
6	Lindsay	053	+	-	+	-	+	+	0
7	Rosen	053	+	-	+	-	+	+	0
8	Rosen	053	+	-	+	-	+	+	0
9	Norman	053	+	-	+	-	+	+	0
70	Lockwood	026	+	-	-	-	+	+	0
71	Roome	026	+	-	-	-	+	+	0

*5-10-60*

*2665 = 25656*

Ewing coli 055

O#	Ewing no.	Gel	Mel	Mtl	Suc	Celb	lac	Xyl	Smtl	SM	Ti-7; p422	+1485	λ la	1177	1817
187	1	+	+	-	-	↓	-	↓	all	S			all R		
2	2	+	+	+	- ^m	↓	+	+	trials	S					
3	3	+	-	+	+		↓	+		S					
4	4	+	-	+	+			+		S					
5	5	+	-	+	+			+		S					
6	6	+	-	+	+			+		S					
7	7	+	-	+	+			+		S					
8	8	+	-	+	+			+		S					
9	9	+	-	+	+			+		S	T ₁ ^s				
10	10	+	-	+	+			+		S					
11	11	+	-	+	+			+		S					
12	12	+	-	+	+			+		S					
13	13	+	+	1-	0			-		S				0+	0+
14	14	+	+	-	0			-		S				0	0+
15	15	+	+	-	0			-		S					
16	16	+	+/-	-	S			-		R					
17	17	+	+/-	-	S			-		R					
18	18	+	+/-	S+	+			+/-		R					
19	19	+	+	+	+			+		S					
20	20	+	-	+	+			↓		S					
21	21	+	-	+	+	↓				S					
22	22	+	+	+	+	↓				S					
23	23	+	+	+	+	S				S					
24	24	+	-	+	+	-	↑	↑		S					
25	25	+	-	+	+	-	+	+		S					

Smtl  
F- F+

all 0 except where noted  
0+ = purple a2 Mel+

= 122691 = 1265) 0+ 1/5-√ -

3- 0

++

Ewing coli O111

1897  
1500  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32

O#	Ewing #	λ type T	1	2	3	4	5	6	7	plate	lac	auc	glu	gal	mal	xyt	allo	SM	x1177	F+
26	805.50 #67	all λ ^R 1/2									S				+	+	-	S	0	0
27	806.50 #72										S				+	+	↓	S	0	0
28	807.50 #82										S				+	+	↓	S	26+	34+ ✓
29	808.50 #95										S				+	+	↓	S	1+	0
30	1332.50	+ (905)									S				+	+	↓	S	7+	+
31	1333	+									S				+	+	↓	S	0	0
32	1334										-				+	+	↓	S	0	0
33	1594										S				+	+	↓	R	0	0
34	5267										S				+	+	↓	R	0	0
35	5268 or 81										S				+	+	↓	R	0	0
36	5798										+S				+	+	↓	R	0	0
37	5799										S				+	+	↓	R	0	0
38	5500										S				+	+	↓	R	0	0
39	5501										S				+	+	↓	R	0	0
40	5623	+ 1485									↑				+	+	↓	S	0	0
41	5690										↑				+	+	↓	S	1-	0
42	5918										↑				+	+	↓	S	0	0
43	5919										↓				+	+	↓	S	0	0
44	6170 date 2										S				+	-	↓	R	0	0
45	6171 "3										S				+	-	↓	R	0	0
46	6172 "4										S				+	-	↓	R	0	0
47	6238										-				-	+	↓	S	1+	0
48	6239										-				-	+	↓	S	6	1+
49	6240										↑				-	+	↓	R	0	0
50	6241										↑				-	+	↓	R	0	0
51	6338 ↓										↑				-	+	↓	R	0	0
52	1795.51										↑				+	-	↓	R	0	0
53	2092.57										↑				+	+	↓	R	0	0
54	585.52										S				+	+	↓	S	0	0
55	587										1				-	+	↓	S	0	0
56	588	+ 1485									S				+	+	↓	R	0	0
57	718										S				+	+	↓	R	0	0
58	719										S				+	+	↓	R	0	0
59	3546	± (diffuse)									-				-	+	↓	S	2+	0
60	4957										↑				+	-	↓	S	0	0
61	5927	± 1455 (diffuse)									↑				+	+	↓	R	0	0
62	5281										↑				+	+	↓	R	0	0

all T^R  
all protos on SM

all +  
except  
↓ 41  
51

+ 1485

+ 1485

± (diffuse)

± 1455 (diffuse)

5281  
5281  
5281

Plated on SM  
029 3 Malt  
025 8 Malt -  
051 0

F- F+

26+ 34+ ✓  
1+ 0  
7+ + ✓

0 0  
1- 0

1+ 0  
6 1+

0 0  
0 0  
0 0

2+ 0  
0 0

all lac⁺ ✓  
typic

Ewing coli from ~~(f 13)~~ France. 5/55.

All  $\lambda, \lambda_2, T_1 - T_7$  resist.

	Ewing#		Lac.	Colo	Pho	Mal	M.P.	Xyl	ST	RTS Lac. SM.	
										122	15D
1933	586-52	055 BS H6 (sporadic M'ken).	+	-	+	-	-	4	S	0	0
4	589-52	"								0	0
5	590-52	"								0	0
6	591-52	"								0	0
7	3320-54	(sporadic Chi).								0	0
8	3321-54	055 BS H10 ( " " )								0	0
9	3701-54	055 BS H- ( " " )								0	0
40	3710-54	0535 H- ( " " )								0	0
1941	2121-55	0111 B4 H- (Outbreak Fla)								0	0
2	124-55	"								0	0
3	128-55	"								0	0
4	4869-54	" (Outbreak, Pa.)								0	0
5	4870-54	" ( " " )								0	0
6	3714-54	" (Sporadic Chi).								0	0

Note 10/56. By this series 589-52 is not futile.

(776-1934). z.

776-1890

Cultures from Karokasević  
(Yugoslavia)

7/55 DCB

776-

- 1947 82 (0111-B4)
- 48 96 (0111-B4)
- 49 30R (0111-B4)
- 50 V57 (0111-B4)
- 19 51 C173 (0111-B4)
- 52 64 (055-B5)
- 53 Dd13 (055-B5)
- 54 92 (0111-B4)
- 55 93 (0111-B4)
- 56 1015 (0111-B4)
- 57 Dc 173 (0111-B4)
- 58 21 (055-B5)
- 59 Da 39 (055-B5)
- 60 Dc 99 (026-B6)
- 19 61 C76 (0111-B4)
- 62 r 26 (055-B5)
- 63 1064 (055-B5)
- 64 30 wf (0111-B4)
- 65 V97 (026-B6)
- 66 V101 (055-B5)
- 67 96 (026-B6)
- 68 V16 (026-B6)
- 69 47 (0111-B4)

AUG 17 1955

F Orohor

1970 1064 = ~~055 B5 H6~~ 055 B5 H6

1972 972 "

~~972~~

~~1972~~ 1971 Stolar P

1973 Stolar W

1974 abradum 4

1975 Janna P

1976 416

OCT 12 1955

1977 1064 kac + Malt

1978 1064 kac ± Malt

0111 B4 -

0111 B4 -

0111 B4 -

0111 B4: H2

} see letter

x1177 (F-) x1817 (F+)

o o

o (but 3  
2) (cont)

o o

102 m ea incl control

o o



July 8, 1955. Resume

SAP tests on named cultures.

① Fredericq series = 776-96-108 (xw1177) 2 kept as w9,10

w1377, 1395-97 xw1177

11/17/50 B/6 w1362 w1376 w1113

11/1/51 Evening

? were Shapiro's other strains  
(w1028 etc.) were tested?

for just 1500, mostly only 1177  
as parent.

Summary of Serotyping. wg series 1-50 inclusive.

Feb. 1953. ~~summary~~

(1.e. rough)

notes  
strains omitted from table below were self agglutinable either before or after boiling or were unstable. H typing wherever it was possible to motilize the bacteria. Only in O neg. strains could K reading be obtained, during the interval that the typing was attempted. Method summarized in raw data. Special emphasis on wg not done before by Ewing, or by Skaar. Some reactions only up to group.

- 1. O - H + (new group)
- 3. H - (skaar); O = 8
- 4. " " ) O = C + H group. K present.
- 11. ?
- 12. ) O-
- 13. morphol. rough. H: 13 + group F.
- 14. O-
- 15. H: A + C. O = 1 (12)
- 16. H = A + C
- 17. H - skaar. confirmed
- 18. " " " "
- 19. " " " " O -. K 19
- 20. H: B run down to H 7.
- 23. O-
- 25. H = 4
- 26. H = 1
- 27. H - Skaar
- 28. O-
- 29. H = C, F, G. O-
- 30. H = F. ) ) O = 27
- 31. H - skaar. O-
- 32. O-
- 33. H group A. 47. O (4)
- 35. H " E. O 21
- 36. H : A + C. O 9
- 37. 2 types: K- O 4, 18. O+K+. H N D, F, G (A)
- 39. O = 4 (18)
- 40. O = 7
- 41. H: G, but late. O = 77
- 43. H: 4, C, F,
- 44. H: C, E, F. O 26 (21)
- 45. O = 77
- 46. H+ 77 O = 76
- 47. H = 13, O- K 3 (23)
- 48. H: F O = 81
- 49. rough

O 124 H-20 poly  
21-25 single  
5 titration series

K 60 no polys

A 7 32 → 7 polyvalent sera search.