

MARKELA

SEP 17 1962

INSTITUTUM
SERO-BACTERIOLOGICUM
UNIVERSITATIS

HELSINKI

Helsinki September 12th 1962

Dr. J. Lederberg
Genetics Department
Stanford University Medical School
Palo Alto, California

Dear Josh,

This is the manuscript that I promised to send soon. The writing took again more time than I hoped, although it is mostly based on old data. However, I still hope that you would be kind enough to go through it in a near future. If the first paper is (or was?) accepted in Genetics I think that this should go in the same journal.

Meanwhile, I have obtained rather nice linkage data on the H₂ locus: 70 to 80 per cent linkage to the "arom" locus for the synthesis of phenylalanine and tyrosine: ^{orig. H₂} 8-1 ^{H₁ 50%} ^{SW1462}

Re the Salmonella - Serratia hybrid for density gradient you wrote about. In my opinion the possibilities of obtaining it are rather poor. However, with the purpose being excellent, I have done the following: immunized a rabbit with Serratia SM 6-11SR (of Baron), to get an immobilising antiserum. Crossed several of my best S. abony Hfr's with SM 6-11 in a number of tubes of soft NA + Sm + antiserum, or soft minimal agar + antiserum (you can't use gelatin with Serratia). So far no swarms have been produced. *80% linkage, which is not yet known*

Iino wrote me about Salmonella hybrids alternating between b:ex:i:l.2. He apparently has had better luck than I - I feel that his selection of recipient was the thing. It will be most exciting to hear of his results with these hybrids.

We enjoyed Gan's visit here a lot. He also gave a very good talk on his work which seems to be a very good and beautifully done bit of work. We have also seen a number of other people, the Canns stopped here on their Scandinavian tour - they are apparently happily settled down in Milan - and the Mitchisons spent most of their vacation with us.

Yours

Helen