



DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE

~~FEDERAL SECURITY AGENCY~~ • Public Health Service
NATIONAL INSTITUTES OF HEALTH • Bethesda 14, Md.

NATIONAL INSTITUTE OF ARTHRITIS AND METABOLIC DISEASES
NATIONAL CANCER INSTITUTE
NATIONAL INSTITUTE OF DENTAL RESEARCH
NATIONAL HEART INSTITUTE
NATIONAL INSTITUTE OF MENTAL HEALTH
NATIONAL MICROBIOLOGICAL INSTITUTE
NATIONAL INSTITUTE OF NEUROLOGICAL DISEASES AND BLINDNESS
THE CLINICAL CENTER
DIVISION OF RESEARCH GRANTS

November 9, 1954

Dear Josh:

Glad to hear that the procedure looks feasible. Re sterilization, we use 70% alcohol followed by washing in Tyrod's. The filters are not allowed to re-dry, though I am not sure it would hurt if they did. UV should certainly be alright, we have no experience. Steam sterilization in our few tries was not satisfactory, lead to curling and general unhappiness. With the thin stuff you may have trouble with static electricity in handling — this can be ~~reduced~~ eliminated with any of the "destatizers" on the market.

Look forward to hearing the results. Best.

PS Never did find out what happened on the bridge

C.