

INDEX

- Abnormalities
in mucous glands, in smokers vs. non-smokers, 97
in small airways, in smokers vs. non-smokers, 97, 98
- Acrolein
effect on respiratory tract, in rats, 104
- Adipose tissue
effect of nicotine, in rats, 13
- AHH activity
see Aryl hydrocarbon hydroxylase activity
- Air pollution
and smoking, in COPD development, 82,83
and smoking, in lung cancer development, 45,46
- Airways, large
effect of smoking one nonfilter cigarette, 99
- Airways, small
abnormalities, in smokers vs. nonsmokers, autopsy studies, 97,98
effect of smoking one nonfilter cigarette, 99
- Alcohol consumption
and smoking, in oral cancer etiology, 53-55
- Alveolar macrophages
effect of cigarette smoke, 50
- Angina pectoris
carbon monoxide exposure and, 11,12
coffee drinking, smoking, and, 8
smoking and, 8
- Antitrypsin deficiency
and smoking, in COPD etiology, 87-90
- Arteriosclerosis obliterans (ASO)
see Vascular disease, peripheral
- Arthritis, rheumatoid
pulmonary function abnormalities, smoking, and, 92,93
- Aryl hydrocarbon hydroxylase activity
role in lung cancer development, 49-52
- Asbestos exposure
synergistic effect with smoking in lung cancer development, 41-43
- Asbestosis
in smokers vs. nonsmokers, asbestos workers in Singapore, 95
- Atherosclerosis, peripheral
see Vascular disease, peripheral
- Atherosclerotic brain infarction (ABI)
see Vascular disease, peripheral
- Autopsy studies
emphysema development and smoking, 97
mucous gland abnormalities and smoking, 97
small airway abnormalities and smoking, 97,98
- Benzo(a)pyrene
and air pollution, in lung cancer development, 45,46
role in respiratory tract carcinogenesis, in animals, 46,47
- Bladder cancer
see Genitourinary cancer
- Blood cholesterol
effect of smoking, 17,18
- Blood coagulation
effect of smoking, 18,19
- Blood lipids levels
effect of smoking, 17
- Blood pressure
effect of CO exposure, 11,12
effect of nicotine, 13
effect of smoking, 17
- Boston Collaborative Drug Surveillance Program
role of coffee drinking and smoking in myocardial infarction, 8
- Bronchial epithelium
changes after nitrogen dioxide exposure, in animals, 102,103
effect of filtered gas-phase cigarette smoke, in rabbits, 104,105
- Bronchitis
post-operative, incidence in smokers vs. nonsmokers, 92
prevalence in cement and rubber industry workers, smokers vs. nonsmokers, 95,96
prevalence in the elderly, smokers vs. nonsmokers, 78,79
prevalence in male smokers by smoking patterns, 79
prevalence in rubber industry workers, smokers vs. nonsmokers, 96
prevalence in urban vs. rural population in Mongolia, 80
prevalence in U.S., statistics, 75
prevalence in wool and cotton textile workers in North Carolina, 93

- and small airway abnormalities, in smokers vs. nonsmokers, 97,98
- and smoking, effect on pulmonary function, 80
- summary of previous findings on relationship to smoking, 75-78
- Bronchopulmonary diseases, non-neoplastic *see also* Bronchitis, Emphysema
- air pollution and smoking in etiology of, 82,83
- antitrypsin deficiency and smoking in etiology of, 87-90
- closing volume abnormalities, in smokers vs. nonsmokers, 84-87
- history of respiratory diseases and smoking in etiology of, 90
- incidence in autoworkers, 80
- occupational exposure and smoking, 80
- prevalence in Boston policemen, smokers vs. nonsmokers, 82,83
- prevalence in the elderly, smokers vs. nonsmokers, 78
- prevalence in urban vs. rural population, in Mongolia, 80
- reference listings, 107-118
- small airways disease, pulmonary function, and, 84-87
- small airways disease, smoking, and, 84-87
- summary of recent findings, 106, 107
- Bullous disease
 - incidence in men by age, race, and smoking habit, 90-92
- Byssinosis
 - dust exposure and smoking in etiology of, 94-96

- Cadmium
 - in emphysema etiology, in animals, 104
- Cancer
 - see also* Specific site, e.g., Lung cancer
 - summary of recent findings on relationship to smoking, 58,59
- Carbon monoxide
 - coronary heart disease and, 10-12
 - effects on cardiovascular system, 10-12
 - from freeway traffic, effect on myocardial work capacity and angina, 11
- Carboxyhemoglobin levels
 - coronary heart disease and, 10-12,19
- Carcinogenesis
 - experimental, 46,47
 - mechanism of action, in lung cancer induction, in animals, 46,47
- Carcinogens
 - in cigarette smoke condensate, 47
 - role in tumor induction in animals, 46,47
- Cardiovascular diseases
 - see also* Coronary heart disease, Vascular disease, peripheral, Cerebrovascular disease
 - relationship of smoking to, 3-19
 - summary of previous findings, 3,4
 - summary of recent findings, 19
- Cardiovascular system
 - effect of carbon monoxide exposure, 10-13
 - effect of nicotine, 13
- Catecholamine levels
 - effect of nicotine, in rats, 13
- Cerebrovascular disease (CVD)
 - epidemiologic studies, 16,17
 - incidence in longshoremen, 17
 - incidence in men, Framingham study, 17
 - incidence in women, smokers vs. nonsmokers, 16,17
 - oral contraceptives and smoking in etiology of, 16,17
- Cervical cancer
 - see* Genitourinary cancer
- CHD
 - see* Coronary heart disease
- Cholesterol levels
 - effect of smoking, 17
- Chronic bronchitis
 - see* Bronchitis
- Chronic obstructive pulmonary diseases
 - see* Bronchopulmonary diseases, non-neoplastic, Bronchitis, Emphysema
- Cigar smoking
 - relationship to lung cancer, 39,40
- Cigarettes
 - filter vs. nonfilter, in reducing lung cancer risk, 40,41
- Cigarette consumption
 - see* Smoking
- Cigarette smoke
 - see* Smoke, cigarette
- Ciliary activity
 - effect of nitrogen dioxide, in rats, 103
 - effect of smoking, 101,102
- Closing-volume abnormalities
 - as indicator of small airways disease, in smokers vs. nonsmokers, 84-87
- CO
 - see* Carbon monoxide
- Coffee drinking
 - angina pectoris, smoking, and, 8
 - myocardial infarction, smoking, and, 8
- Contraceptives, oral
 - incidence of stroke and, in women smokers vs. nonsmokers, 16,17
- COPD
 - see* Bronchopulmonary diseases, non-neoplastic
- Coronary Drug Project Research Group
 - epidemiologic study of smoking and CHD, 4-6
- Coronary heart diseases
 - see also* Angina pectoris, myocardial infarction

- associated risk factors and smoking, 17
- autopsy studies, 4
- carbon monoxide and, 10-12
- epidemiologic studies, 4
- incidence in men under 60, in New South Wales, 6
- incidence in men with and without ventricular premature beats, 4-6
- incidence in middle-aged men from various countries, 6
- incidence in a tribal population, New Guinea, 9
- incidence in smokers vs. nonsmokers, Peoples Gas Co. Study, 6,7
- incidence in smokers vs. nonsmokers, Stockholm Prospective Study, 6
- incidence in women, smokers vs. nonsmokers, 9,10
- nicotine and, 13
- pathophysiology of, effect of carbon monoxide exposure, 10
- summary of relationship to smoking, 3,4,19
- Cotton dust exposure
 - see Dust exposure
- Cough
 - effect of air pollution and smoking, 90,91
 - prevalence in cement and rubber industry workers, smokers vs. nonsmokers, 95,96
- CVD
 - see Cerebrovascular disease, 16
- Cytologic studies
 - macrophage function and smoking, 104,105
- Dust exposure
 - and smoking as risk factors in bronchitis development, 93,94
 - and smoking, as risk factors in byssinosis development, 94-96
- Elderly
 - prevalence rates for COPD in smokers vs. nonsmokers, 78
- Emphysema
 - antitrypsin deficiency and smoking in etiology of, 87-90
 - cadmium exposure in etiology of, in animals, 104
 - premature development and smoking, autopsy studies, 97
 - prevalence rates in U.S., 75
 - pulmonary function studies and, 80
 - summary of previous findings on relationship to smoking, 75-78
- Enzymes
 - effect of cigarette smoke, in rabbit lungs, 104,105
 - and macrophage function, in rabbit lungs, 104,105
- Epidemiological studies
 - COPD and smoking, 78-80
 - lung cancer and smoking, 37
 - oral cancer and smoking, 53
 - pancreatic cancer and smoking, 57
- Esophageal cancer
 - summary of previous findings on relationship to smoking, 55
- Exercise performance
 - effect of carbon monoxide exposure, 11,12
 - and pulmonary function, smokers vs. nonsmokers, 99
- Filters
 - as a factor in reducing lung cancer risk, 40,41
- Framingham Study
 - epidemiologic study of CHD, CVD, intermittent claudication, and smoking, 14-16
- Free fatty acids (plasma)
 - effect of nicotine, in rats, 13
- Gastric cancer
 - mortality rates in Japanese smokers vs. nonsmokers, 56,57
 - tea drinking and smoking in etiology of, 56,57
 - summary of previous findings on relationship to smoking, 55
- Genetics
 - role of antitrypsin deficiency and smoking in COPD development, 87-90
 - and smoking, role in lung cancer development, 37
- Genitourinary cancer
 - cigarette smoke condensate as cause, in animals, 58
 - excretion of tryptophan in smokers vs. nonsmokers with, 58
 - incidence in smokers vs. nonsmokers, 58
 - summary of previous findings on relationship to smoking, 57
- Heart rate
 - effect of CO exposure, 11,12
 - effect of nicotine, 13

- Heart work capacity
 - effect of CO exposure, 10-12
 - effect of nicotine, 13
- Histological studies
 - lung cancer and smoking, 38
 - macrophage function and, 104,105
- Hypercholesterolemia
 - incidence in Belgium military men, 17,18
- Hypertension
 - incidence in male Israeli civil servants, 18

- Immune system
 - response to benzo(a)pyrene-induced lung tumors, 48,49
- Intermittent claudication
 - smoking as a major risk factor, 14-16

- Laryngeal cancer
 - summary of previous findings on relationship to smoking, 57
- Lung cancer
 - asbestos exposure and smoking as risk factors, 41-43
 - epidemiologic studies, 37,38
 - experimental studies, 43-52
 - genetics and smoking as risk factors, 37
 - histopathologic studies in smokers vs. nonsmokers, 38,39
 - immunologic response to benzo(a)pyrene-induced tumor, in animals, 48,49
 - incidence in cigar and/or pipe smokers vs. nonsmokers, 39,40
 - incidence in smokers vs. nonsmokers, in India, 37,38
 - incidence in women smokers vs. nonsmokers, 39,40
 - mortality rates from lung cancer for men, 43
 - particle deposition in bronchi and site of, 44,45
 - Philadelphia Pulmonary Neoplasm Research Project histopathologic study, 38
 - risk reduction with filter vs. nonfilter cigarettes, 40,41
 - role of aryl hydrocarbon hydroxylase activity and polyaromatic hydrocarbons in development of, 49-52
 - role of pulmonary infections and smoking in etiology of, 47,48
 - sex ratio statistic, 40
 - Xenon-133 washout technique for detection of, 43,44
 - summary of previous findings on relationship to smoking, 35-37
- Lung function
 - see* Pulmonary function

- Menopause
 - and cardiovascular disease, in women smokers vs. nonsmokers, 10,19
- Mitochondria
 - effect of tobacco smoke, in rat liver, 104
- Mortality
 - from CHD, age as a factor, 6
 - from CHD, in middle-aged men in seven countries, 6
 - from CHD, in smokers vs. nonsmokers, 3-6
 - from CHD, in survivors of myocardial infarction, smokers vs. nonsmokers, 4-6
- Mucociliary transport
 - effect of smoking, 101,102
- Mucous gland
 - abnormalities, in smokers vs. nonsmokers, 97
- Myocardial infarction
 - coffee drinking, smoking and, 8
 - incidence in men with and without ventricular premature beats, 4,5
 - incidence in pre- vs. postmenopausal women, 10
 - prevalence in current vs. ex-smokers, 8
 - recurrency in smokers vs. nonsmokers, in Buenos Aires, 9
 - and smoking in India, 8

- Nicotine
 - coronary heart disease and, 13,19
 - effect on adipose tissue, in rats, 13
 - effect on peritoneal macrophages, in mice, 105
 - effect on pinocytosis, in mouse peritoneal macrophages, 105
 - effect on respiratory tract in rats, 104
- Nitrogen dioxide
 - effect on AHH activity, 52
 - effect on bactericidal activity, in mouse lung, 103
 - effect on lung physiology, in monkeys, 103
 - effect on pulmonary physiology, in animals, 102-103
- Nitrosamines
 - role in respiratory tract carcinogenesis, in animals, 47

- Occupational diseases
 - asbestosis, in asbestos workers, in Singapore, 95
 - bronchitis, in cement and rubber industry workers, 95,96
 - bronchitis and respiratory tract irritation, in rubber industry workers, 96
 - bronchitis, in wool and cotton textile workers, 93,94

- byssinosis, in cotton and wool textile workers, 93,94
- COPD, in auto workers, 80
- smoking and, 93-96
- Occupational hazards
 - air pollution exposure in Boston policemen, 82,83
 - asbestos exposure and smoking as factors in lung cancer development, 41-43
 - rubber industry fumes and smoking, 96
 - textile dust exposure and smoking, 93-96
- Oral cancer
 - alcohol consumption and smoking in etiology of, 53-55
 - epidemiologic studies, 53-55
 - summary of previous findings on relationship to smoking, 52,53
- Pancreatic cancer
 - incidence in cigar/pipe and cigarette smokers vs. nonsmokers, 55,56
 - relative risk in men by number of cigarettes smoked, 55
 - summary of previous findings on relationship to smoking, 55
- Particulate matter
 - and lung cancer development, 44,45
- Peoples Gas Company Study
 - epidemiologic study of smoking and CHD, 6,7
- Peritoneal macrophages
 - effect of nicotine, in mice, 105
- Peripheral vascular disease
 - see* Vascular disease, peripheral
- Philadelphia Pulmonary Neoplasm Research Project
 - lung cancer histopathologic studies and, 38
- Pinocytosis
 - effect of nicotine, in mouse peritoneal macrophages, 105
- Pipe smoking
 - relationship to lung cancer, 39,40
- Polyaromatic hydrocarbons
 - role in lung cancer development, 49-52
- Postoperative complications
 - incidence in bronchitic and nonbronchitic smokers vs. nonsmokers, 92
- Pulmonary bactericidal activity
 - effect of nitrogen dioxide, in mouse lungs, 103
- Pulmonary clearance
 - effect of nitrogen dioxide, in rats, 103
 - effect of smoking, 101,102
 - in smokers, ex-smokers, and nonsmokers with and without pulmonary disease, 100,101
- Pulmonary function
 - abnormalities, and rheumatoid arthritis in smokers vs. nonsmokers, 92,93
 - of Boston policemen, smokers vs. nonsmokers, 82,83
 - before and after smoking one non-filter cigarette, 99
 - effect of cigarette smoke, in monkeys, 102
 - effect of dust exposure and smoking, 95
 - effect of exercise performance and smoking, 99
 - effect of isoproterenol in smokers, nonsmokers and bronchitics, 99,100
 - effect of nitrogen dioxide, in animals, 102,103
 - effects of smoking, in healthy populations, 80,81
 - effects of smoking, in patients with COPD, 80
 - of insurance company employees, smokers vs. nonsmokers, 80,81
 - of male executives, smokers vs. nonsmokers, 81
 - of male and female smokers, in New Guinea, 81,82
 - of pipe and cigarette smokers, ex-smokers, and nonsmokers, 99
 - small airways disease, smoking, and, 84-87
 - of smokers vs. nonsmokers, 80-82
- Pulmonary infections
 - and smoking, role in lung cancer development, 47,48
- Pulmonary macrophages
 - effect of cigarette smoke, in rabbits, 104,105
 - effect of cigarette smoke extract, in sheep lungs, 105
- Pulmonary physiology
 - new animal model for testing of, 102
- Renal cancer
 - see* Genitourinary cancer
- Respiratory symptoms
 - see also* Cough
- Respiratory symptoms
 - effect of air pollution and smoking, 90,91
 - prevalence in cement and rubber industry workers, smokers vs. nonsmokers, 95,96
- Respiratory tract
 - carcinogenesis induction in animals, 46,47
 - irritation, prevalence in rubber industry workers, smokers vs. nonsmokers, 96
- Seven Countries Study
 - epidemiologic study of smoking and CHD, 6
- Sex ratio
 - in mortality rates from lung cancer, 40,46

- Small airways disease
see Airways, small
- Smoke, cigarette
 effect on lung AHH-activity, 50,51
 effect on pulmonary macrophage function, in rabbits, 104
 effect on pulmonary physiology, in animals, 102
 effect on respiratory tract, in rats, 104
 extract, effect on pulmonary macrophages, in sheep lungs, 105
- Smoke condensate, cigarette
 as cause of bladder tumors, in rats, 58
 role in respiratory tract carcinogenesis, in animals, 47
- Smoke, tobacco
 effect on mitochondrial function, in rat liver, 104
- Smoking
 and air pollution, effect on pulmonary function and COPD prevalence, 82,83
 and asbestos exposure, as factors in lung cancer development, 41-43
 association with other risk factors in CHD, 6,7,17
 bronchitis prevalence rates and, 79
 and CHD, age as a factor, 6
 and CHD, in women, 9,10
 and coffee drinking, in myocardial infarction etiology, 8
 effect on platelet function, 18,19
 as the major risk factor in intermittent claudication, 14-16
 as a major risk factor in peripheral vascular disease, 14-16
 trends for U.S. men, for years 1955, 1966, and 1970, 40
 vasoconstrictive effects in normal subjects, 16
- Smoking characteristics
 bronchitis prevalence rates in men and, 79
 COPD prevalence rates in Yugoslavia and, 79
- Stockholm Prospective Study
 epidemiologic study of smoking and CHD, 6
- Stomach cancer
see Gastric cancer
- Stroke
see Cerebrovascular disease
- Sudden death
 incidence in men with and without ventricular premature beats, 5
 incidence in women, smokers vs. nonsmokers, 9,19
 smoking as a risk factor, 4-6,19
- Surgery
 complications following, in smokers vs. nonsmokers, 92
- Tecumseh Study
 lung function differences in smokers and nonsmokers, 81
- Thromboangiitis obliterans (TAO)
see Vascular diseases, peripheral
- Thrombosis
 smoking and, 18,19
- Traffic
 effect on air pollution in Boston, 82,83
- Urinary bladder cancer
see Genitourinary cancer
- Uterine cancer
see Genitourinary cancer
- Vascular disease, peripheral
see also Intermittent claudication
 epidemiologic studies, 14-16
 experimental studies, 16
 smoking in etiology of, 14-16
- Women
 CHD incidence in, 9,10
 lung cancer incidence in, 39,40
 mortality rates, in smokers vs. nonsmokers, 9,10
 mortality rates from lung cancer and asbestos exposure, 42,43
 mortality rates from lung cancer, statistical sex ratio, 40,45
 myocardial infarction in pre- vs. postmenopausal, 10
 secular trends of lung cancer development in, 40
 sudden death rates in, 9,10
 trends in cancer incidence rates for selected sites in, 41,42
- Xenon-133
 washout technique for detection of lung cancer, 43,44

DHEW Publication No. (CDC) 74-8704