

- Cigarette paper
 - increase of cigarette burning rate
 - 68:91
- Cigarettes
 - definition and processing
 - 73:175
 - and development of esophageal neoplasms
 - 71:12, 293
 - flavor, terpenoids as source of
 - 64:52
 - low nicotine, and respiratory symptoms
 - 64:289
 - low nicotine, ciliastatic effect of
 - 64:268
 - modified, effect on respiratory symptoms and ventilatory capacity
 - 73:37, 38
 - portion smoked, dosage score as function of
 - 67:15
 - similarities with little cigars
 - 73:224, 225
 - tar and nicotine content
 - 72:142, 143
 - tar levels of, relationship to lung neoplasm development
 - 71:275, 276
 - taxation
 - 69:4, 57
 - see also* Cigarettes, filter; Cigarettes, low-nicotine; Cigarettes, non-nicotine; Cigarettes, non-tobacco
- Cigarettes, daily consumption
 - aortic aneurysm mortality by
 - 69:16
 - and atypical nuclei in larynx
 - 69:59
 - average, dosage score as function of
 - 67:15
 - bladder neoplasms mortality rates by
 - 67:155
 - bronchitis mortality ratios by
 - 67:90
 - coronary disease incidence rates
 - 67:58; 69:15; 21-24
 - coronary disease mortality rates by
 - 67:51; 69:13
 - coronary disease mortality ratios by
 - 67:49
 - coronary disease mortality ratios for male smokers by
 - 67:48
 - digestive tract neoplasm mortality rates by
 - 67:147
 - effect on lung neoplasm mortality in Poland
 - 72:61, 62
 - esophageal neoplasm mortality ratios by
 - 67:150
 - increase in, by women
 - 64:363
 - laryngeal neoplasm mortality rates by
 - 67:147
 - liver cirrhosis mortality rates by
 - 67:184
 - liver cirrhosis mortality ratios by
 - 67:184
 - lung neoplasm morbidity rates by
 - 67:33-34
 - lung neoplasm mortality rates
 - 67:135-137
 - lung neoplasm mortality ratios
 - 67:34, 135-140
 - mouth neoplasm mortality rates by
 - 67:146
 - mouth neoplasm mortality ratios by
 - 67:146
 - pancreatic neoplasm mortality rates in men by
 - 67:159
 - pancreatic neoplasm mortality ratios in men by
 - 67:159
 - peptic ulcer mortality rates in male smokers by
 - 67:182
 - per capita
 - 64:26, 45, 46, 185
 - pharyngeal neoplasm mortality rates by
 - 67:146
 - pharyngeal neoplasm mortality ratios by
 - 67:146
 - prevalence of
 - 64:361-374
 - respiratory tract neoplasm mortality rates by
 - 67:147
 - stomach neoplasm mortality rates by
 - 67:157
 - stomach neoplasm mortality ratios by
 - 67:157
 - tracheal neoplasm mortality rates by
 - 67:147
 - in tuberculars
 - 64:277
 - urogenital neoplasm mortality ratios for male smokers by
 - 67:154
- Cigarettes, filter
 - decrease in tar yields
 - 68:91
 - effect on respiratory symptoms
 - 73:55
 - increase in
 - 64:46
 - and polonium-210 content in tobacco smoke
 - 68:92
 - production of, in U.S., by year
 - 64:46
 - and risk of lung neoplasms
 - 69:57; 75:44
 - summary of previous findings
 - 75:4
 - vs. nonfilter, and risk of lung neoplasms
 - 74:40, 41
 - vs. nonfilter, comparison of safety
 - 69:57
 - vs. nonfilter, effect on sputum production
 - 73:37, 38
- Cigarettes, low-nicotine
 - respiratory symptoms from
 - 64:268

- Cigarette smoke
 - see* Smoke, cigarette
- Cigarette smokers
 - see* Smokers, cigarette
- Cigarette smoking
 - see* Smoking
- Cigarettes, non-nicotine
 - effect on apexcardiogram
 - 72:21
 - effect on carboxyhemoglobin levels
 - 73:17, 18
- Cigarettes, non-tobacco
 - 64:59
- Cigars
 - definition and processing
 - 73:175, 176
 - per capita consumption
 - 64:26, 45
- Cigars, little
 - chemical composition of
 - 73:224, 225, 228
 - evaluation of potential public health impact
 - 73:222-228
 - shipment for domestic consumption (1970-1972)
 - 73:222-224, 227
 - similarity to cigarettes
 - 73:224, 225
 - sugar and pH differences with large cigar and cigarettes
 - 73:222-224
 - tar and nicotine content
 - 73:224-226, 228
- Cigar smoke
 - see* Smoke, cigar
- Cigar smokers
 - see* Smokers, cigar; Smokers, cigar and pipe
- Ciliary activity
 - 64:61
 - clearance mechanism by
 - 64:267, 268
 - effect of cigarette smoke in animals
 - 68:71, 72
 - effect of nitrogen dioxide, in rats
 - 74:103
 - effect of pipe/cigar smoke vs. cigarette smoke in cats
 - 73:217, 218
 - effect of smoke on
 - 64:27, 34, 35, 61, 168, 169, 170, 172, 173, 267; 67:107-108; 69:42
 - effect of smoking on
 - 74:101, 102
 - loss of, in smokers
 - 64:168, 169, 170, 172, 173
 - morphological changes in cilia
 - 64:267, 268, 271
 - transport
 - 64:61, 267, 268
- Ciliary depressants
 - 64:27, 33, 34, 61, 267, 268
 - acrolein as
 - 64:267, 268
 - ammonia as
 - 64:268
- cigarette smoke as
 - 64:33, 35, 370
- formaldehyde gas as
 - 64:268
- gas phase as
 - 64:34
- hydrogen cyanide as
 - 64:268
- nicotine as
 - 64:268
- nitrogen dioxide as
 - 64:268
- ozone as
 - 64:268
- sulfur dioxide as
 - 64:268, 295
- Ciliotoxic agents
 - acetic acid
 - 67:108
 - acrolein
 - 67:107
 - in cigarette smoke
 - 67:107
 - crotonaldehyde
 - 67:108
 - cyanides
 - 67:107
 - effect on adenosine triphosphatase
 - 67:108
 - effect on oxidative enzymes
 - 67:108
 - formaldehyde
 - 67:107
 - formic acid
 - 67:108
 - phenols
 - 67:108
 - propionic acid
 - 67:108
- Circulatory diseases
 - 64:113
- Circumcision
 - 64:224
- Clofibrate
 - and reduction in risk of sudden death in cigarette smokers
 - 75:32
- Closing volume abnormalities
 - as indicator of small airways disease, in smokers vs. nonsmokers
 - 74:84-87; 75:71, 72
- Coal dust
 - effect on pulmonary function in smokers vs. nonsmoker
 - 73:41-43
 - effect on respiratory symptoms in smokers vs. nonsmokers
 - 73:41-43
- Coal gas workers
 - 64:232
 - lung neoplasms in
 - 64:193
- Coal miners
 - pneumoconiosis and
 - 72:42-44
 - respiratory function tests in
 - 64:289, 293, 294

- respiratory symptoms in
64:298, 299
- Coal tar
 - benzo(a)pyrene content of
64:148
 - neoplasm induction by
64:33, 147, 167, 229
- Cocaine
64:349
- Coca leaves
64:349
- Cocarcinogens
 - 64:33, 58, 142, 144, 145
 - benz(a)anthracene as
64:58
 - carboxylic acids as
67:131
 - croton oil as
64:58
 - fatty acids as
64:58, 59
 - nickel carbonyl as
69:62
 - phenols as
64:54, 58, 59; 67:31
 - in tobacco smoke
64:33; 69:61
 - in tobacco tars
67:131
- Cocoa
64:349
- Coffee drinking
64:349
 - angina pectoris, smoking, and
74:8
 - myocardial infarction, smoking and, in
smokers vs. nonsmokers
74:8; 75:19, 20
- Cognition
and smoking habit
67:189-191
- Cologne,
autopsy records in
64:150
- Colonic polyposis
64:191
- Combustion temperature
effect on tumorigenic activity of pipe
and cigarette tobacco
73:210, 211
- Common colds
64:276
- Compensatory behavior,
smoking as
64:372
- Congenital malformations
maternal smoking and
72:87; 73:136, 137
- Congestive heart failure
64:320
- Connecticut Cancer Registry
64:127, 128
 - data from
64:135
 - figures on age-adjusted larynx neoplasm
incidence
71:277
 - figures on incidence of oral neoplasms
71:284
- Constitutional hypothesis
64:190, 191, 192, 193
 - refutation of
64:192
 - relationship to CHD and smoking
71:48-49, 105-106
- Contraceptives, oral
incidence of stroke and, in women smok-
ers vs. nonsmokers
74:16, 17
 - smoking and
72:26
 - thrombophlebitis and
72:26
- Control populations
bias in selection of
64:181, 217, 231
- Copenhagen
neoplasm study in
64:220, 222, 224
 - Tuberculosis Station
64:141
- Copper
64:193
 - nitrate
64:60
 - sulfate
64:354
- Coppersmiths
64:134
- Cornfield method
64:155, 159, 160
- Cornsilk
smoking, lack of arterial epinephrine
level increase
71:57
- Coronary circulation
64:318; 68:41-43
- Coronary diseases
64:8, 29, 36, 38, 103, 106, 108, 317,
320-327, 384, 385
 - age-adjusted rates in smokers
71:23
 - by amount smoked
69:12-13, 18
 - arteriosclerotic, mortality rates in U.S.
71:21
 - associated risk factors and smoking
74:17
 - atherosclerosis
64:320
 - atherosclerosis, effects of smoking on
71:4, 63
 - autopsy studies
72:19, 20; 74:4
 - and behavior
67:57
 - blood pressure of smokers vs. nonsmok-
ers
71:43, 47
 - carbon dioxide effects on oxygen uptake
in
71:62
 - carbon monoxide and
74:4

- carboxyhemoglobin levels and
72:27
- cross-sectional study in Bergen, Norway
72:16
- death ratios of paired combinations of
high risk
71:25
- effect of coffee drinking and cigarette
smoking
75:20
- effect of norepinephrine levels
68:38
- effect of smoking on blood circulation in
67:26, 61-62
- effect on blood circulation
67:62-63
- effect on blood pressure
67:54
- epidemiological studies
64:320, 321, 322; 69:25; 72:14-16;
73:4-11; 75:14, 15
- etiology of
64:320, 321, 322
- excess deaths in
64:113
- experimental studies
73:13-19
- heredity as a factor
72:18
- high blood pressure in
64:38
- high serum cholesterol in
64:38
- incidence and education level
68:24
- incidence and mortality rates in former
smokers
71:46, 47-48
- incidence in European vs. American men
73:9
- incidence in farmers vs. nonfarmers by
smoking habit
73:7
- incidence in Hawaiian men of Japanese
ancestry
73:10
- incidence in Japanese male smokers vs.
nonsmokers
68:17
- incidence in lawyers
68:25
- incidence in male bank employees in
Brussels, Belgium
73:10
- incidence in males by smoking habits or
physical activity
68:20, 25
- incidence in male smokers vs. nonsmok-
ers
68:17, 18, 20, 23, 25, 27, 28, 37
- incidence in men in Yugoslavia
73:9
- incidence in men under 60, in New
South Wales
74:6
- incidence in men with and without
ventricular premature beats
74:4-6
- incidence in middle-aged men from var-
ious countries
74:6
- incidence in miners in Sardinia
73:10
- incidence in Minnesota men by age and
smoking habit
72:14-16
- incidence in pipe and cigar smokers
73:215, 216
- incidence in smokers vs. nonsmokers,
Peoples Gas Co. Study
74:6, 7
- incidence in smokers vs. nonsmokers,
Stockholm Prospective Study
74:6
- incidence in tribal population area, New
Guinea
74:9
- incidence in twins
68:29
- incidence in white males by body weight
and smoking habit
73:5
- incidence in whites vs. blacks in Evans
County, Georgia
73:4, 5
- incidence in women, smokers vs. non-
smokers
74:9, 10
- incidence of, relation to angina pectoris
67:53
- incidence of, relation to blood cholester-
ol levels
67:58
- incidence of, relation to blood pressure
67:58
- incidence of, relation to body weight
67:58
- incidence of, relation to electrocardio-
graphic abnormalities
67:58
- incidence of, relation to hemoglobin
levels
67:58
- incidence of, relation to myocardial in-
farct
67:53
- incidence of, relation to socioenviron-
mental stress
67:56
- incidence rates, by age
67:54, 57-58; 68:21; 69:21-22, 24
- incidence rates, by amount smoked
67:54, 57-58
- incidence rates, by behavior type
69:20, 24
- incidence rates, by smoking and other
risk factors
69:23
- incidence rates, by smoking history
69:21-24
- incidence rates in men
67:65; 69:21-22
- incidence rates in twins, smokers vs.
nonsmokers
67:59

incidence rates, smokers vs. nonsmokers
 69:18, 20-22
 in India
 73:11
 infarction in NYC pipe and cigar smokers
 71:32, 38-39
 infarction, relationship to physical activity, smokers vs. nonsmokers
 71:44
 interaction of smoking and other risk factors
 72:16-18; 73:4-11
 in Irish smokers vs. nonsmokers
 68:18
 morbidity ratios
 67:59; 69:19
 morbidity ratios, and blood pressure
 67:55
 morbidity ratios, and lung function
 67:56
 morbidity ratios, by age
 67:54
 morbidity ratios, by blood cholesterol levels
 67:55
 morbidity ratios, by personality characteristics
 67:57
 morbidity ratios, by sociocultural mobility status
 67:57
 morbidity ratios, in New Delhi, India
 72:16
 morbidity, relationship of smoking to
 71:32-35, 37, 39, 93-97
 mortality and morbidity retrospective studies
 71:40, 93-97
 mortality rates
 64:25, 29, 32, 38, 39, 184, 320, 321, 324; 67:8, 25-26
 mortality rates among former college students
 69:16, 18
 mortality rates and per capita cigarette consumption in several countries
 72:16
 mortality rates, by age
 67:25, 28, 47, 49-51; 69:13-14
 mortality rates by blood pressure
 69:14
 mortality rates by relative weight
 69:14
 mortality rates, by sex
 67:25, 27, 28, 47, 49-50; 69:13-14
 mortality rates, by smoking
 67:25, 28, 49-51; 69:13-14
 mortality rates, effect of associated diseases on
 67:51-52
 mortality rates, effect of cessation of smoking on
 67:25, 27-28, 50
 mortality rates, ex-smokers by smoking history
 67:51
 mortality rates in heavy smokers
 64:322
 mortality rates in hypertensives vs. non-hypertensives
 71:42
 mortality rates in industrial workers
 64:323
 mortality rates in Japanese men and women by cigarette consumption and age started smoking
 73:7, 8
 mortality rates in longshoremen
 72:14
 mortality rates in obese vs. nonobese
 71:45
 mortality rates in smokers vs. nonsmokers
 71:21-22, 24, 26-29
 mortality rates in smoking men in Finland
 73:9
 mortality rates in United States
 67:47; 68:16
 mortality rates in, with increased carbon monoxide
 71:62
 mortality rates of cigarette smokers from, AHA pooling project
 71:28, 30, 39
 mortality rates of paired combinations of high risk
 71:25
 mortality rates of U.S. veterans
 71:26, 38
 mortality rates, relationship to electrocardiographic findings
 71:42
 mortality ratios, by age
 67:25, 26, 28, 49-50, 52; 69:13
 mortality ratios, by age and blood pressure
 67:53
 mortality ratios, by age and smoking history
 67:51-52
 mortality ratios, by amount smoked
 67:48-49; 69:13
 mortality ratios, by sex
 67:25, 28; 69:13-14
 mortality ratios, by smoking history
 67:25, 28
 mortality ratios, effect of associated diseases
 67:51-52
 mortality ratios in pipe and cigar smokers
 73:215, 216
 and multiple risk factors
 68:28-30
 in Nepal
 73:11
 in New Zealand
 73:11
 nicotine and
 74:13
 nicotine effect on coronary blood flow in
 71:58

obesity in
 64:38
 occlusion in
 64:320
 occupational risks in
 64:321, 322
 pathophysiology of, effect of carbon
 monoxide exposure
 74:10
 and personality characteristics
 64:321, 326; 67:57
 predisposing characteristics
 67:58
 prevalence of
 64:320, 321
 relationship of blood pressure and smok-
 ing
 71:45, 47
 relationship of heart rate and smoking
 71:45, 47
 relationship of physical activity and
 smoking
 71:41, 43, 44
 relationship of triglycerides to
 71:65
 relationship to constitutional makeup
 and smoking
 71:48-49, 105-106
 relationship to ECG abnormalities and
 smoking
 71:45, 47
 relationship to obesity and smoking
 71:43-45
 retrospective studies in Goteborg, Swe-
 den
 72:16
 retrospective studies in Prague, Czech-
 oslovakia
 72:16
 risk factors
 71:23-24, 40-41
 risk factors and personal characteristics
 68:26
 role of glucose metabolism
 68:40, 41
 in Seventh Day Adventists
 64:322
 smokers' age effects on development
 71:27, 39
 in smokers vs. nonsmokers
 68:26, 42, 43
 in smokers with predisposing factors
 71:24
 smoking and
 67:26, 54, 64-65; 69:3-5, 11, 20;
 71:5
 smoking and, in individuals under 40
 years
 73:10
 smoking and, in myocardial ischemic
 patients in Italy
 73:10
 smoking as cause of death
 67:25-27
 smoking as etiologic agent in
 67:26, 54, 62, 65, 66; 69:11; 72:1,
 2, 13, 14
 smoking in thrombus formation
 67:26, 64-65
 smoking risk factor
 71:8
 sudden death, and smoking
 67:53; 71:52
 summary of previous findings
 68:16; 75:4, 7
 summary of relationship to smoking
 74:3, 4, 19
 symptoms of
 64:320
 twin studies
 72:18
 in women
 64:321
 see also Angina pectoris; Arteriosclerosis;
 Atherosclerosis; Cardiovascular diseases
 Coronary Drug Project Research Group
 epidemiologic study of smoking and
 CHD
 74:4-6
 Coronary heart disease
 see Coronary diseases
 Coronary vessels
 effect of cigarette smoking on
 67:65
 Coronene
 64:147
 Cor pulmonale
 and chronic obstructive pulmonary dis-
 ease
 74:76
 Cotinine
 64:71
 desmethyl-
 64:72
 effect on rats and mice
 69:61-62
 in experimental induction of bladder
 adenomas
 69:64
 methonium ion, structure of
 64:72
 Cough
 64:280, 281, 282, 283
 chronic
 64:27, 280, 281, 282, 283, 299, 302
 chronic, and cigarette smoking in males
 68:69
 chronic, in women
 64:282, 285
 effect of air pollution and smoking
 64:297; 74:90, 91
 effect of asbestos exposure in smokers
 vs. nonsmokers
 73:41
 effect of coal dust exposure in smokers
 vs. nonsmokers
 73:41, 42
 effect of filtered cigarettes
 73:55
 effect of modified cigarettes
 73:38
 epidemiology of
 67:97
 ex-smokers vs. nonsmokers
 67:98

- of parental smokers, and respiratory symptoms in children
 - 75:103, 105
- prevalence in cement and rubber industry workers, smokers vs. nonsmokers
 - 74:95, 96
- prevalence in pipe and cigar smokers
 - 73:220, 221
- prevalence in smoking vs. nonsmoking women in Bordeaux, France
 - 73:36
- prevalence of
 - 64:38, 280, 283, 284, 289, 291, 301, 302
- prevalence of among smokers
 - 67:103
- prevalence of, in smoking-discordant twin pairs
 - 67:103
- respiratory function in presence of
 - 64:291, 292
- in school-age smokers vs. nonsmokers
 - 75:62
- smokers vs. nonsmokers
 - 67:29; 72:40
- and smoking
 - 64:297; 67:97
- and smoking, by sex
 - 67:98
- and sputum
 - 64:283-286
- traumatic injury from
 - 64:279
- Coumarin
 - 64:145
- Creosote oil
 - carcinogenic activity of
 - 64:147
- Cresols
 - in cigar, pipe, and cigarette smoke
 - 73:177
 - as probable contributors to health hazards of smoking
 - 72:144
 - suspected carcinogenic agent of cigarette smoke
 - 71:266
- Crotonaldehyde
 - ciliotoxic agent
 - 67:108
 - in tobacco smoke
 - 67:108
- Croton oil
 - 64:58
- Crotononitrile
 - as suspected contributor to health hazards of smoking
 - 72:145
- Cuba
 - laryngeal neoplasms in
 - 64:205, 207
 - laryngeal neoplasms in, relationship to tobacco use
 - 71:356
 - oral neoplasms in, by type of smoking
 - 64:200, 201
 - oral neoplasms in, relationship of tobacco use
 - 71:364
- Current Population Survey of 1955
 - 64:177, 180, 186
- Curschmann's spirals
 - in sputum of smokers
 - 69:39-40
- Customs and Excise Act of 1952, Great Britain
 - 64:62
- Cyanides
 - detoxification, in pregnant smokers vs. nonsmokers
 - 73:119
 - in tobacco amblyopia etiology
 - 67:40; 71:14, 435-436; 72:6
 - in tobacco smoke
 - 67:40
 - in tobacco smoke, and optic atrophy
 - 67:183
 - toxicity, potentiation by vitamin B12 in tobacco amblyopia
 - 67:183
 - and vitamin B deficiency in tobacco amblyopia
 - 67:40
- Cysteine
 - inhibition of smoke cytotoxic action on macrophages
 - 69:42
- Cystitis
 - 64:224
- Cytochrome oxidase
 - 64:266
- Cytologic studies
 - exfoliative, and lung neoplasm diagnosis
 - 75:47
 - macrophage function and smoking
 - 74:104, 105
- Czechoslovakia
 - 64:205
 - laryngeal neoplasms in, relationship to tobacco use
 - 71:354, 357
 - laryngeal neoplasms in, retrospective study of
 - 64:206
 - serum lipid difference in smokers vs. nonsmokers
 - 71:101
- Danish Cancer Registry
 - 64:141, 186, 220
- Danish Morbidity Study
 - 64:224
- Data collection methods
 - in retrospective studies
 - 64:206, 214, 215, 226
- DDT
 - 64:145
 - as suspected contributor to health hazards of smoking
 - 72:65, 145
- Death certification
 - limitations of, in health statistics
 - 64:101, 127
 - neoplasm diagnosis in
 - 64:128

- Death Registration Act
 - 64:127
- Deaths, accidental
 - 64:39, 344, 345
- Deaths, sudden
 - from cardiovascular disease
 - 68:36, 42
 - incidence in men with and without ventricular premature beats
 - 74:5
 - incidence in pipe and cigar smokers
 - 73:215
 - incidence in women, smokers vs. non-smokers
 - 74:9, 19
 - rate by smoking, cholesterol, and blood pressure,
 - 69:17
 - reduction of risk of, in cigarette smokers, using clofibrate
 - 75:32
 - smoking as a risk factor
 - 74:4-6, 19
- Defense mechanisms
 - 64:264
- Demographic factors
 - in smoking
 - 64:361-365
- Denmark
 - advertising curtailment in
 - 64:8
 - atherogenic effect of carbon monoxide and hypoxia
 - 71:64
 - bladder neoplasms in
 - 64:219, 220, 221
 - bladder neoplasms in, methods and results in retrospective studies of smoking and
 - 71:381, 383
 - carbon monoxide effects on human blood lipids in
 - 71:129
 - carbon monoxide effects on rabbit blood lipids in
 - 71:129
 - coronary mortality in
 - 64:320
 - cough prevalence in
 - 64:281
 - Danish Cancer Registry
 - 64:141, 186, 220
 - Danish Morbidity Study
 - 64:224
 - lung neoplasm mortality in
 - 64:176
 - respiratory function tests in
 - 64:291
 - serum lipid differences in smokers vs. nonsmokers in
 - 71:102
 - twins in, angina pectoris in smokers vs. nonsmokers
 - 71:51
- Deoxyribonucleic acid
 - see DNA
- Dermatitis
 - among tobacco workers
 - 72:111
- Dermatologists
 - coronary disease incidence in
 - 64:322
- Dextroamphetamine
 - 64:352
- Diabetes mellitus
 - 64:326
 - effect on CHD in smokers
 - 71:24
 - relationship with cigarette smoking in peripheral vascular disease
 - 71:72
 - risk in mortality from CVD
 - 71:67
- Diarrhea
 - smoking and
 - 64:71
- Dibenz(a,h)acridine
 - 64:56
 - carcinogenicity
 - 67:127
 - carcinogenic properties in cigarette smoke from
 - 71:265
 - pyrolytic formation of
 - 64:59
 - structural formula of
 - 64:59
- Dibenz(a,j)acridine
 - carcinogenicity
 - 67:127
 - carcinogenic properties in cigarette smoke from
 - 71:265
 - pyrolytic formation of
 - 64:59
 - structural formula of
 - 64:56
 - in tobacco smoke
 - 67:127
- Dibenzanthracene
 - tumor induction by
 - 64:143, 167
- Dibenz(a,c)anthracene
 - carcinogenicity, as component of cigarette smoke
 - 72:66
- Dibenz(a,h)anthracene
 - carcinogenicity
 - 67:127
 - carcinoma induction by
 - 64:229
 - structural formula of
 - 64:56
- 7H-Dibenzo(c,g)carbazole
 - carcinogenic effect in laboratory animals
 - 73:79
 - carcinogenic effect on respiratory tract in hamsters
 - 72:66, 67
 - carcinogenicity, as component of cigarette smoke
 - 67:127; 71:265; 72:66, 67
 - structural formula of
 - 64:56
- Dibenzo(a,i)pyrene
 - 64:33, 57
 - carcinogenicity
 - 67:127

structural formula of
 64:26
 Dicarbonyl compounds
 64:53
 Dieldrin
 64:62
 Diet
 influence of, in coronary disease
 64:322
 intervention and cholesterol levels in
 postinfarction patients
 68:23
 and peptic ulcer
 67:182
 and smoking
 67:66
 and smoking, effect on blood lipids
 73:12
 as test constant
 64:224
 tobacco amblyopia
 72:6
 Diethylnitrosamine
 suspected carcinogenic properties in ciga-
 rette smoke from
 71:265
 Digestive tract neoplasms
 mortality, and smoking
 67:10, 147
 Digital blood flow
 effect of smoking
 64:318
 Digital temperatures
 effect of smoking
 64:318
 Dihydric alcohols
 64:52
 Dimethylamine
 as suspected contributor to health haz-
 ards of smoking
 72:145
 9-10-Dimethyl-1, 2-benzanthracene
 64:203
 7, 12-Dimethylbenz(a)anthracene
 effect on oral mucosa in hamsters
 72:70
 Dimethylnitrosamine
 suspected carcinogenic properties in ciga-
 rette smoke from
 71:265
 Dipalmityl ketone
 64:53
 Dipentene
 64:52
 2,3-Diphosphoglycerate
 effects of carbon monoxide on
 71:60-61
 Disability
 of emphysema patients
 68:66
 higher rates of smokers
 68:7
 DNA
 alteration, and oral neoplasm carcino-
 genesis
 68:101
 binding of polycyclic hydrocarbons to
 73:86, 87
 effect of aromatic hydrocarbons on
 69:61
 effect of cigarette smoke on synthesis
 69:62-63
 increases in smokers' oral epithelial cells
 71:288
 levels in mice lung exposed to cigarette
 smoke
 71:161
 Dogs
 atherogenic effects of nicotine in
 71:120
 bladder neoplasms in, fed 2-naphthyl-
 amine
 71:296
 bradycardia and tachycardia in, follow-
 ing nicotine injection
 71:57-58
 bronchogenic carcinoma induction in,
 from cigarette smoke inhalation
 71:269, 270
 cigarette smoke instillation or implanta-
 tion effects on tracheobronchial tree
 of
 71:268, 347
 death in, causes from cigarette smoke
 inhalation
 71:271
 effect of cigarette smoke on pulmonary
 clearance in
 71:164, 170
 epinephrine release in
 64:318, 319
 experimental neoplasm induction in
 64:146, 165, 189
 fetal bronchial tubes of, effect of ciga-
 rette smoke on
 71:345
 lung neoplasms following cigarette
 smoke inhalation
 71:239, 277
 lung neoplasms in, types and lobes where
 found
 71:269, 272-273
 lungs of, cigarette smoke effects on
 surfactant activity
 71:172, 225
 myocardium, nicotine effects on
 71:58
 neoplasm development in smoking, per-
 centages of
 71:274
 nicotine effect on
 64:71, 318, 319
 ozone effect on
 64:295, 296
 pulmonary histological changes in ciga-
 rette smoke inhaling
 71:158, 159-160
 respiratory tract of, cigarette smoke in-
 halation effects on
 71:268, 352, 353
 smoke deposition in
 64:265
 smoke-induced bronchoconstriction in,
 atropine effects
 71:163

- smoking and nicotine effects on blood lipids in 71:127-128
- smoking and nicotine effects on cardiovascular function in 71:107-112
- smoking and nicotine effects on catecholamine levels in 71:119
- Doll & Hill study 64:324
- Donkeys
 - effect of cigarette smoke on pulmonary clearance in 71:164, 171
- Dorn study 64:324
- Dosage
 - measure of, in light and heavy smokers 67:14-15
 - measure of, in men and women 67:14-15
 - and mortality among women smokers 67:25
 - nicotine and tar content of cigarette smoke as measurement of 67:15
 - score, for smoking 67:14-15
 - smoking exposure 67:25
- Driving habits and coronary disease 64:322
- Drug addiction 64:350, 351, 352
 - definition of 64:351
 - distinction from drug habituation 64:351
 - psychology of 64:353
- Dry mouth 64:354
- Dublin
 - lung neoplasm mortality in 64:195
- Ducks
 - cigarette smoke instillation or implantation effects on tracheobronchial tree of 71:346
 - clearance products in 64:269
- Duodenal ulcers 64:8, 337, 340
 - mortality rates in 64:37
 - mortality ratios in 64:103, 337
 - mortality ratios in male cigar and pipe smokers 73:222
 - nicotine induced, in cats 73:158, 159
 - post-operative complications in smokers vs. nonsmokers 73:157
- potentiating action of nicotine, in animals 73:161-163
- prevalence in smokers, mechanism of action 73:160
- smoking and 72:6, 97, 98
- Dust exposure 64:298, 299
 - bronchitis and 73:44
 - COPD development from 71:153, 218
 - as occupational hazard 73:43, 44
 - in smokers vs. nonsmokers, by race and sex 75:69, 70
 - smoking and 73:44
 - smoking and, as risk factors in bronchitis development 74:93, 94
 - smoking and, as risk factors in byssinosis development 74:94-96; 75:68
- Dysphoria 64:350
- Dyspnea 64:286
 - prevalence in cigar and pipe smokers 73:220, 221
- Ear neoplasm 64:147
- Edentulism
 - smoking and 69:87; 72:6
- Educational level 64:100, 101
 - and incidence of CHD, in males 68:24
 - smoking prevalence by 64:363
- Egypt
 - relationship of human pulmonary histology and smoking in 71:163
- Electrocardiograms
 - abnormalities, and CHD 67:58; 68:29; 71:42, 45, 47
 - effect of smoking 64:319; 71:45, 47; 73:13
 - effect of smoking, in middle-aged Dutch men 73:12
 - effect of smoking, in young military recruits in Poland 73:12
- Electroencephalograms
 - nicotine effect on 64:70
 - placebo effect on 64:70

smoking effect on
 64:70

Electrophoresis
 use in determining serum level of alpha-
 1-antitrypsin
 71:151

Emotional stress
 64:373, 374

Emphysema
 64:35, 38, 277-294, 302

 air pollution in
 64:297

 alpha-1-antitrypsin deficiency and
 71:150, 151; 72:44; 74:87-90

 alveolar destruction in
 64:294

 asthmatic form of
 64:294

 autopsy studies, in smokers vs. nonsmokers
 75:74-76

 bronchitic form of
 64:294

 and bronchitis mortality rates, for men
 by amount smoked
 67:93

 and bronchitis mortality ratios, by age,
 amount smoked, and sex
 67:94

 and bronchitis mortality ratios, for men
 by amount smoked
 67:93

 bronchitis relation to
 64:278, 279, 280

 cadmium exposure in etiology of, in
 animals
 74:104

 cigarette smoking effects on
 71:9

 definition of
 64:278; 67:89; 71:139

 development in dogs following cigarette
 smoke inhalation
 71:271

 development of, relation of cadmium in
 smoke to
 71:154

 diagnosis of
 64:278, 279, 280; 67:90

 disability payments in U.S.
 68:66

 dyspneic form of
 64:297

 epidemiology of
 64:280-294

 excess mortality from
 64:25, 277

 experimentally induced in smoking dogs
 72:46

 grade II or III, smokers vs. nonsmokers
 71:162

 in horses
 69:40

 hypersensitivity in development of
 67:111

 incidence in cigar/pipe smoking coal
 miners vs. cigarette smokers and non-
 smokers
 73:217

 morbidity, and cigar smoking
 67:99

 morbidity, and pipe smoking
 67:99

 morbidity, and smoking
 67:3, 22, 29-30, 96-98

 morbidity, body constitution as a factor
 in
 67:30

 morbidity, heredity as a factor in
 67:30

 mortality, and cigar smoking
 67:30

 mortality, and pipe smoking
 67:30

 mortality, effect of cessation of smoking
 on
 67:29

 mortality, effect of cigarette smoking on
 71:175

 mortality rates
 64:25, 29, 301; 67:29, 90-93; 68:66;
 71:139

 mortality ratios
 64:103, 293; 67:8, 90

 mortality ratios, and smoking
 67:3, 91

 mortality ratios, by amount smoked
 67:90-93

 mortality ratios, by sex in United States
 67:91

 mortality ratios, in cigar smokers
 67:94

 mortality ratios, in male pipe and cigar
 smokers
 73:217, 219

 mortality ratios, in pipe smokers
 67:94

 nonsmoker prevalence of
 64:297

 occupational exposure in
 64:298, 299, 300, 302

 pathogenesis of
 69:38-40

 phases of
 64:294

 pigment deposition in
 64:272, 273

 premature development and smoking,
 autopsy studies
 74:97

 prevalence in males by smoking cate-
 gory, at autopsy
 73:48

 prevalence in pipe/cigar and cigarette
 smokers vs. nonsmokers, autopsy
 studies
 73:45, 46

 prevalence in smokers vs. nonsmokers
 73:55

 prevalence rates in U.S.
 74:75

 prospective studies on
 64:293

 pulmonary function studies and
 74:80

 respiratory symptoms, body constitution
 as a factor in
 67:30, 102-103, 108-109

- respiratory symptoms, by smoking classification
 - 67:99
- respiratory symptoms, heredity as a factor in
 - 67:30, 102-103, 108, 111
- respiratory symptoms, in pipe smokers
 - 67:99
- respiratory symptoms, in smokers
 - 64:27; 67:99; 68:74
- in smokers vs. nonsmokers, autopsy studies
 - 73:45-47
- smoking and etiology of
 - 64:38, 294, 303; 67:30-31, 96, 104-107, 110-111; 69:37-38; 72:37; 74:87-90
- summary of previous findings on relationship to smoking
 - 74:75-78; 75:5, 7, 61, 62
- Emphysema Registry
 - 64:294
- Endrin
 - 64:145
 - as suspected contributor to health hazards of smoking
 - 72:145
- Enzymes
 - activity, effect of smoking
 - 71:165
 - adenosine triphosphatase, effect of ciliotoxic agents on
 - 67:108
 - aryl hydrocarbon hydroxylase activity in placentas at childbirth
 - 71:410
 - aryl hydroxylase, effect of nickel in cigarette smoke on induction
 - 71:257
 - benzo(a)pyrene hydroxylase, activity in placentas of smoking mothers
 - 71:410
 - carbonic anhydrase, carbon monoxide inhibition in fetal cord blood of smoking mothers
 - 71:407
 - carbonic anhydrase, decrease in activity in fetal cord blood in smoking mothers
 - 71:409
 - effect of cigarette smoke, in rabbit lungs
 - 74:104, 105
 - and macrophage function, in rabbit lungs,
 - 74:104, 105
 - oxidative enzymes, effect of ciliotoxic agents on
 - 67:108
- Epidemiological studies
 - bladder neoplasms and smoking
 - 72:72-74
 - bronchopulmonary diseases and smoking
 - 72:38-41; 73:36-45
 - cerebrovascular disease and smoking
 - 75:29, 30
 - COPD and smoking
 - 74:78-80
 - coronary diseases and smoking
 - 69:12-25; 72:14-16; 73:4-13, 23; 75:14, 15
 - esophageal neoplasms and smoking
 - 72:70, 71
 - laryngeal neoplasms and smoking
 - 69:58-60; 72:68
 - lung neoplasms and smoking
 - 69:55-56; 72:60-65; 73:68-72; 74:37; 75:44
 - lung neoplasms, by age and sex
 - 68:94-99
 - lung neoplasms, in Iceland
 - 68:94, 95
 - lung neoplasms, in Japan
 - 68:95, 96
 - lung neoplasms, in Switzerland
 - 68:95
 - maternal smoking and outcome of pregnancy
 - 69:77-80; 72:83-87
 - oral neoplasms and smoking
 - 69:58; 72:68-70; 74:53
 - pancreatic neoplasms and smoking
 - 69:60-61; 72:74; 74:57
 - peptic ulcer and smoking
 - 73:155-157
 - urinary tract neoplasms and smoking
 - 69:60
- Epiglottitis
 - laryngeal neoplasms
 - 64:212
- Epinephrine
 - 64:318
 - effect in thrombus formation
 - 67:64-65
 - effect of nicotine
 - 75:29
 - levels in arteries, cigarette smoking effects on
 - 71:57
- Epithelial lesions
 - in smokers
 - 64:168, 170, 172, 173, 213
- Epithelial tissues
 - age effects on
 - 64:34
 - changes in female smokers
 - 64:34
 - changes in male smokers
 - 64:34
 - cigarette smoking and
 - 64:34, 165, 167-173, 189, 213, 263-275
 - ciliary loss in
 - 64:34
 - in ex-smokers
 - 64:34
 - histopathologic changes in
 - 64:167-173, 231, 263-275
 - hyperplasia in
 - 64:34, 203
 - hypertrophy caused by nitrogen dioxide
 - 69:41
 - in nonsmokers
 - 64:189
 - pipe and cigar effects on
 - 64:34

- pre-malignant lesions in
 - 64:34; 75:44
 - see also Bronchial epithelium; Esophageal epithelium
- Epithelial tumors
 - classification of
 - 64:174
 - in man
 - 64:146
- Epitheliomas
 - of lip, relationship of tobacco use with
 - 71:361
- Epoxides
 - suspected carcinogenic agents in cigarette smoke
 - 71:265
- Ergonovine
 - effect on blood circulation in laboratory animals with coronary disease
 - 67:62
- Esophageal balloon technique
 - 64:292
- Esophageal epithelium
 - atypical nuclei in basal cells, male smokers
 - 71:292, 379-380
 - effect of smoking on
 - 67:36, 150-153
 - pathological changes by age and smoking history
 - 67:150-162
 - pathological changes by amount smoked
 - 67:152
 - pathological changes by smoking classification
 - 67:150-151
 - pathological changes for male smokers vs. nonsmokers
 - 67:150-153
- Esophageal neoplasms
 - 64:37, 212-218, 234
 - alcohol consumption and smoking in
 - 67:152-153; 72:4, 5, 71; 73:76, 200
 - frequency in smokers vs. nonsmokers
 - 71:12, 238
 - geographical factors in
 - 64:133
 - incidence of, by tobacco use
 - 64:216
 - incidence of, in Jewish women
 - 64:135
 - incidence of, in U.S.
 - 64:127
 - income class gradients in
 - 64:134
 - induction in animals by nitrosamine
 - 71:292
 - inhalation patterns and
 - 64:218; 73:197
 - methods and results of retrospective studies of tobacco use in
 - 71:289, 375-378
 - mortality rates
 - 64:37, 133; 71:289
 - mortality rates, by amount smoked
 - 67:147, 150
 - mortality rates, by smoking classification
 - 67:147, 150
 - mortality rates in females
 - 64:131, 132
 - mortality rates in Japanese males by smoking and drinking characteristics
 - 72:71
 - mortality rates in males
 - 64:130, 132
 - mortality rates in migrants
 - 64:134
 - mortality rates in pipe/cigar and cigarette smokers
 - 68:102
 - mortality ratios, by age
 - 67:150
 - mortality ratios, by amount smoked
 - 67:150
 - mortality ratios, by smoking classification
 - 67:150
 - mortality ratios for cigar, pipe, and cigarette smokers vs. nonsmokers
 - 73:197, 200
 - mortality ratios in
 - 64:148, 149, 217; 71:289-291
 - mortality ratios in cigarette smokers
 - 64:149
 - mortality ratios in Japanese male smokers vs. nonsmokers
 - 73:76
 - mortality ratios in nonwhites
 - 64:218
 - prospective studies of
 - 64:217
 - relative risk in cigar, pipe, and cigarette smokers vs. nonsmokers
 - 73:197, 200-202
 - retrospective studies of
 - 64:212-217
 - risk gradients in, by amount smoked
 - 64:217, 218
 - risk ratios in
 - 64:213
 - smoking in etiology of
 - 64:37, 188; 67:33, 150, 151; 71:293; 72:4, 70, 71
 - summary of previous findings on relationship to smoking
 - 68:89, 90; 74:55
 - summary of retrospective studies
 - 73:201, 202
 - tobacco tars in
 - 64:218
 - tobacco use and
 - 64:32, 217, 218
 - trend in mortality
 - 64:137
 - urban-rural differences in
 - 64:133
- Esophagus
 - effect of benzo(a)pyrene in laboratory animals
 - 67:152-153
 - histological changes in cigar, pipe, cigarette smokers vs. nonsmokers
 - 73:200
- Esters
 - in cigarette smoke
 - 64:52

- Ethane
 - 64:60
- Ethnic groups
 - neoplasm risks in
 - 64:134, 135
 - neoplasm sites by
 - 64:134, 135
- Ethyl alcohol
 - carcinogenic promoter activity of
 - 64:217
- Ethylene
 - 64:60
 - glycol
 - 64:52
- Euphoria
 - 64:350
- Executive Office of the President
 - 64:15
- Exercise
 - on bicycle ergometer, effect of smoking
 - 73:242, 243
 - cardiac index, effect of smoking
 - 73:242, 243
 - effect of carbon monoxide exposure
 - 74:11, 12
 - effect of smoking and smoking abstinence
 - 73:241, 242, 246, 247
 - effects of CO exposure and increased carboxyhemoglobin levels
 - 75:95, 97
 - influencing factors
 - 73:241, 246, 247
 - and pulmonary function, smokers vs. nonsmokers
 - 74:99
 - relationship to mortality rates
 - 64:101
 - summary of findings and mechanism of action
 - 73:246, 247
 - on treadmill, effect of smoking
 - 73:243, 245
- Ex-smokers
 - atypical nuclei in esophageal epithelium, in male
 - 71:379-380
 - chronic cough
 - 67:98
 - decrease of lung neoplasm risk
 - 69:57; 75:43
 - effects of cessation on body weight, blood pressure and hypertension development
 - 75:16-19
 - effects of cessation on closing volume abnormalities
 - 75:71
 - effects of cessation on pathologic changes
 - 75:74
 - histological changes in bronchial epithelium at autopsy
 - 73:74
 - low birth weight infants of
 - 73:112-114
 - lung neoplasms in, lowered rates
 - 71:11
 - lung neoplasms in, prevalence
 - 64:192, 193
 - mortality rates in
 - 64:36; 64:105
 - mortality rates in, by smoking history
 - 67:8-11
 - mortality rates in, COPD
 - 71:175
 - mortality rates in, coronary disease
 - 64:322, 323, 325; 71:46-48
 - mortality rates in, coronary disease, by smoking history
 - 67:51
 - mortality rates in, coronary disease, cigarette vs. pipe/cigar smokers
 - 73:172, 173
 - mortality rates in, coronary disease, for men by amount smoked
 - 69:15
 - mortality rates in, coronary disease, for men, by years stopped smoking
 - 69:15
 - mortality rates in, coronary disease, for men, compared to nonsmokers
 - 69:15
 - mortality rates in, gastric ulcer
 - 64:104
 - mortality rates in, laryngeal neoplasms
 - 64:104
 - mortality rates in, lung neoplasms
 - 64:104; 71:276; 72:5; 73:71-72
 - mortality rates in, oral neoplasms
 - 64:104
 - mortality rates in, stroke, for men, compared to nonsmokers
 - 69:15
 - mortality ratios in
 - 64:36, 92, 93, 103, 104, 105
 - mortality ratios in, circulatory disease
 - 64:104
 - mortality ratios in, ex-cigar smokers
 - 64:94
 - mortality ratios in, lung neoplasms
 - 71:241-242
 - mortality ratios in, respiratory disease
 - 64:104
 - pneumoconiosis incidence in, in miners
 - 64:298
 - prevalence of respiratory symptoms
 - 73:39
 - psychosomatic disorders in
 - 64:367
 - pulmonary fibrosis in
 - 64:274
 - pulmonary function in
 - 73:39
 - relative risk in lung neoplasms development
 - 73:71-72
 - risk ratios in, from neoplasms
 - 64:155, 158, 188
 - summary of previous findings on health consequences of cessation
 - 75:6
 - summary of previous findings on relationship to COPD
 - 75:61

- survival after treatment for pharyngeal, laryngeal, or oral neoplasms 73:75
 - thickness of vocal cords in 69:60
- Extroversion 64:365, 366
- Eye irritation
 - effects of exposure to cigarette smoke, in passive smokers 75:99, 100
- Face
 - skin neoplasms of 64:147
- Factory workers,
 - mean expiratory flow rates in 64:290
- False vocal cords
 - epithelial hyperplasia in 64:271
 - hyperkeratosis in 64:271
- Farmers
 - coronary disease incidence in 64:321
 - decreased smoking by 64:323
 - myocardial infarction in 64:323
 - smoking incidence in 64:187
- Fats, saturated 64:322
- Fatty acid levels
 - effect of cigar, pipe, and cigarette smoke in dogs 73:216
 - effect of smoking 73:12
 - rise in, after smoking 71:36, 65
 - in smokers vs. nonsmokers 71:102
 - see also* Fatty acids; Free fatty acids
- Fatty acids 64:53
 - suspected carcinogenic agents of cigarette smoke 71:266
 - see also* Fatty acid levels; Free fatty acids
- Federal insecticide regulations 64:61
- Federal Trade Commission 64:8, 15
- Fertility
 - and smoking 69:79-80
- Fetal death
 - effect of maternal smoking 64:39, 343; 67:185; 69:77-78; 73:123-135
 - epidemiological studies, in smokers vs. nonsmokers 73:126-132
- Fetus
 - effect of maternal smoking 64:39, 343; 72:5, 83-89
 - heart beats in, increase in smoking mothers 71:408
 - morbidity, effect of maternal smoking on 67:186
 - tissues of, effects of elevated carboxy-hemoglobin on 71:407
- Fibrosis
 - see* Pulmonary fibrosis
- Filters
 - advantages in reduction of particulates 71:269, 275
 - cellulose acetate 64:59
 - charcoal, and effect of cigarette smoke on cell cultures 69:62
 - as a factor in reducing lung neoplasm risk 74:40-41
 - reduction of lung neoplasms from, 71:13
- Finland
 - blood pressure differences in smokers vs. nonsmokers 71:103
 - COPD morbidity in smokers in 71:200
 - coronary death rate in 64:320
 - lung neoplasm mortality in, relationship to tobacco use 64:176; 71:245-246
 - lung neoplasms in, retrospective study of, methods 71:325, 327
 - peptic ulcer in, methods and results for retrospective and cross section studies of smoking 71:426, 428
 - risk ratio in 64:127
 - serum lipid differences in smokers vs. nonsmokers in 71:98, 99
 - smoking and nicotine effects on human blood lipids 71:124
- Fires
 - smoking as cause of 64:344, 345; 67:187-188
- Fitness tests
 - smokers vs. nonsmokers 73:245
- Flavors
 - antismoking measures using 64:354
- Flax mill workers
 - chronic respiratory diseases in 64:289, 299
- Fluoranthene
 - alcoholic solution of, penetrability of esophageal epithelium 71:292

- in caffeine solution, effect on esophageal tissue in laboratory animals
67:152-153
- in carbon black
64:147
- in ethanol, effect on esophageal tissue in laboratory animals
67:152-153
- Forced expiratory flow rates
64:288-293
- Forced expiratory volume
64:288, 289, 290, 291, 293, 294, 298
- decline in smokers, by race
75:72
- Formaldehyde
64:60, 61, 268
- ciliastatic action of
64:61, 268
- ciliatotoxic agent
67:107
- as suspected contributor to health hazards of smoking
72:145
- in tobacco smoke
67:107
- toxic action of
64:295
- tracheobronchial irritation from
64:266
- Formic acid
ciliatotoxic agent
67:108
- in tobacco smoke
67:108
- Formosa
acute effect of cigarette smoke on human pulmonary function in
71:169
- Framingham Study
64:291, 323
- angina pectoris in
64:325
- duration of smoking habit and incidence of CHD
68:17
- effect of coffee drinking on mortality in smokers vs. nonsmokers
75:20
- epidemiologic study of CHD, CDV, intermittent claudication, and smoking
74:14-16
- interaction of smoking and other risk factors in CHD
73:8
- morbidity ratios for CHD, by smoking habit
68:18; 71:24
- mortality rates in
64:324
- France
bladder neoplasms in, methods and results in retrospective studies of smoking
71:381-383
- bladder neoplasms in, retrospective studies
64:219, 220, 221
- CHD mortality and morbidity in
71:94, 97
- cigarette smoke effects on animal tissue in
71:343, 344, 349
- COPD mortality of smokers in
71:201
- esophageal neoplasms in, retrospective studies of tobacco use
64:214; 71:378
- laryngeal neoplasms in, relationship to tobacco use
64:205, 207; 71:355, 357
- lung neoplasms in, methods of retrospective study of smoking in
71:326
- oral neoplasms in, by type of smoking
64:199, 201
- oral neoplasms in, relationship of tobacco use and
71:363
- Free fatty acids
64:52
- plasma, effect of nicotine, in rats
74:13
- plasma, effect of smoking on
69:27
- see also* Fatty acid levels; Fatty acids
- Fried foods
64:100
- Fume exposure
in smokers vs. nonsmokers, by race and sex
75:69, 70
- Fungi
carcinogenic contamination of tobacco
68:92, 93
- Fungicides
concentration in cigarette smoke
71:265, 266
- Furfural
as suspected contributor to health hazards of smoking
72:145
- Ganglia, parasympathetic
64:69, 71, 317, 318
- Ganglion cells
nicotine effect on
64:69, 70
- paralysis of
64:69, 70
- Gas adsorbents
carbon granules as
64:61
- Gas phase, cigarette smoke
69:63
- effect on mucus flow rates in cats
72:47
- harmful constituents in
72:143
- Gas phase, tobacco smoke
64:60
- acetaldehyde in
64:60

acetone in
64:60

acetylene in
64:60

acrolein in
64:60

ammonia in
64:60

argon in
64:60

butane in
64:60

carbon dioxide in
64:60

carbon monoxide in
64:60

ethane in
64:60

ethylene in
64:60

formaldehyde in
64:60

hydrogen cyanide in
64:60

hydrogen in
64:60

hydrogen sulfide in
64:60

methane in
64:60

methanol in
64:60

methyl chloride in
64:60

methyl ethyl ketone in
64:60

methyl nitrate in
64:60

nitric oxide in
64:266

nitrogen dioxide in
64:60

nitrogen in
64:60

oxygen in
64:60

phenol in
64:267

propane in
64:60

propylene in
64:60

Gastric acidity
effect of smoking on
67:182

Gastric motility
64:340

Gastric neoplasms
64:37, 38, 225-229, 235
decline in mortality from
64:133
geographic factors in
64:133
income class gradients in
64:134
migrant mortality in
64:134

mortality rates in
64:130, 133

mortality rates in, in smokers
64:149

mortality rates in, Japanese smokers vs.
nonsmokers
74:56, 57

mortality ratios in
64:148, 149, 228

prospective studies of
64:227

retrospective studies of
64:225, 226, 227, 228

retrospective studies of, by smoking pattern
64:226, 227

summary of previous findings on relationship to smoking
68:90; 74:55

tea drinking and smoking in etiology of
74:56, 57

tobacco tars in
64:228

trends in prevalence of
64:135

U.S. incidence of
64:127

Gastric secretion
effect of nicotine
72:97
effect of nicotine in laboratory animals
73:158, 159
effect of smoking
64:340
effect of smoking in ulcer patients
73:157, 158

Gastric ulcers
64:8, 37, 337, 340
healing of, after cessation of smoking
64:337
mortality ratios in
64:37, 113, 337

Gastrointestinal disorders
prevalence in cigarette and pipe/cigar smokers
73:222
smoking and
72:5, 6, 97, 98

General practitioners
coronary disease incidence in
64:321, 322

Genetic factors
64:321, 385
alpha-1-antitrypsin deficiency
72:44
alpha-1-antitrypsin deficiency and smoking in COPD development
74:87-90; 75:72-74
in bronchitis development
67:102-104, 108-109
cessation of smoking and
64:191
COPD pathogenesis and
71:148, 150-152, 205
coronary disease and
72:18
in cough development
67:102, 111

- in emphysema development
67:30, 102-103, 108-109, 111
- and heart disease
67:53-54, 57
- lung neoplasms and
64:167, 232
- in respiratory tract disease development
67:30, 108
- short run changes in, in humans
64:191
- smoking and
64:190, 319; 71:5; 72:18, 44
- smoking and, in lung neoplasm development
74:37
- susceptibility in neoplasm epidemiology
64:190, 191, 192, 193
- twin studies, effects of smoking
71:49-52, 99
- Genitourinary diseases
see Urogenital diseases
- Genitourinary neoplasms
see Urogenital neoplasms
- Geographic factors
neoplasm incidence by
64:133
- neoplasm mortality by
64:133
- Germany
CHD morbidity and mortality in
71:95-96, 97
- cigarette smoke inhalation effects on
animal respiratory tract in
71:350
- laryngeal neoplasms in
64:205
- laryngeal neoplasms in, relationship to
tobacco use
71:355
- laryngeal neoplasms in, retrospective
study of
64:206
- lung neoplasms in, methods of retro-
spective study of smoking in
71:323, 325, 326
- polonium-210 levels in lungs of smokers
in
71:336
- smoking and nicotine effects on human
blood lipids
71:125
- Gestational age
effect on perinatal mortality rates in
smoking vs. nonsmoking mothers
73:126-132
- and low-birth-weight infants, effect of
maternal smoking
73:103-106
- Gingival neoplasms
64:197, 202
- cigar smoking in
64:202
- pipe smoking in
64:202
- retrospective study of, by type of smok-
ing
64:201
- tobacco chewing in
64:202
- see also Mouth neoplasms; Oral neo-
plasms
- Gingivitis
incidence among Danish Royal Marines
69:86
- incidence among Dutch Navy recruits
69:86
- incidence among U.S. Naval trainees
69:86
- smoking and
69:85-86; 72:6
- Gingivitis, Vincent's
relationship to smoking
69:86
- Ginseng root
64:355
- Glossary
terms used in smoking and ventilatory
function
71:215
- Glucose intolerance
as a risk factor in CHD
73:8
- Glucose metabolism
cardiovascular effects of
68:40, 41
- and insulin response, alteration effects
on myocardial response
71:66
- Glutamic acid
64:54
- Glutamine
64:54
- Glutathione
inhibition of smoke cytotoxic action on
macrophages
69:42
- Glycerol
64:52, 62
- Glycogen
levels in mice lung exposed to cigarette
smoke
71:161
- Glyoxal
64:53
- Goblet cells
morphological changes in
64:35, 268, 271
- Graphite
respiratory tract carcinoma in workers
exposed to
71:256
- Grief,
drug use in
64:353
- Grip strength
effect of smoking
73:241, 242
- Group psychotherapy
cure of tobacco habit by
64:354
- Growth inhibitors
and carcinogenesis
68:92

- Guanethidine
 blockage of nicotine cardiac stimulation
 by
 71:57
- Guinea pigs
 64:296
 induced pulmonary damage in
 64:266
 lung neoplasm development following
 chronic nickel carbonyl or dust in-
 halation
 71:256
 lungs of, cigarette smoke effects on
 surfactant activity
 71:255
 respiratory changes in, exposed to ciga-
 rette smoke
 71:162
 sulfur dioxide effect on
 64:266
- Habituation
 64:350, 352, 354
 definition of
 64:351
- Hamsters
 benzo(a)pyrene inhalation by, effect of
 asbestos dust on carcinoma induction
 71:162
 bladder neoplasms in, fed 2-naphthyl-
 amine
 71:296
 cigarette smoke instillation or implanta-
 tion effects on tracheobronchial tree
 of
 71:268, 346-348
 induced carcinogenesis in
 64:166
 induced oral neoplasms in
 64:202, 203, 204, 232
 laryngeal neoplasms following smoke in-
 halation
 71:12
 larynx of, effect of cigarette smoke
 inhalation on
 71:281, 284
 lung and embryos, effects of cigarette
 smoke tars on
 71:343-344
 pulmonary changes from chronic nitro-
 gen dioxide inhalation
 71:220
 respiratory tract of, C-14 labeled particu-
 lates deposition in
 71:281-282
 respiratory tract of, cigarette smoke in-
 halation effects on
 71:268, 351
- Harvard College
 alumni study
 64:385, 386
 student study
 64:383
- Health Insurance Plan
 68:19, 20
- myocardial infarction in pipe and cigar
 smokers under
 71:32, 38-39
- Heart
 effect of CO exposure
 74:10-12
 effect of nicotine
 64:318; 67:60; 71:36; 74:13
 effect of smoking
 64:318; 67:60-62
see also Myocardium
- Heart disease
 64:320
 description of
 64:320
 U.S. mortality rate from
 64:25, 317, 320
see also Coronary diseases
- Heart rate
 64:318, 326
 effect of catecholamines on,
 67:60
 effect of CO exposure
 74:11, 12
 effect of exercise and smoking
 73:242-246
 effect of nicotine on
 67:60; 74:13
 effect of smoking and coronary disease
 67:61; 71:45, 47
 effect of smoking on
 67:60
 fetal, effect of maternal smoking
 71:408
- Hematite
 64:193
 dust, respiratory tract neoplasms in ham-
 sters exposed to
 71:348
- Hematocrit
 64:319
 infant, smoking mother effects on
 71:407, 409
 variations in, effect on coronary blood
 flow
 71:66
- Hemoglobin
 64:319
 affinity for oxygen, CO effects on 2,3-di-
 phosphoglycerate control of
 71:60-61
 effect of smoking on oxygen affinity
 69:29
 levels, relation to incidence of coronary
 disease
 67:58
 risk factor in CHD
 68:29
 variations in, effect on coronary blood
 flow
 71:66
- Hepatomas
 64:145, 321
- Heptachlor
 64:62, 145
- Heredity
see Genetic factors

- Heterocyclic compounds
64:54
carcinogenic properties in cigarette smoke
71:264, 265
- Heterocyclic nitrogen compounds
carcinogenicity
67:127
in tobacco smoke
67:127
- Hexamethonium
blockage of nicotine cardiac stimulation by
71:57
- High school students
smoking in
64:370
- Hippocampus
nicotine effect on
64:71
- Histiocytes
64:269
- Histological studies
in laboratory animals
73:49, 50
lung neoplasms and smoking
74:38; 75:44-46
lung neoplasms in U.S. veterans
73:73
macrophage function and
74:104, 105
in smokers vs. nonsmokers
74:8, 49
- Holland
lung neoplasm mortality rate in
64:176
smoking habits in
64:177
- Honolulu Heart Study
interaction of smoking and other risk factors in CHD
73:8, 9
- Hookahs
smokers of, laryngeal neoplasm induction in
71:355
- Humectants
64:52
- Humidity
and pathologic effects of exposure to cigarette smoke
75:99
- Hungary
methods used for retrospective studies of lung neoplasms in
71:328
- Hunger
64:355
- Hydrocyanic acid
as probable contributor to health hazards of smoking
72:144
- Hydrogen
in gas phase, cigarette smoke
64:60
- Hydrogen cyanide
64:60
in cigarette smoke, effects on body oxidative metabolism
71:62
ciliastatic action of
64:61, 268
as respiratory enzyme poison
64:60
toxicity of
64:265, 266
- Hydrogen sulfide
64:60
as suspected contributor to health hazards of smoking
72:145
- Hydrolases
reduction of in smokers' alveolar macrophages
69:42-43
- Hydroperoxides
64:52, 72
- Hydroquinone
64:54
bladder neoplasm induction in laboratory animals
67:156
as suspected contributor to health hazards of smoking
72:145
- 3-Hydroxyanthranilic acid
bladder neoplasm induction in laboratory animals
67:156
urinary excretion, smokers vs. nonsmokers
67:156
- Hydroxy-cotinine
structure of
64:72
- Hydroxy-coumarin
64:145
- 3-Hydroxykynurenine
bladder neoplasm induction in laboratory animals
67:156
excretion of, smokers vs. nonsmokers
67:156
excretion of, smoking effects on
71:296
- Hydroxyproline
level in mice lung exposed to cigarette smoke
71:161
- Hypercapnia
and chronic obstructive bronchopulmonary disease
68:75, 76
- Hypercholesterolemia
and hypoxia, in arteriosclerosis
69:26
incidence in Belgian military men
74:17, 18
incidence in male British business executives, by smoking habit and clinical parameters
73:11
as a risk factor for coronary heart disease
72:16, 17; 73:8, 9, 11

- Hyperchromatic nuclei
 - in epithelial cells of smokers
 - 64:168, 173
- Hyperinsulinemia
 - during oral glucose tolerance tests after smoking
 - 68:41
- Hyperplasia
 - 64:168, 169, 170, 172, 203, 231
 - basal cell
 - 64:168, 169, 170, 172, 173, 231
 - basal cell, and smoking
 - 67:36
 - betel nut chewing and
 - 64:203
 - bronchial mucosa, by smoking history in men
 - 67:105
 - nonspecificity of
 - 64:172
 - precancerous aspects of
 - 64:166
 - reversibility of
 - 64:172
- Hyperpnea
 - from nicotine
 - 64:70
- Hypersensitivity
 - effect in emphysema development
 - 67:111
- Hypertension
 - incidence in male Israeli civil servants
 - 74:18
 - interaction with smoking as risk factor in cerebrovascular disease
 - 73:9
 - pulmonary, and chronic obstructive pulmonary disease
 - 68:74-76
 - as a risk factor for coronary heart disease
 - 64:32, 321; 72:16, 17; 73:8, 9
 - risk of, in smokers vs. nonsmokers
 - 68:22, 44
 - smoker mortality rates in
 - 64:325
 - smoking effects in
 - 64:325; 75:15-19
 - summary of recent findings
 - 75:33
 - in women smokers with CHD
 - 68:22
- Hypnotism
 - cure of tobacco habit by
 - 64:354
- Hypothalamus
 - nicotine stimulation
 - 64:71
- Hypoxemia
 - carbon dioxide effects on
 - 71:61, 75
 - and chronic obstructive bronchopulmonary disease
 - 68:75, 76
 - smoking and
 - 72:22
- Hypoxia
 - aortic atheromatosis development in rabbits exposed to
 - 71:64
- and arteriosclerosis
 - 69:26
- carbon monoxide-induced
 - 73:18, 23
- effect of nicotine
 - 72:21
- experimentally induced in rats
 - 72:21
- postoperative, in smokers
 - 71:174, 230
- postural, mechanism in asymptomatic smokers vs. nonsmokers
 - 71:147
- tissue, carbon monoxide effects on
 - 71:61
- Iceland
 - lung neoplasm mortality rate in
 - 64:176
 - lung neoplasms in, relationship to tobacco smoking
 - 71:244
- Immune system
 - response to benzo(a)pyrene-induced lung neoplasms
 - 74:48, 49
 - suppression of immunoglobulin response, by nicotine or water soluble fraction of cigarettes
 - 75:77
- Income class
 - lung neoplasm mortality by
 - 64:133, 134
 - smoking prevalence by
 - 64:362
- Indeno(1,2,3-cd)pyrene
 - carcinogenicity
 - 67:127
 - carcinogenic properties in smoke
 - 67:127; 71:265
- India
 - 64:205
 - esophageal neoplasms in, retrospective studies of tobacco use with
 - 64:214, 215; 71:378
 - laryngeal neoplasms in, relationship to tobacco use
 - 71:355, 356
 - laryngeal neoplasms in, retrospective studies of
 - 64:205
 - oral neoplasms in, relationship of tobacco use
 - 71:362, 366
 - oral neoplasms in, retrospective studies of, by type of smoking
 - 64:199, 201
 - relationship of smoking to thrombosis in
 - 71:131
 - relationship of smoking to tuberculosis in
 - 71:227
 - smoking and nicotine effects on human cardiovascular system
 - 71:117

- Indole, 1-methyl-
 - possible initiator in tobacco carcinogenesis
 - 71:265
- Industrial carcinogens
 - 64:166
- Industrial hazards
 - effect of dust on COPD development
 - 71:175
 - effect on COPD development in smokers
 - 71:153, 154, 218, 219
- Industrial pollution
 - in etiology of bronchitis
 - 67:108, 110
 - in etiology of emphysema
 - 67:108, 110
- Infant mortality
 - black vs. white smoking mothers
 - 73:129, 132
 - comparison of stillbirth and abortions in smoking and nonsmoking mothers
 - 71:395, 405, 406
 - differences of birth weight and, in smoking and nonsmoking mothers
 - 71:404
 - effect of genetic differences and smoking
 - 73:132
 - effect of maternal smoking
 - 67:185; 69:77, 78; 71:415; 72:83, 87; 73:123, 135
 - effect of previous obstetrical experience and smoking
 - 73:132
 - effect of socioeconomic background and smoking
 - 73:131, 132
 - epidemiological studies in smokers vs. nonsmokers
 - 73:126, 132
 - factors other than smoking
 - 73:131, 132
 - low birth weight and
 - 72:86
 - risk of low-birth-weight infants of smoking vs. nonsmoking mothers
 - 73:126, 132
 - sudden death, relation of smoking and nonsmoking mothers
 - 71:407
- Infants
 - development of bronchitis and pneumonia, and maternal smoking
 - 75:103
 - growth rate, effect of maternal smoking on
 - 69:78
- Infectious diseases
 - 64:38, 276, 277, 302
- Influenza
 - 64:195, 277, 302
 - incidence from antibody deficit in smoking
 - 72:109
 - mortality ratios in
 - 64:276
 - prevalence in pipe and cigar smokers
 - 73:220, 221
- Influenza viruses
 - effect of cigarette smoke on, in mice
 - 68:70, 71
 - effect on dogs inhaling cigarette smoke
 - 71:351
 - enhancing effect in vitro on oxidized nicotine
 - 69:42
 - lung neoplasm induction by
 - 64:172
 - neoplasm induction by
 - 64:166
 - resistance of mice following cigarette smoke inhalation
 - 71:173
- Inhalation
 - 64:91, 187, 188
 - amount smoked and
 - 64:163
 - bladder neoplasm prevalence and
 - 64:219, 223, 225
 - carbon monoxide, effect on blood circulation in coronary disease patients
 - 67:63
 - as carcinogen application method
 - 64:166
 - cigarette smoke, and chronic cough
 - 67:97
 - cigarette smoke, and coronary disease
 - 67:54
 - cigarette smoke, and mortality
 - 67:7, 9
 - cigarette smoke, effect on blood pressure
 - 67:54
 - coronary mortality and
 - 64:324
 - effect of previous smoking habits on patterns of
 - 73:186, 189
 - effect on blood circulation in dogs
 - 67:63
 - esophageal neoplasms and
 - 64:213, 218
 - frequency-per-puff in cigar and cigarette smokers
 - 73:186, 189
 - laryngeal neoplasms and
 - 64:209, 212
 - and lung neoplasms in animals
 - 68:93
 - lung neoplasms prevalence by
 - 64:159, 230
 - by male smokers, and mortality rate
 - 67:11
 - as measures of exposure to cigarette smoke
 - 67:15
 - mortality rate from
 - 64:36, 91, 92, 99, 111
 - mortality rate, inhalers vs. noninhalers
 - 67:7; 68:5
 - mortality ratios
 - 64:91, 111
 - particulate retention in
 - 64:264, 350; 69:62
 - personality factors in
 - 64:367

- pipe, cigar, and cigarette smokers
 - 73:184, 189
- possible determining factors in patterns of
 - 73:183, 184
- of radon
 - 64:145
- risk in, in lung neoplasms
 - 64:188
- stimulatory effect from
 - 64:350
- of thoron
 - 64:145
- tobacco smoke, and bronchogenic carcinoma
 - 67:129
- tobacco smoke, and epidermoid carcinoma
 - 67:129
- tobacco smoke, and papilloma formation
 - 67:129
- summary of previous findings on
 - 75:4
- Inorganic compounds
 - 64:141
- Insecticides
 - 64:61, 145
 - aldrin as
 - 64:62
 - arsenic as
 - 64:61
 - chlordane as
 - 64:62, 145
 - DDT as
 - 64:62, 145
 - Diazinon as
 - 64:62
 - dieldrin as
 - 64:62
 - Dylox as
 - 64:62
 - Endosulfan as
 - 64:62
 - endrin as
 - 64:62
 - Guthion as
 - 64:62
 - heptachlor as
 - 64:62, 145
 - lead arsenate as
 - 64:61
 - malathion as
 - 64:62, 145
 - parathion as
 - 64:62, 145
 - paris green as
 - 64:61
 - Sevin as
 - 64:62
 - TDE as
 - 64:62, 145
- Insoluble particles
 - clearance mechanisms
 - 64:267
- Insufflation
 - application of carcinogens by
 - 64:166
- Insurance policyholders
 - breathlessness in
 - 64:287
- Intelligence quotient
 - 64:370
- Intermittent claudication
 - decrease in exercise time after exposure to CO
 - 75:28
 - effects of coffee drinking and cigarette smoking
 - 75:20
 - smokers vs. nonsmokers
 - 72:22, 26
 - smoking and
 - 73:21
 - smoking as a major risk factor
 - 74:14-16
- International Cooperative Study
 - interaction of smoking and other risk factors in CHD
 - 73:9
- International Statistical Classification of Diseases, Injuries, and Causes of Death
 - 64:101
- Intestinal neoplasms
 - 64:103
- Intestinal tone,
 - tobacco effect on
 - 64:355
- Intratracheal injections
 - application of carcinogens by
 - 64:166
- Involuntary smoking
 - see Passive smoking
- Ionized radiation
 - neoplasm induction by
 - 64:142, 143
 - threshold levels in
 - 64:143
- Ireland
 - acute effect of cigarette smoke on human pulmonary function in
 - 71:168
 - CHD mortality and morbidity in
 - 71:96
 - CHD mortality and morbidity in, smokers and nonsmokers in
 - 71:94
 - lung neoplasms in, methods of retrospective study of smoking in
 - 71:328
 - maternal smoking and infant weight in
 - 71:399
 - methods used in study of smoking and human pregnancy
 - 71:394, 396
 - Northern, mortality rates from COPD
 - 71:144
 - occupational exposure and smoking relationships to COPD in
 - 71:218
 - relationship of lung neoplasms to smoking, air pollution and residence in
 - 71:218
 - serum lipid differences in smokers vs. nonsmokers in
 - 71:99

- smoking and nicotine effects on human peripheral vascular system
71:133
- smoking relationship to thrombosis in
71:130
- Iron oxide
64:166
- Irritants
tissue tolerance to
64:353
- Ischemia
64:319
- Ischemic heart disease
see Coronary disease
- Isomethylnicotinium ion
structure of
64:72
- Isoparaffins
64:51
- Isoprene
64:52
- Isoprenoids
64:49, 51
structural formula of
64:49
- Isopropyl oil
lung neoplasm risk from
64:193
- Israel
cigarette smoke effects on animal embryos in
71:343
mortality rates from COPD in
71:140
- Isuprel
aerosol
64:292, 293
- Italy
human experimental data on smoking and pregnancy
71:409
prohibition of advertising in
64:8
serum lipid differences
in smokers vs. nonsmokers in
71:100
tracheobronchial tree changes in smokers and nonsmokers in
71:263
- Japan
bladder neoplasms in, methods and results in retrospective studies of smoking
71:382, 384
CHD mortality
64:320
CHD mortality and morbidity in
71:96
cigarette smoke effects on human fetal lung tissue in
71:343
esophageal neoplasms in retrospective studies of tobacco use in
71:378
- kidney and bladder neoplasms of smokers in
71:295
- lung neoplasms, mortality of smokers and nonsmokers in
71:243
- lung neoplasms, retrospective smoking study, methods of
71:326, 328
- mortality ratios, esophageal neoplasms in
71:291
- mortality ratios, kidney neoplasms, smokers vs. nonsmokers
73:77
- mortality ratios, pancreatic neoplasms in cigarette smokers
71:298
- neoplasm risk in
64:127
- relationship of lung neoplasms to smoking, air pollution, and residence in
71:255
- "Tokyo-Yokohama asthma"
64:276
- Jena
autopsy records in
64:150
- Jews
esophageal neoplasms in, in women
64:135
gastric neoplasms in
64:135
increased smoking among, in women
64:363
- Job changing
smoker prevalence of
64:363
- Johns Hopkins student study
64:384
- Joint Tuberculosis Society of Great Britain
64:6
- Keratin
oversecretion of, in stomatitis nicotina
64:271
- Keratosis, senile
64:203
- Keto-acids
64:53
- Ketoamide
structure of
64:72
- Ketones
64:52
- Khat
64:349
- Kidney neoplasms
epidermoid, associated with cigarette smoking
69:60
mortality rates in U.S.
71:296
mortality ratios in
64:148, 149

- mortality ratios, Japanese men and women, smokers vs. nonsmokers
73:77
- mortality trends in
64:137, 149
- relationship of tobacco use and
71:13, 299
- in smokers and nonsmokers
71:238, 294-295
- smoking and
69:60, 64; 73:77, 78
- see also* Urogenital neoplasms
- Korea
 - relation of human pulmonary histology and smoking in
71:255
 - tracheobronchial tree changes in smokers and nonsmokers of
71:259
- Kreyberg classification
 - comparison with World Health Organization classification
64:174
 - in lung neoplasms
64:35, 159, 173
- Kreyberg study
 - lung neoplasms and smoking
69:55-56
- Labeling
 - of tobacco products
64:8
- Laboratory techniques
 - for induction of experimental neoplasms
69:63-64
- Laborers
 - coronary incidence in
64:321
- Lactate metabolism
 - effect of smoking, in patients with angina pectoris
73:13
- Lactation
 - effect of maternal smoking
73:138-141
 - effect of maternal smoking, summary of findings
73:141
 - epidemiological studies
73:138
 - experimental studies
73:138, 139
- Lactones
 - carcinogenicity of
64:145
 - suspected carcinogenic agents in cigarette smoke
71:265
- Laparotomy
 - postoperative pulmonary complications following, in smokers vs. nonsmokers
71:174
- Laryngeal neoplasms
64:37, 205-212, 233, 234; 71:12, 237-239, 281
- alcohol consumption in
64:210
- development in hamsters following cigarette smoke inhalation
71:239
- development in smokers
71:12, 281
- dose effect in
64:210, 234
- effect of cessation of smoking on
67:149
- epidemiological studies
72:68
- extrinsic origin of
64:211, 212
- incidence in males and females, by age
68:101, 102
- incidence of secondary primary, in smokers vs. nonsmokers
75:50
- income class gradients in
64:134
- inhalation effects in
64:209
- inhalation patterns and,
73:193
- intrinsic origin of
64:211, 212
- mortality rates
64:37, 133, 135, 210; 71:277
- mortality rates, by age
67:149
- mortality rates, by age for men
67:148
- mortality rates, by amount smoked
67:149
- mortality rates, by smoking classification
67:147, 149
- mortality rates, for women
64:134; 67:153
- mortality rates, in smokers vs. nonsmokers
71:237-238
- mortality rates, in United States by age
67:148
- mortality rates, in United States by sex
67:148
- mortality ratios
64:113, 148, 149; 71:277-279
- mortality ratios, and smoking
67:33-35, 148-149
- mortality ratios, by age
67:149
- mortality ratios, by age for men
67:148
- mortality ratios, by amount smoked
67:149
- mortality ratios, by smoking classification
67:149
- mortality ratios, cigar smokers vs. nonsmokers
67:35
- mortality ratios for pipe, cigar, and cigarette smokers vs. nonsmokers
73:193, 196, 197
- mortality ratios in, in females
64:132