

TABLE G.—MEFR for white adults, by smoking status, sex, and age, United States, 1971-1975

Cigarette smoking status (by age)	Both sexes					Men					Women				
	N	n	Mean	SD	SE	N	n	Mean	SD	SE	N	n	Mean	SD	SE
Never smokers															
25-74			6545 ¹		62 ¹			7894 ¹		114 ¹			5327 ¹		41 ¹
25-34	5733	394	7103	1895	123	2633	130	8833	1551	167	4099	264	5991	1081	94
35-44	5278	291	6744	1774	144	1669	81	8519	1710	223	3609	210	5923	1058	103
45-54	4942	353	5887	1825	110	1206	85	7805	2106	268	3736	268	5268	1185	86
55-64	3660	251	5280	1559	98	880	59	6722	1527	228	2781	192	4824	1264	98
65-74	2855	234	4317	1776	112	472	42	6526	1863	289	2394	192	3882	1394	118
Ex-smokers															
25-74			6453		72			7809		120			5229		83
25-34	2811	160	7521	2246	232	1359	66	9184	1911	295	1452	94	5964	1153	167
35-44	3086	171	7554	2241	212	1828	94	8789	2006	239	1258	77	5759	1017	131
45-54	3323	213	6773	2056	202	2345	143	7451	1901	213	978	70	5146	1398	191
55-64	2669	181	5944	2002	194	1826	130	6532	1997	220	843	51	4671	1297	245
65-74	1769	157	4986	2187	221	1270	121	5425	2267	280	499	36	3867	1463	220
Smokers															
25-74			5914		52			7041		96			4897		55
25-34	8885	487	7393	2019	122	4792	239	8629	1728	133	4093	248	5847	1216	101
35-44	5849	320	6712	1974	152	3027	158	7780	1922	211	2822	162	5566	1256	94
45-54	5606	374	5762	1864	104	2743	182	5758	1819	137	2863	192	4807	1332	113
55-64	3251	192	5030	1952	147	1700	108	5834	2022	211	1551	84	4149	1421	171
65-74	933	84	3753	1862	216	534	56	4341	1961	260	400	28	2969	1373	263

TABLE G.—Continued

Cigarette smoking status (by age)	Both sexes					Men					Women				
	N	n	Mean	SD	SE	N	n	Mean	SD	SE	N	n	Mean	SD	SE
Light smokers															
25-74			6068		104			7085		177			5150		114
25-34	2162	113	7006	1792	233	879	43	8347	1559	246	1283	70	6088	1294	193
35-44	1267	72	6450	1784	275	308	17	8275 ¹	1918	530	959	55	5864	1270	192
45-54	1090	76	5656	1632	232	383	24	6718	1445	269	707	52	5080	1425	249
55-64	1043	57	4979	1611	240	313	18	6142 ¹	1903	478	730	39	4482	1154	208
65-74	304	21	3585	1295	350	131	11	4054 ¹	1318	457	172	10	3228 ¹	1157	388
Moderate smokers															
25-74			5921		76			7165		120			4798		89
25-34	4269	235	7616	2146	154	2534	123	8755	1864	176	1735	112	5952	1263	164
35-44	2413	130	6819	1992	230	1214	66	8112	1734	264	1199	64	5511	1241	150
45-54	2715	179	5513	1755	137	1145	75	6533	1799	181	1570	104	4769	1286	144
55-64	1287	82	5100	1996	243	690	45	6122	1687	261	597	37	3917	1640	299
65-74	464	44	3701	2084	373	261	28	4495	2122	466	203	16	2681 ¹	1512	376
Heavy smokers															
25-74			5755		98			6902		155			4720		115
25-34	2417	136	7356	1925	204	1363	72	8573	1544	192	1054	64	5781	1010	170
35-44	2148	116	6751	2053	223	1505	75	7412	1996	289	643	41	5205	1164	196
45-54	1779	118	6167	2034	214	1193	82	6945	1909	239	586	36	4581	1280	254
55-64	922	53	4989	2221	366	697	45	5410	2285	433	224	8	3679 ¹	1327	395
65-74	154	18	4136 ¹	2060	496	130	16	4249 ¹	2187	571	24	2	3535 ¹	964	671

NOTE: N = weighted population estimate, in thousands; n = number of people in sample; SD = standard deviation; SE = standard error.

¹ Adjusted by the direct method to reflect the age distribution of the U.S. population at the midpoint of the survey.

² Does not meet standards of reliability.

SOURCE: National Center for Health Statistics. Unpublished data from the first National Health Nutrition and Examination Survey (NHANES I).

TABLE H.—Forced vital capacity for white adults, by smoking status, sex, and age, United States, 1971–1975

Cigarette smoking status (by age)	Both sexes					Men					Women				
	N	n	Mean	SD	SE	N	n	Mean	SD	SE	N	n	Mean	SD	SE
Never smokers															
25–74			3978 ¹		29 ¹			4708 ¹		52 ¹			3320 ¹		24 ¹
25–34	6733	394	4403	1052	67	2633	130	5480	759	89	4099	264	3712	464	32
35–44	5278	291	3972	814	65	1669	81	4761	759	98	3609	210	3607	530	54
45–54	4942	353	3624	782	45	1206	85	4506	795	92	3736	268	3340	522	39
55–64	3660	251	3252	820	47	880	59	4265	758	123	2780	192	2932	526	38
65–74	2875	235	2815	719	48	481	43	3867	774	127	2394	192	2603	482	43
Ex-smokers															
25–74			3996		30			4703		46			3357		32
25–34	2811	150	4522	1043	101	1359	66	5335	816	118	1452	94	3760	533	68
35–44	3086	171	4500	972	91	1828	94	5096	753	86	1258	77	3633	450	49
45–54	3323	213	4143	915	78	2345	143	4499	796	76	978	70	3291	543	79
55–64	2669	181	3862	898	94	1826	130	4239	786	95	843	51	3044	489	79
65–74	1769	157	3335	864	86	1270	121	3594	821	92	499	36	2675	568	99
Smokers															
25–74			3790		26			4405		38			3236		35
25–34	8885	487	4464	977	55	4792	239	5111	784	59	4093	248	3707	539	50
35–44	5849	320	4146	851	59	3027	158	4665	750	81	2822	162	3588	546	55
45–54	5606	374	3731	814	49	2743	182	4284	678	65	2863	192	3202	532	45
55–64	3251	192	3315	845	66	1700	108	3866	730	71	1551	84	2712	467	59
65–74	933	84	2985	870	118	534	56	3325	747	117	400	28	2533	815	185

TABLE H.—Continued

Cigarette smoking status (by age)	Both sexes					Men					Women				
	N	n	Mean	SD	SE	N	n	Mean	SD	SE	N	n	Mean	SD	SE
Light smokers															
25-74			3824		54			4358		81			3342		64
25-34	2162	113	4260	857	116	879	43	4892	641	118	1283	70	3828	705	118
35-44	1267	72	3986	875	135	308	17	4922 ¹	768	235	959	55	3686	671	119
45-54	1090	76	3521	680	103	383	24	4022	555	155	707	52	3249	580	107
55-64	1043	57	3135	704	108	313	18	3866 ²	636	141	730	39	2822	457	87
65-74	304	21	3042	917	237	131	11	3470 ²	555	159	172	10	2717 ²	1001	347
Moderate smokers															
25-74			3789		30			4454		50			3190		38
25-34	4269	235	4584	1020	74	2534	123	5217	793	80	1735	112	3660	447	55
35-44	2413	130	4145	846	90	1214	66	4671	812	125	1199	64	3612	457	66
45-54	2715	179	3658	852	73	1145	75	4357	737	111	1570	104	3147	521	57
55-64	1287	82	3312	854	99	690	45	3881	696	89	597	37	2654	453	80
65-74	464	44	2928	820	149	261	28	3327	734	172	203	16	2414 ²	614	173
Heavy smokers															
25-74			3710		43			4364		61			3120		54
25-34	2417	136	4440	968	91	1363	72	5055	818	102	1054	64	3644	404	69
35-44	2148	116	4244	832	82	1505	75	4609	679	94	643	41	3392	440	73
45-54	1779	118	3971	758	81	1193	82	4304	638	84	586	36	3292	480	95
55-64	922	53	3524	928	151	697	45	3851	798	142	224	8	2508 ²	438	143
65-74	154	18	3036 ²	938	240	130	16	3189 ²	925	252	24	2	2223 ²	472	328

NOTE: N = weighted population estimate, in thousands; n = number of people in sample; SD = standard deviation; SE = standard error.

¹ Adjusted by the direct method to reflect the age distribution of the U.S. population at the midpoint of the survey.

² Does not meet standards of reliability.

SOURCE: National Center for Health Statistics. Unpublished data from the first National Health Nutrition and Examination Survey (NHANES 1).

TABLE I.—Recurring persistent cough attacks for adults, by sex, age, and smoking status, United States, 1971-1975

	Men Smoking status						Women Smoking status					
	Never	Former	Current	Light	Moderate	Heavy	Never	Former	Current	Light	Moderate	Heavy
25-34												
P	3.2	4.4	6.7	7.6	5.7	7.7	4.4	6.0	8.4	5.7	7.1	15.2
SE	1.85	2.23	1.57	4.01	1.98	2.79	1.21	2.48	1.63	1.92	2.27	4.93
n	168	78	327	72	160	94	399	121	367	119	164	81
N	3319	1593	6608	1383	3335	1875	6416	1873	6304	2239	2642	1393
35-44												
P	4.9	8.0	13.8	9.0	5.9	22.1	5.4	5.0	8.9	2.3	8.0	25.8
SE	2.59	3.47	3.17	6.39	2.69	6.40	1.60	2.46	1.89	1.21	2.85	7.37
n	101	117	226	33	93	100	310	107	270	103	114	51
N	2114	2384	4412	614	1769	2029	5197	1771	4563	1776	1968	799
45-54												
P	4.3	9.2	10.3	6.4	12.0	10.6	4.9	3.0	11.5	7.8	9.9	21.8
SE	1.61	2.28	2.07	2.73	3.65	3.53	1.55	1.97	2.16	2.61	2.99	4.04
n	114	204	296	61	122	112	435	101	329	109	163	57
N	1568	3290	4282	810	1705	1745	5989	1458	4800	1497	2413	890
55-64												
P	1.1	14.6	20.5	2.4	14.4	25.9	6.8	9.9	15.7	6.4	14.8	50.1
SE	1.06	3.21	3.27	8.88	4.33	5.87	1.65	3.35	3.46	3.17	3.93	15.8
n	94	192	205	50	91	64	394	86	178	76	82	20
N	1320	2791	2990	708	1305	976	5599	1501	3014	1268	1369	378

TABLE I.—Continued

	Men Smoking status						Women Smoking status					
	Never	Former	Current	Light	Moderate	Heavy	Never	Former	Current	Light	Moderate	Heavy
65-74												
P	7.5	17.5	23.7	3.6	34.4	25.4	8.7	5.4	23.1	17.2	24.8	59.9 ^a
SE	3.16	3.44	4.55	2.31	6.90	10.1	1.52	2.85	4.93	6.06	8.02	22.37
n	98	232	135	39	60	35	461	61	83	46	32	5
N	864	2232	1199	318	574	295	5487	958	952	523	362	66
25-74												
P ¹	3.9	9.6	13.4	10.2	12.0	16.7	5.7	5.8	12.4	7.1	11.6	31.1
SE ¹	0.92	1.51	1.30	2.22	1.66	2.31	0.66	1.25	1.19	1.32	1.84	5.63

NOTE: P = proportion; SE = standard error; n = number of people in sample; N = weighted population estimate, in thousands.

¹ Adjusted by direct method to reflect the age distribution of the U.S. population at the midpoint of the survey.

^a Does not meet standards of reliability.

SOURCE: National Center for Health Statistics. Unpublished data from the first National Health Nutrition and Examination Survey (NHANES 1).

TABLE J.—Three-week periods of increased cough or phlegm for adults, by sex, age, and smoking status, United States, 1971-1975

	Men Smoking status						Women Smoking status					
	Never	Former	Current	Light	Moderate	Heavy	Never	Former	Current	Light	Moderate	Heavy
25-34												
P	6.9	2.9	7.2	6.9	7.9	6.5	4.2	5.6	10.7	5.4	11.1	18.0
SE	2.39	1.67	1.83	4.04	2.63	2.33	1.07	2.39	1.91	2.05	2.97	5.18
n	168	78	327	72	160	94	399	121	367	119	164	81
N	3319	1593	6608	1383	3335	1875	6416	1873	6304	2239	2642	1393
35-44												
P	6.0	3.3	5.2	1.2	3.9	7.6	3.8	1.9	8.1	5.1	10.9	8.3
SE	2.43	1.98	1.68	1.20	2.08	2.86	1.54	1.37	2.01	1.89	3.67	4.20
n	101	117	226	33	93	100	310	107	270	103	114	51
N	2114	2384	4412	614	1769	2229	5197	1771	4563	1776	1968	799
45-54												
P	1.7	3.9	6.3	0.3	5.5	9.8	3.5	6.1	10.8	8.4	8.4	21.6
SE	1.24	1.82	1.72	0.32	2.10	3.66	1.00	2.39	2.14	2.93	2.72	6.49
n	114	204	296	61	122	112	435	101	329	109	163	57
N	1568	3290	4282	810	1706	1745	5989	1458	4800	1497	2413	890
55-64												
P	1.2	2.9	11.4	6.8	10.2	16.2	6.6	13.7	14.7	7.0	13.1	46.2
SE	0.91	1.33	2.61	4.00	4.07	5.39	1.63	4.88	3.57	3.44	3.96	16.61
n	94	192	205	50	91	64	394	86	178	76	82	20
N	1320	2791	2990	708	1305	976	5599	1501	3014	1268	1369	378

TABLE J.—Continued

	Men Smoking status						Women Smoking status					
	Never	Former	Current	Light	Moderate	Heavy	Never	Former	Current	Light	Moderate	Heavy
65-74												
P	7.5	4.5	12.0	3.3	14.2	17.5	5.1	9.1	11.5	2.6	26.4	0.0*
SE	3.10	1.38	4.11	2.55	6.01	10.31	1.25	3.47	4.24	2.55	9.80	0.0
n	98	232	135	39	60	35	461	81	83	46	32	5
N	864	2232	1199	318	574	295	5487	958	952	523	362	66
25-74												
P ¹	4.6	3.4	7.9	3.8	7.6	10.5	4.5	6.9	11.0	5.9	12.9	19.5
SE ¹	1.04	0.93	1.02	1.43	1.31	2.04	0.63	1.34	1.26	1.18	1.84	3.86

NOTE: P = proportion; SE = standard error; n = number of people in sample; N = weighted population estimate, in thousands.

¹ Adjusted by direct method to reflect the age distribution of the U.S. population at the midpoint of the survey.

² Does not meet standards of reliability.

SOURCE: National Center for Health Statistics. Unpublished data from the first National Health Nutrition and Examination Survey (NHANES I).

TABLE K.—Shortness of breath for adults, by sex, age, and smoking status, United States, 1971–1975

	Men Smoking status						Women Smoking status					
	Never	Former	Current	Light	Moderate	Heavy	Never	Former	Current	Light	Moderate	Heavy
25–34												
P	5.6	15.2	23.3	10.0	23.1	33.6	14.4	17.9	31.0	30.9	20.1	51.5
SE	1.99	4.97	3.20	3.81	4.01	7.21	1.92	4.94	3.17	5.65	3.56	7.48
n	168	78	327	72	160	94	399	121	367	119	164	81
N	3319	1593	6608	1383	3335	1875	6416	1873	6304	2239	2642	1393
35–44												
P	17.1	19.9	22.9	15.6	15.9	31.2	22.5	26.5	39.0	36.4	45.3	30.3
SE	4.62	4.89	3.26	7.08	4.71	5.46	2.42	5.32	4.62	5.48	7.07	7.08
n	101	117	226	33	93	100	310	107	270	103	114	51
N	2114	2384	4412	614	1769	2029	5197	1771	4563	1776	1968	799
45–54												
P	19.3	27.2	35.5	25.4	34.9	41.3	28.1	32.5	42.5	30.3	48.1	47.9
SE	4.07	3.58	2.99	6.35	4.64	5.40	2.85	6.05	3.93	5.01	4.95	7.57
n	114	204	296	61	122	112	435	101	329	109	163	57
N	1568	3290	4282	810	1706	1745	5989	1458	4800	1497	2413	890
55–64												
P	25.6	31.3	42.2	37.7	42.4	45.2	38.0	56.8	39.0	29.8	43.1	54.6
SE	5.79	3.94	4.37	9.57	6.14	6.39	2.94	6.24	4.60	6.85	6.06	16.51
n	94	192	205	50	91	64	394	86	178	76	82	20
N	1320	2791	2990	708	1305	9761	5599	1501	3014	1268	1369	378

TABLE K.—Continued

	Men Smoking status						Women Smoking status					
	Never	Former	Current	Light	Moderate	Heavy	Never	Former	Current	Light	Moderate	Heavy
65-74												
P	27.0	45.8	41.7	26.7	42.4	54.4	41.6	32.3	43.2	48.6	40.0	17.4 ¹
SE	5.46	4.05	4.59	7.87	6.86	9.12	2.92	5.63	6.70	9.64	10.85	16.12
n	98	232	135	39	60	35	461	81	83	46	32	5
N	864	2232	1199	318	574	295	5487	958	952	523	362	66
25-74												
P ¹	17.1	25.2	31.4	21.5	29.9	39.2	27.0	31.8	38.2	34.1	38.2	42.4
SE ¹	1.89	2.38	1.75	2.84	2.31	2.74	1.27	2.82	2.08	2.59	2.88	5.07

NOTE: P = proportion; SE = standard error; n = number of people in sample; N = weighted population estimate, in thousands.

¹ Adjusted by direct method to reflect the age distribution of the U.S. population at the midpoint of the survey.

² Does not meet standards of reliability.

SOURCE: National Center for Health Statistics. Unpublished data from the first National Health Nutrition and Examination Survey (NHANES 1).

TABLE L.—Wheezy chest sounds of adults, by sex, age, and smoking status, United States, 1971–1975

	Men Smoking status						Women Smoking status					
	Never	Former	Current	Light	Moderate	Heavy	Never	Former	Current	Light	Moderate	Heavy
25–34												
P	2.7	13.0	15.0	11.5	12.6	22.0	7.6	11.6	17.5	12.9	14.8	29.5
SE	1.17	4.67	2.42	4.43	2.72	6.14	1.46	3.54	2.33	3.13	2.94	6.13
n	168	78	327	72	160	94	399	121	367	119	164	81
N	3319	1593	6608	1383	3335	1875	6416	1873	6304	2239	2642	1393
35–44												
P	14.0	5.1	18.4	13.6	12.3	25.2	7.9	7.7	16.4	9.9	21.9	17.9
SE	4.72	2.12	3.28	6.14	4.03	5.61	1.83	2.98	2.56	3.77	4.53	4.89
n	101	117	226	33	93	100	310	107	270	103	114	51
N	2114	2384	4412	614	1769	2029	5197	1771	4563	1776	1968	799
45–54												
P	4.3	12.3	18.8	10.2	23.2	18.7	8.5	5.3	22.7	12.9	24.1	35.7
SE	1.97	2.60	2.60	3.99	4.05	4.13	1.39	1.82	2.98	3.59	4.37	6.24
n	114	204	296	61	122	112	435	101	329	109	163	57
N	1568	3290	4282	810	1706	1745	5989	1458	4800	1497	2413	890
55–64												
P	12.0	13.6	25.9	29.9	26.6	22.1	12.7	22.0	27.3	19.5	31.0	40.0
SE	4.24	2.50	4.46	9.22	5.87	6.10	2.09	5.93	3.64	4.98	5.21	14.00
n	94	192	205	50	91	64	394	86	178	76	82	20
N	1320	2791	2990	708	1305	976	5599	1501	3014	1268	1369	378

TABLE L.—Continued

	Men Smoking status						Women Smoking status					
	Never	Former	Current	Light	Moderate	Heavy	Never	Former	Current	Light	Moderate	Heavy
65-74												
P	5.0	20.7	33.1	34.7	31.6	35.6	15.1	21.5	28.6	34.6	18.1	39.0 ²
SE	2.04	3.00	5.25	10.10	7.47	9.91	2.16	4.78	5.60	8.99	6.69	21.96
n	98	232	135	39	60	35	461	81	83	46	32	5
N	864	2232	1199	318	574	295	5487	958	952	523	362	66
25-74												
P ¹	7.4	12.1	20.6	17.6	19.6	23.5	9.8	12.6	21.7	16.4	21.7	31.6
SE ¹	1.33	1.83	1.42	2.68	1.98	2.69	0.82	1.68	1.49	2.01	1.88	4.80

NOTE: P = proportion; SE = standard error; n = number of people in sample; N = weighted population estimate, in thousands.

¹ Adjusted by direct method to reflect the age distribution of the U.S.

² Does not meet standards of reliability: population at the midpoint of the survey.

SOURCE: National Center for Health Statistics. Unpublished data from the first National Health Nutrition and Examination Survey (NHANES I).

TABLE M.—Diminished or absent breath sounds of adults, by sex, age, and smoking status, United States, 1971–1975

	Men Smoking status						Women Smoking status					
	Never	Former	Current	Light	Moderate	Heavy	Never	Former	Current	Light	Moderate	Heavy
25–34												
P	1.8	0.0	0.3	0.4	0.0	0.7	0.1	0.0	0.6	0.3	0.0	2.2
SE	1.76	0.0	0.21	0.36	0.0	0.71	0.07	0.0	0.51	0.31	0.0	2.21
n	168	78	327	72	160	94	399	121	367	119	164	81
N	3319	1593	6608	1383	3335	1875	6416	1873	6304	2239	2642	1393
35–44												
P	0.6	0.5	0.6	0.0	0.7	0.6	0.3	0.2	2.3	0.4	3.4	3.5
SE	0.61	0.47	0.55	0.0	0.73	0.57	0.26	0.22	1.58	0.44	3.33	3.39
n	101	117	226	33	93	100	310	107	270	103	114	51
N	2114	2384	4412	614	1769	2029	5197	1771	4563	1776	1968	799
45–54												
P	0.7	1.0	5.9	0.4	9.8	4.7	0.8	2.4	1.4	1.0	1.6	1.5
SE	0.55	0.53	1.71	0.41	3.33	2.64	0.64	1.87	0.56	0.36	0.82	1.24
n	114	204	296	61	122	112	435	101	329	109	163	57
N	1568	3290	4282	810	1706	1745	5989	1458	4800	1497	2413	890
55–64												
P	2.5	5.7	12.4	8.4	13.0	14.4	0.8	4.1	3.36	2.7	3.9	3.5
SE	2.12	1.66	3.15	4.75	4.57	4.99	0.53	2.51	1.44	1.82	2.40	3.55
n	94	192	205	50	91	64	394	86	178	76	82	20
N	1320	2791	2990	708	1305	976	5599	1501	3014	1268	1369	378

TABLE M.—Continued

	Men Smoking status						Women Smoking status					
	Never	Former	Current	Light	Moderate	Heavy	Never	Former	Current	Light	Moderate	Heavy
65-74												
P	8.8	9.7	17.9	13.9	25.2	8.8	2.4	4.5	2.7	3.3	2.3	0.0 ¹
SE	3.53	2.57	3.76	8.10	5.86	4.5	0.81	2.63	1.58	2.34	2.27	0.0
n	98	232	135	39	60	35	461	81	83	46	32	5
N	864	2232	1199	318	574	295	5487	958	952	523	362	66
25-74												
P ¹	2.2	2.44	5.8	3.3	7.5	5.0	0.7	1.9	1.9	1.32	2.1	2.3
SE ¹	0.72	0.46	0.95	1.33	1.47	1.06	0.20	0.71	0.46	0.49	0.88	1.16

NOTE: P = proportion; SE = standard error; n = number of people in sample; N = weighted population estimate, in thousands.

¹ Adjusted by direct method to reflect the age distribution of the U.S. population at the midpoint of the survey.

² Does not meet standards of reliability.

SOURCE: National Center for Health Statistics. Unpublished data from the first National Health Nutrition and Examination Survey (NHANES 1).

TABLE N.—Wheeze of adults, by sex, age, and smoking status, United States, 1971–1975

	Men Smoking status						Women Smoking status					
	Never	Former	Current	Light	Moderate	Heavy	Never	Former	Current	Light	Moderate	Heavy
25-34												
P	0.0	1.2	1.7	1.1	1.6	2.2	0.4	0.0	0.7	0.0	1.3	0.0
SE	0.0	1.24	0.77	1.06	1.25	1.28	0.29	0.0	0.37	0.0	0.79	0.0
n	168	78	327	72	160	94	399	121	367	119	164	81
N	3319	1593	6608	1383	3335	1875	6416	1873	6304	2239	2642	1393
35-44												
P	0.0	1.0	1.3	0.0	0.9	2.1	0.3	0.0	3.2	0.0	3.6	9.6
SE	0.0	0.75	0.67	0.0	0.89	1.22	0.26	0.0	1.28	0.0	1.50	4.97
n	101	117	226	33	93	100	310	107	270	103	114	51
N	2114	2384	4412	614	1769	2029	5197	1771	4563	1776	1968	799
45-54												
P	0.0	1.2	2.5	0.0	4.5	1.8	0.3	0.0	2.4	0.8	3.3	2.5
SE	0.0	1.02	0.93	0.0	2.13	1.27	0.33	0.0	0.94	0.78	1.40	1.76
n	114	204	296	61	122	112	435	101	329	109	163	57
N	1568	3290	4282	810	1706	1745	5989	1458	4800	1497	2413	890
55-64												
P	0.0	0.4	5.6	2.3	3.3	10.9	0.1	0.0	1.7	0.8	1.4	5.8
SE	0.0	0.37	1.76	1.95	1.69	4.48	0.05	0.0	0.95	0.77	1.18	5.78
n	94	192	205	50	91	64	394	86	178	76	82	20
N	1320	2791	2990	708	1305	976	5599	1501	3014	1268	1369	378

TABLE N.—Continued

	Men Smoking status						Women Smoking status					
	Never	Former	Current	Light	Moderate	Heavy	Never	Former	Current	Light	Moderate	Heavy
65-74												
P	0.0	2.5	10.0	0.0	11.4	18.4	1.0	1.9	3.6	2.7	1.6	20.9 ²
SE	0.0	1.11	3.75	0.0	5.27	10.98	0.56	1.85	2.14	2.66	1.64	18.53
n	98	232	135	39	60	35	461	81	83	46	32	5
N	864	2232	1199	318	574	295	5487	958	952	523	362	66
25-74												
P ¹	0.0	1.2	3.4	0.7	3.5	5.5	0.4	0.2	2.1	0.7	2.3	6.3
SE ¹	0.0	0.46	0.71	0.46	0.92	1.65	0.14	0.25	0.45	0.41	0.48	2.79

NOTE: P = proportion; SE = standard error; n = number of people in sample; N = weighted population estimate, in thousands.

¹ Adjusted by direct method to reflect the age distribution of the U.S. population at the midpoint of the survey.

² Does not meet standards of reliability.

SOURCE: National Center for Health Statistics. Unpublished data from the first National Health Nutrition and Examination Survey (NHANES I).

References

- ABBOUD, R.T., MORTON, J.W. Comparison of maximal mid-expiratory flow, flow volume curves, and nitrogen closing volumes in patients with mild airway obstruction. *American Review of Respiratory Disease* 111(4): 405-417, April 1975.
- AMERICAN COLLEGE OF CHEST PHYSICIANS-AMERICAN THORACIC SOCIETY. Pulmonary terms and symbols. A report of the ACCP-ATS Joint Committee on Pulmonary Nomenclature. *Chest* 67(5): 583-593, May 1975.
- AMERICAN THORACIC SOCIETY. Chronic bronchitis, asthma and pulmonary emphysema. A statement by the committee on diagnostic standards for nontuberculous respiratory disease. *American Review of Respiratory Disease* 85: 762-768, May 1962.
- ANDERSON, A.E., Jr., FORAKER, A.G. Centrilobular emphysema and panlobular emphysema: Two different diseases. *Thorax* 28(5): 547-550, September 1973.
- ANDERSON, A.E., Jr., FURLANETO, J.A., FORAKER, A.G. Bronchopulmonary derangements in nonsmokers. *American Review of Respiratory Disease* 101(4): 518-527, April 1970.
- ANDERSON, A.E., Jr., HERNANDEZ, J.A., ECKERT, P., FORAKER, A.G. Emphysema in lung macrosections correlated with smoking habits. *Science* 144(3621): 1025-1026, May 22, 1964.
- ANDERSON, A.E., Jr., HERNANDEZ, J.A., HOLMES, W.L., FORAKER, A.G. Pulmonary emphysema. Prevalence, severity and anatomical patterns in macrosections, with respect to smoking habits. *Archives of Environmental Health* 12(5): 569-577, May 1966.
- ANDERSON, D.O., FERRIS, B.G., Jr., ZICKMANTEL, R. The Chilliwack respiratory survey, 1963: Part III. The prevalence of respiratory disease in a rural Canadian town. *Canadian Medical Association Journal* 92(19): 1007-1016, May 8, 1965.
- ANDERSON, H.R. Respiratory abnormalities and ventilatory capacity in a Papua New Guinea island community. *American Review of Respiratory Disease* 114(3): 537-548, September 1976.
- ANDERSON, H.R. Chronic lung disease in the Papua New Guinea highlands. *Thorax* 34: 647-653, 1979a.
- ANDERSON, H.R. Respiratory abnormalities, smoking habits and ventilatory capacity in a highland community in Papua New Guinea: Prevalence and effect on mortality. *International Journal of Epidemiology* 8(2): 127-135, June 1979b.
- ANTHONISEN, N.R., BASS, H., ORIOL, A., PLACE, R.E.G., BATES, D.V. Regional lung function in patients with chronic bronchitis. *Clinical Science* 35(3): 495-511, December 1968.
- ASHLEY, F., KANNEL, W.B., SORLIE, P.D., MASSON, R. Pulmonary function: Relation to aging, cigarette habit, and mortality. *Annals of Internal Medicine* 82(6): 739-745, June 1975.
- ATTINGER, E.O., GOLDSTEIN, M.M., SEGAL, M.S. Effects of smoking upon the mechanics of breathing. I. In normal subjects. *American Review of Tuberculosis* 77(1): 1-9, January 1958.
- AUERBACH, O., GARFINKEL, L., HAMMOND, E.C. Relation of smoking and age to findings in lung parenchyma: A microscopic study. *Chest* 65(1): 29-35, January 1974.
- AUERBACH, O., HAMMOND, E.C., GARFINKEL, L., BENANTE, C. Relation of smoking and age to emphysema: Whole-lung section study. *New England Journal of Medicine* 286(16): 853-857, April 20, 1972.
- AUERBACH, O., HAMMOND, E.C., KIRMAN, D., GARFINKEL, L. Emphysema produced in dogs by cigarette smoking. *Journal of the American Medical Association* 199(4): 89-94, January 23, 1967.
- BAKE, B., OXHOJ, H., SIXT, R., WILHELMSSEN, L. Ventilatory lung function following two years of tobacco abstinence. *Scandinavian Journal of Respiratory Diseases* 58(6): 311-318, December 1977.

- BALCHUM, O.J., FELTON, J.S., JAMISON, J.N., GAINES, R.S., CLARKE, D.R., OWAN, T., The Industrial Health Committee, The Tuberculosis and Health Association of Los Angeles County. A survey for chronic respiratory disease in an industrial city. *American Review of Respiratory Disease* 86(5): 675-685, November 1962.
- BANDE, J., CLEMENT, J., VAN DE WOESTIJNE, K.P. The influence of smoking habits and body weight on vital capacity and FEV₁ in male air force personnel: A longitudinal and cross-sectional analysis. *American Review of Respiratory Disease* 122(5): 781-790, November 1980.
- BARTER, C.E., CAMPBELL, A.H. Relationship of constitutional factors and cigarette smoking to decrease in 1-second forced expiratory volume. *American Review of Respiratory Disease* 113(3): 305-314, March 1976.
- BARTER, C.E., CAMPBELL, A.H., TANDON, M.K. Factors affecting the decline of FEV₁ in chronic bronchitis. *Australian and New Zealand Journal of Medicine* 4(4): 339-345, August 1974.
- BATES, D.V. The fate of the chronic bronchitic: A report of the ten-year follow-up in the Canadian Department of Veteran's Affairs Coordinated Study of Chronic Bronchitis. *American Review of Respiratory Disease* 108(5): 1043-1065, November 1973.
- BATES, D.V. Chronic bronchitis and emphysema. The search for their natural history. In: Macklem, P.T., Permutt, S. (Editors). *The Lung in the Transition Between Health and Disease*. New York, Marcel Dekker, Inc., 1979, pp. 1-13.
- BECK, G.J., DOYLE, C.A., SCHACHTER, E.N. Smoking and lung function. *American Review of Respiratory Disease* 123(2): 149-155, February 1981.
- BECK, G.J., DOYLE, C.A., SCHACHTER, E.N. A longitudinal study of respiratory health in a rural community. *American Review of Respiratory Disease* 125(4): 375-381, April 1982.
- BEREND, N. The correlation of lung structure with function. *Lung* 160(3): 115-130, April 1982.
- BEREND, N., SKOOG, C., THURLBECK, W.M. Exponential analysis of lobar pressure-volume characteristics. *Thorax* 36: 452-455, June 1981.
- BEREND, N., SKOOG, C., WASZKIEWICZ, L., THURLBECK, W.M. Maximum volumes in excised human lungs: Effects of age, emphysema, and formalin inflation. *Thorax* 35(11): 859-864, November 1980.
- BEREND, N., THURLBECK, W.M. Exponential analysis of pressure-volume relationship in excised human lungs. *Journal of Applied Physiology* 52(4): 838-844, April 1982.
- BEREND, N., WOOLCOCK, A.J., MARLIN, G.E. Correlation between the function and structure of the lung in smokers. *American Review of Respiratory Disease* 119(5): 695-705, May 1979.
- BIGNON, J. Methods for quantitative pathology with special reference to emphysema and chronic bronchitis. *Bulletin Europeen de Physiopathologie Respiratoire* 12(5): 675-692, September-October 1976.
- BLACK, L.F., KUEPPERS, F. Alpha₁-antitrypsin deficiency in nonsmokers. *American Review of Respiratory Disease* 117(3): 421-428, March 1978.
- BLAND, M., BEWLEY, B.R., POLLARD, V., BANKS, M.H. Effect of children's and parents' smoking on respiratory symptoms. *Archives of Disease in Childhood* 53(2): 100-105, February 1978.
- BODE, F.R., DOSMAN, J., MARTIN, R.R., MACKLEM, P.T. Reversibility of pulmonary function abnormalities in smokers. A prospective study of early diagnostic tests of small airways disease. *American Journal of Medicine* 59(1): 43-52, July 1975.
- BOSSE, R., SPARROW, D., ROSE, C.L., WEISS, S.T. Longitudinal effect of age and smoking cessation on pulmonary function. *American Review of Respiratory Disease* 123(4): 378-381, April 1981.

- BOUHUYS, A. *Lung Diseases in Rural and Urban Communities*. U.S. Department of Health, Education, and Welfare, Public Health Service, National Institutes of Health, National Heart, Lung, and Blood Institute, Division of Lung Diseases, National Technical Information Service No. PB-267 974, June 10, 1977, 98 pp.
- BOUHUYS, A., BECK, G.J., SCHOENBERG, J.B. Do present levels of air pollution outdoors affect respiratory health? *Nature* 276(5687): 466-471, November 30, 1978.
- BOUHUYS, A., BECK, G.J., SCHOENBERG, J.B. Epidemiology of environmental lung disease. *Yale Journal of Biology and Medicine* 52(2): 191-210, March-April 1979.
- BOUSHY, S.F., ABOUMRAD, M.H., NORTH, L.B., HELGASON, A.H. Lung recoil pressure, airway resistance, and forced flows related to morphologic emphysema. *American Review of Respiratory Disease* 104(4): 551-561, October 1971.
- BRITT, E.J., COHEN, B., MENKES, H., BLEECKER, E., PERMUTT, S., ROSENTHAL, R., NORMAL, P. Airways reactivity and functional deterioration in relatives of COPD patients. *Chest* 77(2): 260-261, February 1980, Supplement.
- BROWN, P., GAJDUSEK, D.C. Acute and chronic pulmonary airway disease in Pacific Island Micronesians. *American Journal of Epidemiology* 108(4): 266-273, October 1978.
- BROWN, R., WOOLCOCK, A.J., VINCENT, N.J., MACKLEM, P.T. Physiological effects of experimental airway obstruction with beads. *Journal of Applied Physiology* 27(3): 328-335, September 1969.
- BUIST, A.S., ADAMS, B.E., AZZAM, A.H., SEXTON, G.J. Pulmonary function in young children with alpha₁-antitrypsin deficiency: Comparison with matched control subjects. *American Review of Respiratory Disease* 122(6): 817-822, December 1980.
- BUIST, A.S., BURROWS, B., ERIKSSON, S., MITTMAN, C., WU, M. The natural history of air-flow obstruction in PiZ emphysema. *American Review of Respiratory Disease* 127(2): S43-S45, February 1983.
- BUIST, A.S., DUCIC, S. Smoking. Evaluation of studies which have demonstrated pulmonary function changes. In: Macklem, P.T., Permutt, S. (Editors). *The Lung in the Transition Between Health and Disease*. New York, Marcel Dekker, Inc., 1979, pp. 271-286.
- BUIST, A.S., GHEZZO, H., ANTHONISEN, N.R., CHERNIACK, R.M., DUCIC, S., MACKLEM, P.T., MANFREDA, J., MARTIN, R.R., MCCARTHY, D., ROSS, B.B. Relationship between the single-breath N₂ test and age, sex, and smoking habit in three North American cities. *American Review of Respiratory Disease* 120(2): 305-318, August 1979a.
- BUIST, A.S., ROSS, B.B. Predicted values for closing volumes using a modified single breath nitrogen test. *American Review of Respiratory Disease* 107(5): 744-752, May 1973a.
- BUIST, A.S., ROSS, B.B. Quantitative analysis of the alveolar plateau in the diagnosis of early airway obstruction. *American Review of Respiratory Disease* 108(5): 1078-1087, November 1973b.
- BUIST, A.S., SEXTON, G.J., AZZAM, A.M.H., ADAMS, B.E. Pulmonary function in heterozygotes for alpha₁-antitrypsin deficiency: a case-control study. *American Review of Respiratory Disease* 120(4): 759-766, October 1979b.
- BUIST, A.S., SEXTON, G.J., NAGY, J.M., ROSS, B.B. The effect of smoking cessation and modification on lung function. *American Review of Respiratory Disease* 114(1): 115-122, July 1976.
- BUIST, A.S., VAN FLEET, D.L., ROSS, B.B. A comparison of conventional spirometric tests and the test of closing volume in an emphysema screening center. *American Review of Respiratory Disease* 107(5): 735-743, May 1973.
- BUIST, A.S., VOLLMER, W.M., JOHNSON, L.R. Does the single breath N₂ test identify the susceptible individual? *Chest* 85(6, Supplement): 10S, June 1984.

- BURGHARD, G., COOREMAN, J., PERDRIZET, S., METZ-MARCY, G., WELSCH, M. The tobacco habit and respiratory symptoms amongst the adolescents of a French department. *Bulletin of the International Union Against Tuberculosis* 54(1): 83-86, March 1979.
- BURROWS, B. An overview of obstructive lung diseases. *Medical Clinics of North America* 65(3): 455-471, May 1981.
- BURROWS, B., EARLE, R.H. Course and prognosis of chronic obstructive lung disease. A prospective study of 200 patients. *New England Journal of Medicine* 280(8): 397-404, February 20, 1969.
- BURROWS, B., KNUDSON, R.J., CLINE, M.G., LEBOWITZ, M.D. Quantitative relationships between cigarette smoking and ventilatory function. *American Review of Respiratory Disease* 115(2): 195-205, February 1977a.
- BURROWS, B., KNUDSON, R.J., LEBOWITZ, M.D. The relationship of childhood respiratory illness to adult obstructive airway disease. *American Review of Respiratory Disease* 115(5): 751-760, May 1977b.
- BURROWS, B., LEBOWITZ, M.D., BARBEE, R.A. Respiratory disorders and allergy skin-test reactions. *Annals of Internal Medicine* 84(2): 134-139, February 1976.
- BURROWS, B., HALONEN, M., BARBEE, R.A., LEBOWITZ, M.D. The relationship of serum immunoglobulin E to cigarette smoking. *American Review of Respiratory Disease* 124: 523-525, 1981.
- BURROWS, B., LEBOWITZ, M.D., BARBEE, R.A., KNUDSON, R.J., HALONEN, M. Interactions of smoking and immunologic factors in relation to airways obstruction. *Chest* 84(6): 657-661, December 1983.
- BURROWS, B., TAUSSIG, L.M. As the twig is bent, the tree inclines (perhaps). *American Review of Respiratory Disease* 122(6): 813-816, December 1980.
- CAMPBELL, E.J., LEFRAK, S.S. Physiologic processes of aging in the respiratory system. In: Kretchel, S.W. (Editor.) *Anesthesia and the Geriatric Patient*. New York, Grune and Stratton, Inc., 1983, pp. 23-43.
- CHIANG, S.T., WANG, B.C. Acute effects of cigarette smoking on pulmonary function. *American Review of Respiratory Disease* 101(6): 860-868, June 1970.
- CIBA FOUNDATION GUEST SYMPOSIUM. Terminology, definitions and classification of chronic pulmonary emphysema and related conditions. *Thorax* 14(4): 286-299, December 1959.
- CLARKE, B.G., GUYATT, A.R., ALPERS, J.H., FLETCHER, C.M., HILL, I.D. Changes in airways conductance on smoking a cigarette. *Thorax* 25(4): 418-422, July 1970.
- CLEMENT, J., VAN DE WOESTIJNE, K.P. Rapidly decreasing forced expiratory volume in one second or vital capacity and development of chronic airflow obstruction. *American Review of Respiratory Disease* 125(5): 553-558, May 1982.
- COATES, E.O., Jr., BOWER, G.C., REINSTEIN, N. Chronic respiratory disease in postal employees. *Journal of the American Medical Association* 191(3): 161-165, January 18, 1965.
- COCHRANE, A.L., CHAPMAN, P.J., OLDHAM, P.D. Observers' errors in taking medical histories. *Lancet* 1(6662): 1007-1009, May 5, 1951.
- COCHRANE, G.M. PRIETO, F., HICKEY, B., BENATAR, S.R., CLARK, T.J.H. Early diagnosis of airways obstruction. *Thorax* 29(4): 389-393, July 1974.
- COHEN, B.H. Chronic obstructive pulmonary disease: A challenge in genetic epidemiology. *American Journal of Epidemiology* 112(2): 274-288, August 1980.
- COHEN, B.H., BIAS, W.B., CHASE, G.A., DIAMOND, E.L., GRAVES, C.G., LEVY, D.A., MENKES, H., MEYER, M.B., PERMUTT, S., TOCKMAN, M.S. Is ABH nonsecretor status a risk factor for obstructive lung disease? *American Journal of Epidemiology* 111(3): 285-291, March 1980a.
- COHEN, B.H., CELENTANO, D.D., CHASE, G.A., DIAMOND, E.L., GRAVES, C.G., LEVY, D.A., MENKES, H.A., MEYER, M.B., PERMUTT, S., TOCKMAN, M.S. Alcohol consumption and airways obstruction. *American Review of Respiratory Disease* 121(2): 205-215, February 1980b.

- THE COLLEGE OF GENERAL PRACTITIONERS. Chronic bronchitis in Great Britain. A national survey carried out by the respiratory diseases study group of the College of General Practitioners. *British Medical Journal* 2(5258): 973-979, October 14, 1961.
- COLLINS, J.V., CLARK, T.J.H., McHARDY-YOUNG, S., COCHRANE, G.M., CRAWLEY, J. Closing volume in healthy non-smokers. *British Journal of Diseases of the Chest* 67: 19-27, January 1973.
- COMSTOCK, G.W., BROWNLOW, W.J., STONE, R.W., SARTWELL, P.E. Cigarette smoking and changes in respiratory findings. *Archives of Environmental Health* 21(1): 50-57, July 1970.
- COMSTOCK, G.W., STONE, R.W., SAKAI, Y., MATSUYA, T., TONASCIA, J.A. Respiratory findings and urban living. *Archives of Environmental Health* 27(3): 143-150, September 1973.
- COSIO, M., GHEZO, H., HOGG, J.C., CORBIN, R., LOVELAND, M., DOSMAN, J., MACKLEM, P.T. The relations between structural changes in small airways and pulmonary function tests. *New England Journal of Medicine* 298(23): 1277-1281, June 8, 1978.
- COSIO, M.G., HALE, K.A., NIEWOEHRER, D.E. Morphologic and morphometric effects of prolonged cigarette smoking on the small airways. *American Review of Respiratory Disease* 122(2): 265-271, August 1980.
- COTES, J.E. *Lung Function*. (Fourth Edition). Oxford, Blackwell Scientific Publications, 1979.
- CRAPO, R.O., MORRIS, A.H., GARDNER, R.M. Reference spirometric values using techniques and equipment that meet ATS recommendations. *American Review of Respiratory Disease* 123(6): 659-664, June 1981.
- DA SILVA, A.M.T., HAMOSH, P. Effect of smoking a single cigarette on the "small airways." *Journal of Applied Physiology* 34(3): 361-365, March 1973.
- DEAN, G., LEE, P.N., TODD, G.F., WICKEN, A.J. *Report on a Second Retrospective Mortality Study in North-East England. Part I. Factors Related to Mortality From Lung Cancer, Bronchitis, Heart Disease and Stroke in Cleveland County, With a Particular Emphasis on the Relative Risks Associated With Smoking Filter and Plain Cigarettes*. Research Paper 14. London, England, Tobacco Research Council, 1978. 115 pp.
- DEAN, G., LEE, P.N., TODD, G.F., WICKEN, A.J., SPARKS, D.N. Factors related to respiratory and cardiovascular symptoms in the United Kingdom. *Journal of Epidemiology and Community Health* 32: 86-96, June 1978.
- DE HAMEL, F.A., CARRELL, R.W. Heterozygous α_1 -antitrypsin deficiency: A longitudinal lung function study. *New Zealand Medical Journal* 94(697): 407-410, December 9, 1981.
- DeMEYERE, M., VUYLSTEEK, K. Influence of smoking habits and respiratory symptoms on the ventilatory function: A longitudinal study of a selected population. Results of the first two and a half years. Department of Health, Education, and Welfare, Public Health Service, Health Services and Mental Health Administration, National Clearinghouse for Smoking and Health. Translation No. 34. Translated from *Archives Belges de Medecine Sociale, Hygiene, Medecine du Travail et Medecine Legale* 29(9-10): 581-604, November-December 1971.
- DENSEN, P.M., JONES, E.W., BASS, H.E., BREUER, J., REED, E. A survey of respiratory disease among New York City postal and transit workers. 2. Ventilatory function test results. *Environmental Research* 2(4): 277-296, July 1969.
- DETELS, R., ROKAW, S.N., COULSON, A.H., TASHKIN, D.P., SAYRE, J.W., MASSEY, F.J., Jr. The UCLA population studies of chronic obstructive respiratory disease. I. Methodology and comparison of lung function in areas of high and low pollution. *American Journal of Epidemiology* 109(1): 33-58, 1979.

- DETELS, R., TASHKIN, D.P., SIMMONS, M.S., CARMICHAEL, H.E., Jr., SAYRE, J.W., ROKAW, S.N., COULSON, A.H. Clinical significance of pulmonary function tests. 5. Agreement and disagreement of tests in identifying abnormal lung function. *Chest* 82(5): 630-638, November 1982.
- DICKMAN, M.L., SCHMIDT, C.D., GARDNER, R.M., MARSHALL, H.W., DAY, W.C., WARNER, H.R. On-line computerized spirometry in 738 normal adults. *American Review of Respiratory Disease* 100(6): 780-790, December 1969.
- DIEM, J.E., JONES, R.N., HENDRICK, D.J., GLINDMEYER, H.W., SALVAGGIO, J.E., WEILL, H. Five-year longitudinal study of workers employed in a new diisocyanate manufacturing plant. *American Review of Respiratory Disease* 126: 420-428, 1982.
- DOSMAN, J., BODE, F., GHEZZO, R.H., MARTIN, R., MACKLEM, P.T. The relationship between symptoms and functional abnormalities in clinically healthy cigarette smokers. *American Review of Respiratory Disease* 114(2): 297-304, August 1976.
- DOSMAN, J.A., COTTON, D.J., GRAHAM, B.L., HALL, D.L., LI, R., FROH, F., BARNETT, G.D. Sensitivity and specificity of early diagnostic tests of lung function in smokers. *Chest* 79(1): 6-11, January 1981.
- EDELMAN, N.H., MITTMAN, C., NORRIS, A.H., COHEN, B.H., SHOCK, N.W. The effects of cigarette smoking upon spirometric performance of community dwelling men. *American Review of Respiratory Disease* 94(3): 421-429, September 1966.
- EMIRGIL, C., SOBOL, B.J. Pulmonary function in former alcoholics. *Chest* 72(1): 45-51, July 1977.
- EMIRGIL, C., SOBOL, B.J., VARBLE, A., WALDIE, J., WEINHEIMER, B. Long-term course of chronic obstruction pulmonary disease. A new view of the mode of functional deterioration. *American Journal of Medicine* 51(4): 504-512, October 1971.
- ENJETI, S., HAZELWOOD, B., PERMUTT, S., MENKES, H., TERRY, P. Pulmonary function in young smokers: Male-female differences. *American Review of Respiratory Disease* 118(4): 667-676, October 1978.
- ERIKSSON, S. Studies in α_1 -antitrypsin deficiency. *Acta Medica Scandinavica* 117(Supplement 432): 1-185, 1965.
- ERIKSSON, S., MOESTRUP, T., HÄGERSTRAND, I. Liver, lung and malignant disease in heterozygous (PiMZ) α_1 -antitrypsin deficiency. *Acta Medica Scandinavica* 198(4): 243-247, October 1975.
- FERRIS, B.G., Jr. Epidemiology standardization project. *American Review of Respiratory Disease* 118(6, Part 2): 1-120, December 1978.
- FERRIS, B.G., Jr., ANDERSON, D.O. The prevalence of chronic respiratory disease in a New Hampshire town. *American Review of Respiratory Disease* 86(1): 165-177, July 1962.
- FERRIS, B.G., Jr., CHEN, H., PULEO, S., MURPHY, R.L., Jr. Chronic nonspecific respiratory disease in Berlin, New Hampshire, 1967 to 1973. A further follow-up study. *American Review of Respiratory Disease* 113(4): 475-486, April 1976.
- FERRIS, B.G., Jr., HIGGINS, I.T.T., HIGGINS, M.W., PETERS, J.M. Chronic nonspecific respiratory disease in Berlin, New Hampshire, 1961 to 1967. A follow-up study. *American Review of Respiratory Disease* 107(1): 110-122, January 1973.
- FERRIS, B.G., Jr., SPEIZER, F.E., SPENGLER, J.D., DOCKERY, D., BISHOP, Y.M.M., WOLFSON, M., HUMBLE, C. Effects of sulfur oxides and respirable particles on human health. Methodology and demography of populations in study. *American Review of Respiratory Disease* 120(4): 767-779, October 1979.
- FISHMAN, A.P. The lungs in later life. In: Fishman, A.P. (Editor). *Update: Pulmonary Diseases and Disorders*. New York, McGraw-Hill, 1982, pp. 123-136.
- FLETCHER, C.M. An 8-year follow-up of FEV and respiratory symptoms in middle-aged men. *Scandinavian Journal of Respiratory Diseases* 57(6): 318-319, 1976.

- FLETCHER, C.M. Terminology in chronic obstruction lung diseases. *Journal of Epidemiology and Community Health* 32: 282-288, 1978.
- FLETCHER, C.M., PETO, R. The natural history of chronic airflow obstruction. *British Medical Journal* 1(6077): 1645-1648, June 25, 1977.
- FLETCHER, C.M., PETO, R., TINKER, C., SPEIZER, F.E. *The Natural History of Chronic Bronchitis and Emphysema. An Eight-Year Study of Early Chronic Obstructive Lung Disease in Working Men in London*. New York, Oxford University Press, 1976, 272 pp.
- FRIEDMAN, G.D., SIEGELAUB, A.B. Changes after quitting cigarette smoking. *Circulation* 61(4): 716-723, April 1980.
- FULMER, J.D., ROBERTS, W.C., VON GAL, E.R., CRYSTAL, R. Small airways in idiopathic pulmonary fibrosis. Comparison of morphologic and physiologic observations. *Journal of Clinical Investigation* 60(3): 595-610, September 1977.
- GELB, A.F., ZAMEL, N. Simplified diagnosis of small-airway obstruction. *New England Journal of Medicine* 288(8): 395-398, February 22, 1973.
- GELB, A.F., ZAMEL, N. Lung recoil and density dependence of maximum expiratory flow in emphysema. *Bulletin Europeen de Physiopathologie Respiratoire* 17(5): 793-798, September-October 1981.
- GOLDSMITH, J.R., HECHTER, H.H., PERKINS, N.M., BORHANI, N.O. Pulmonary function and respiratory findings among longshoremen. *American Review of Respiratory Disease* 86(6): 867-874, December 1962.
- GREAVES, I.A., COLEBATCH, H.J.H. Elastic behavior and structure of normal and emphysematous lungs post mortem. *American Review of Respiratory Disease* 121(1): 127-136, January 1980.
- GRIMES, C.A., HANES, B. Influence of cigarette smoking on the spirometric evaluation of employees of a large insurance company. *American Review of Respiratory Disease* 108(2): 273-282, August 1973.
- GUENTER, C.A., COALSON, J.J., JAQUES, J. Emphysema associated with intravascular leukocyte sequestration. *American Review of Respiratory Disease* 123: 79-84, 1981.
- GULSVIK, A. Prevalence of respiratory symptoms in the city of Oslo. *Scandinavian Journal of Respiratory Diseases* 60(5): 275-285, 1979.
- HAINES, A.P., IMESON, J.D., MEADE, T.W. ABH secretor status and pulmonary function. *American Journal of Epidemiology* 115(3): 367-370, March 1982.
- HANKINS, D., DRAGE, C., ZAMEL, N., KRONENBERG, R. Pulmonary function in identical twins raised apart. *American Review of Respiratory Disease* 125(1): 119-121, January 1982.
- HASLETON, P.S. The internal surface area of the adult human lung. *Journal of Anatomy* 112(3): 391-400, September 1972.
- HEARD, B.E., KHATCHATOUROV, V., OTTO, H., PUTOV, N.V., SOBIN, L. The morphology of emphysema, chronic bronchitis and bronchiectasis: Definition, nomenclature and classification. *Journal of Clinical Pathology* 32(9): 882-892, September 1979.
- HEPPLESTON, A.G., LEOPOLD, J.G. Chronic pulmonary emphysema. Anatomy and pathogenesis. *American Journal of Medicine* 31: 279-291, August 1961.
- HERNANDEZ, J.A., ANDERSON, A.E., Jr., HOLMES, W.L., FORAKER, A.G. Pulmonary parenchymal defects in dogs following prolonged cigarette smoke exposure. *American Review of Respiratory Disease* 93(1): 78-83, January 1966.
- HIGENBOTTAM, T., SHIPLEY, M.J., CLARK, T.J.H., ROSE, G. Lung function and symptoms of cigarette smokers related to tar yield and number of cigarettes smoked. *Lancet* 1(8165): 409-412, February 23, 1980.
- HIGGINS, I.T.T. Respiratory symptoms, bronchitis, and ventilatory capacity in a random sample of an agricultural population. *British Medical Journal* 2(5055): 1198-1203, November 23, 1957.

- HIGGINS, I.T.T. *Epidemiology of Chronic Respiratory Disease: A Literature Review.* Environmental Health Effects Research Series. U.S. Environmental Protection Agency, Office of Research and Development, EPA-650/1-74-007, August 1974, 129 pp.
- HIGGINS, I.T.T., COCHRANE, A.L. Chronic respiratory disease in a random sample of men and women in the Rhondda Fach in 1958. *British Journal of Industrial Medicine* 18(2): 93-102, April 1961.
- HIGGINS, I.T.T., COCHRANE, A.L., GILSON, J.C., WOOD, C.H. Population studies of chronic respiratory disease. A comparison of miners, foundryworkers, and others in Staveley, Derbyshire. *British Journal of Industrial Medicine* 16(4): 255-268, October 1959.
- HIGGINS, I.T.T., GILSON, J.G., FERRIS, B.G., Jr., WATERS, M.E., CAMPBELL, H., HIGGINS, M.W. Chronic respiratory disease in an industrial town: A nine-year follow-up study. Preliminary Report. *American Journal of Public Health and the Nation's Health* 58(9): 1667-1676, September 1968b.
- HIGGINS, I.T.T., HIGGINS, M.W., LOCKSHIN, M.D., CANALE, N. Chronic respiratory disease in mining communities in Marion County, West Virginia. *British Journal of Industrial Medicine* 25(3): 165-175, July 1968a.
- HIGGINS, I.T.T., OLDHAM, P.D. Ventilatory capacity in miners. A five-year follow-up study. *British Journal of Industrial Medicine* 19(1): 65-76, January 1962.
- HIGGINS, M.W. Epidemiology of COPD: State of the art. *Chest* 85(6): 3s-8s, June 1984, Supplement.
- HIGGINS, M.W., KELLER, J.B. Familial occurrence of chronic respiratory disease and familial resemblance in ventilatory capacity. *Journal of Chronic Disease* 28(4): 239-251, April 1975.
- HIGGINS, M.W., KELLER, J.B., BECKER, M., HOWATT, W., LANDIS, J.R., ROTMAN, H., WEG, J.G., HIGGINS, I. An index of risk for obstructive airways disease. *American Review of Respiratory Disease* 125(2): 144-151, February 1982.
- HIGGINS, M.W., KELLER, J.B., METZNER, H.L. Smoking, socioeconomic status and chronic respiratory disease. *American Review of Respiratory Disease* 116(3): 403-410, September 1977.
- HIGGINS, M.W., KJELSBURG, M. Characteristics of smokers and nonsmokers in Tecumseh, Michigan. II. The distribution of selected physical measurements and physiologic variables and the prevalence of certain diseases in smokers and nonsmokers. *American Journal of Epidemiology* 86(1): 60-77, July 1967.
- HOGG, J.C., MACKLEM, P.T., THURLBECK, W.M. Site and nature of airway obstruction in chronic lung disease. *New England Journal of Medicine* 278(25): 1355-1360, June 20, 1968.
- HOIDAL, J.R., NIEWOEHNER, D.E. Cigarette smoke inhalation potentiates elastase-induced emphysema in hamsters. *American Review of Respiratory Disease* 127(4): 478-481, April 1983.
- HOWARD, P. A long-term follow-up of respiratory symptoms and ventilatory function in a group of working men. *British Journal of Industrial Medicine* 27(4): 326-333, October 1970.
- HOWARD, P. The changing face of chronic bronchitis with airways obstruction. *British Medical Journal* 2(5910): 89-93, April 13, 1974.
- HOWARD, P., ASTIN, T.W. Precipitous fall of the forced expiratory volume. *Thorax* 24(4): 492-495, July 1969.
- HUBERT, H.B., FABSITZ, R.R., FEINLEIB, M., GWINN, C. Genetic and environmental influences on pulmonary function in adult twins. *American Review of Respiratory Disease* 125(4): 409-415, April 1982.
- HUGHES, J.A., HUTCHISON, D.C.S., BELLAMY, D., DOWD, D.E., RYAN, K.C., HUGH-JONES, P. The influence of cigarette smoking and its withdrawal on the annual change of lung function in pulmonary emphysema. *Quarterly Journal of Medicine* 51(202): 115-124, Spring 1982.

- HUHTI, E. Ventilatory function in healthy nonsmokers and smokers. *Scandinavian Journal of Respiratory Diseases* 48(2): 149-155, 1967.
- HUHTI, E., IKKALA, J. A 10-year follow-up study of respiratory symptoms and ventilatory function in a middle-aged rural population. *European Journal of Respiratory Diseases* 61(1): 33-45, February 1980.
- HUHTI, E., TAKALA, J., NUUTINEN, J., POUKKULA, A. Chronic respiratory disease in rural men. An epidemiological survey at Hankasalmi, Finland. *Annals of Clinical Research* 10(2): 87-94, April 1978.
- IDELL, S., COHEN, A.B. Alpha₁-antitrypsin deficiency. *Clinics in Chest Medicine* 4(3): 359-375, September 1983.
- INGRAM, R.H., SCHILDER, D.P. Association or a decrease in dynamic compliance with a change in gas distribution. *Journal of Applied Physiology* 23(6): 911-916, 1967.
- INGRAM, R.H., O'CAIN, C.F. Frequency dependence of compliance in apparently healthy smokers vs. non-smokers. *Bulletin of Physiologic and Pathologic Respiration* 7: 195-210, 1971.
- JEDRYCHOWSKI, W. A consideration of risk factors and development of chronic bronchitis in a five-year follow-up study of an industrial population. *Journal of Epidemiology and Community Health* 33(3): 210-214, September 1979.
- JOHNSTON, R.N., McNEILL, R.S., SMITH, D.H., LEGGE, J.S., FLETCHER, F. Chronic bronchitis: Measurements and observations over 10 years. *Thorax* 31(1): 25-29, February 1976.
- KANNER, R.E., RENZETTI, A.D., Jr., KLAUBER, M.R., SMITH, C.B., GOLDEN, C.A. Variables associated with changes in spirometry in patients with obstructive lung diseases. *American Journal of Medicine* 67: 44-50, July 1979.
- KAUFFMANN, F., DROUET, D., LELLOUCH, J., BRILLE, D. Twelve-year spirometric changes among Paris area workers. *International Journal of Epidemiology* 8(3): 201-212, September 1979.
- KAUFFMANN, F., DROUET, D., LELLOUCH, J., BRILLE, D. Occupational exposure and 12-year spirometric changes among Paris area workers. *British Journal of Industrial Medicine* 39(3): 221-232, August 1982b.
- KAUFFMANN, F., KLEISBAUER, J.P., CAMBON-DE MOUZON, A., MERCIER, P., CONSTANS, J., BLANC, M., ROUCH, Y., FEINGOLD, N. Genetic markers in chronic air-flow limitation. A genetic epidemiologic study. *American Review of Respiratory Disease* 127(3): 263-269, March 1983.
- KAUFFMANN, F., MARTY, Y., KLEISBAUER, J.P., CAMBON-DE MOUZON, A., ROUCH, Y., DUCOS, J., FEINGOLD, J. ABH non-secretor status, blood group O, and chronic air-flow limitation. (Letter). *Lancet* 1: 513-514, February 27, 1982a.
- KESTELOOT, H., VUYLSTEKE, M., VAN HOUTE, O. Distribution and consequences of smoking habits in a cross-sectional epidemiological survey. *Journal of Chronic Diseases* 29(5): 301-310, May 1976.
- KHOSLA, T. Indices of ventilatory measurements. *British Journal of Preventive and Social Medicine* 25(4): 203-209, November 1971.
- KIDOKORO, Y., KRAVIS, T.C., MOSER, K.M., TAYLOR, J.C., CRAWFORD, I.P. Relationship of leukocyte elastase concentration to severity of emphysema in homozygous alpha₁-antitrypsin-deficient persons. *American Review of Respiratory Disease* 115(5): 793-803, May 1977.
- KIERNAN, K.E., COLLEY, J.R.T., DOUGLAS, J.W.B., RIED, D.D. Chronic cough in young adults in relation to smoking habits, childhood environment and chest illness. *Respiration* 33(3): 236-244, 1976.
- KJUUS, H., ISTAD, H., LANGARD, S. Emphysema and occupational exposure to industrial pollutants. *Scandinavian Journal of Work, Environment and Health* 7(4): 290-297, December 1981.