

Index

A

- A Su Salud 282
- Absorption of nicotine. *See* Nicotine pharmacology
- Abstinent smokers, effects of nicotine administration 177
- Academic performance and smoking initiation 36, 228
- Access of minors to tobacco products
 ease of access 266–269
 enforcement of legislation 266, 268
 over-the-counter sales of cigarettes 266, 269
 perception of ease by adult members of ethnic groups 267
 vending machines 268–269
- Acculturation
 effectiveness of warning labels 299
 factor in coronary heart disease incidence 163
 Hispanics 228, 237
 initiation of tobacco use 234–235
 smoking cessation 235, 237
 smoking prevalence 61, 65, 235
 tobacco advertising and promotion 227, 229
- Actors, appearance in tobacco ads 243
- Addiction, nicotine. *See* Nicotine dependence and addiction
- Adolescent African American mothers and use of tobacco 27–28
- Adolescent Health Survey 49
- Adolescents
 cigarette brand preference 80–83
 risk factors to predict cigarette smoking 228–229, 230–231
 smoking initiation 40, 225–229
 smoking prevalence 28–44
 use of smokeless tobacco 44, 49–50, 174–175
 See also Youth
- Adult literacy programs tobacco industry support 217
- Adult Use of Tobacco Survey (AUTS) 21, 79, 80, 96 (description)
- Adults, psychosocial factors of use 225–238
- Advertising, tobacco products
 bans, ethnic group support 293–297
 billboards 215, 221, 222, 244, 293
 convenience stores 222
 endorsements 242
 ethnic targeting 13, 220–224, 240–244
 ethnicity of models 240–242
 immigrants 223, 241
 impact on youth 220
 in-store advertising displays 222
 print advertisements 214–215, 221
 revenues 214–215
 role models 242
 stimulation of cigarette consumption 207, 220–223
 targeting youth 207
 television ban 214
- African American Tobacco Control Network of California 297
- Age
 airflow obstruction and smoking, Japanese men 159
 and stroke incidence, Asian Americans 165
 at smoking onset 36
 differences in smoking prevalence, by ethnicity
 African Americans 22–23
 American Indians and Alaska Natives 46
 Asian Americans and Pacific Islanders 61–63
 Hispanics 66–67
- Aggregation problems in data collection. *See* Data collection and analysis
- Alameda County Low Birth Weight Study Group 168
- Alcohol use and smoking among youth 37–38
- Alpha Kappa Alpha Sorority 216
- American Cancer Society (ACS) 280, 292, 295
- American Health Foundation study 156
- American Indian Cancer Control Project of California 276, 286
- American Lung Association (ALA) 274, 275, 295
- American Psychiatric Association (APA) diagnostic criteria for drug dependence 177
- American Stop Smoking Intervention Study (ASSIST) 269
- Anemia and smoking, effects on birth weight 171
- Angina. *See also* Coronary heart disease (CHD) incidence and mortality
- Antismoking campaigns. *See* Mass media; School-based health education approaches
- Antismoking policies. *See* Smoking bans in public places
- Arts, tobacco industry support of. *See* Tobacco industry, support for arts
- Asian Americans for Community Involvement 289
- Asian American Health Forum 297
- Asian Pacific Islander Tobacco Education Network 297
- Asthma 160

Athletes, appearance in tobacco ads 214, 243
Athletic events. *See* Sponsorship by tobacco industry; Cigarette promotion campaigns
Attempts to quit smoking. *See* Smoking cessation programs
Attention. *See* Nicotine, physiological effects
Attitudes toward tobacco use
 among adults 264–265
 among youth 36, 38, 41
 belief that smoking is addictive 183–184
 immigrants to the United States 262
 parental attitudes 40
 smoking in public places 287–291
 See also Cultural values
Attrition rates in group approaches to cessation.
 See Smoking cessation, attrition rate

B

Barbers/beauty parlor operators, involvement in cessation efforts 287
Behavioral Risk Factor Surveillance System (BRFSS)
 American Indians and Alaska Natives 45, 46, 50, 51–56, 144
 Asian Americans and Pacific Islanders 56, 58, 59, 61, 62–64
 description of 21, 95
 ethnic differences in quitting smoking 183
 Hispanics 164
 measures of tobacco use 97, 98
Behavioral alternatives to cigarette smoking 260
Bill of Rights touring exhibition 218, 222
Billboard advertising. *See* Advertising, tobacco control, tobacco products
Biochemical markers of tobacco use
 ethnic differences 179–181
 measurements among pregnant women 167
 smokeless tobacco users 183
 youth 32–34
Birth weight. *See* Infant outcomes, effects of smoking during pregnancy
Black Clergy for Substance Abuse Prevention 286
Black History Month 222, 296
Bladder cancer. *See* Urinary bladder cancer
Blood pressure. *See* Hypertension
Boston, marketing of X brand cigarettes 295–296
Boy and Woman Bear culturally appropriate software package 273
Brain function. *See* Nicotine, physiological effects
Brand preference 79–83. *See also* Cigarette brands
Brand recognition. *See also* Cigarette promotion campaigns; Cigarette brands

Bronchitis 141, 158, 160
Bureau of the Census 187
Bureau of Vital Statistics 187

C

California
 “Proposition 99” 217, 275
 smoking cessation hot lines 277
 smoking cessation efforts 297
 use of revenue from cigarette taxes 277
California Department of Health Services 284
California Tobacco Survey 68, 182, 268, 283–284, 289, 292
Cancer. *See specific types of cancer*
Cancer Information Service (CIS) hot line, National Cancer Institute 277
Cancer Prevention Study I (CPS-I) 161
cancer registries 138, 147
Carbon monoxide as an indicator of smoking 33, 34
Cardiovascular disease. *See also* Coronary heart disease (CHD) incidence and mortality
Cardiovascular effects of nicotine. *See* Nicotine, physiological effects
Center for Epidemiological Studies Depression Scale 234, 237
Centers for Disease Control and Prevention (CDC) 282, 284
Cerebrovascular disease
 African Americans 165
 American Indians and Alaska Natives 165
 Asian Americans and Pacific Islanders 165–166
 Hispanics 166
Ceremonial and religious rites involving tobacco 44, 209
Cervical cancer 152
Cessation of smoking. *See* Smoking cessation programs
Charleston Heart Study 161
Chewing tobacco. *See* Smokeless tobacco use
Chicago Community Based Interventions for Low-Income African Americans 281
Chicago Lung Association’s multifaceted smoking cessation intervention 281
Child Health and Development Studies 167
Children
 as motivators to quit smoking among Hispanics 260
 exposure to environmental tobacco smoke in home 173
 involvement in smoking cessation campaigns 269, 271

- lung function and environmental tobacco smoke 172
- Chinese Community Smoke-Free Project 277
- Cholesterol and cardiovascular disease risk 162
- Chronic obstructive pulmonary disease (COPD)
 - African Americans 158
 - American Indians and Native Americans 158–159
 - Asian Americans and Pacific Islanders 159
 - Hispanics 159–160
- Churches Organized to Stop Tobacco (COST) 296
- Cigar smoking 91–94
- Cigarette brands
 - 555 State Express 218
 - Alpine 242
 - American Spirit 223
 - Belair 242
 - Benson & Hedges 79, 80, 82
 - Camel 79, 80, 82, 220, 224, 243
 - Chesterfield 242
 - Dorado 220
 - Eve 243
 - Kent 79, 80, 243
 - Kool 79, 80, 82, 243
 - L&M 243
 - Lucky Strike 243
 - Marlboro 79, 80, 82, 83, 218, 220, 224, 242, 243
 - Merit 79, 81, 82
 - Mild Seven 223
 - More 219
 - Newport 79, 81, 82, 220–221, 224, 242
 - Oasis 242
 - Old Gold 241
 - Pall Mall 79, 81
 - Parliament 219
 - Richmond 242
 - Rio 220
 - Riviera 242
 - Salem 79, 81, 224, 242
 - Salem Extra 244
 - Spring 242
 - Spud 242
 - Super M 244
 - Uptown 222, 224, 294
 - Vantage 79, 81
 - Viceroy 243
 - Virginia Slims 79, 81, 223–224
 - Winston 79, 81, 82, 243
 - X 224, 295–296
- See also* Brand preference; Brand recognition; Cigarette promotion campaigns
- Cigarette consumption
 - among ethnic groups
 - African Americans 22–28, 41–43, 74–78, 112–121
 - American Indians and Alaska Natives 44–55
 - Asian Americans and Pacific Islanders 56–66
 - Hispanics 66–74, 75–77
 - targeted ads as external cues to smoke 223–224
- Cigarette manufacturers. *See* Tobacco companies
- Cigarette prices. *See* Revenues
- Cigarette promotion campaigns
 - Chesterfield film campaign 242
 - coupons 223, 294
 - cultural events 213, 218–219, 297. *See also* Tobacco industry, support for ethnic communities, pride, and culture
 - Marlboro Man 243
 - Marlboro Tour '93 211
 - samples 296
 - sports events 294
 - Viceroy race car driver 243
 - See also* Advertising, tobacco products; Brand recognition; Cigarette brands
- Cigarettes, hand-rolled, lung cancer death rate 149
- Civil rights movement 243
- Clean air policies. *See* Smoking bans in public places
- Coalition Against Billboard Advertising of Alcohol and Tobacco 297
- Coalition Against Uptown Cigarettes 295
- Cocaine use in conjunction with cigarette smoking 37
- Cognition. *See* Nicotine, physiological effects
- Committee to Prevent Cancer Among Blacks 295
- Communication skills training for youth 278
- Community
 - approach to smoking cessation 278–283
 - dependence on tobacco industry 213–219
 - loyalty to tobacco industry 213
 - meeting of community leaders in Greensboro 297
 - mobilization/involvement in antitobacco campaigns
 - California 297
 - Uptown cigarettes 294–295
 - X cigarettes 295–296
 - projects, limitations of 263, 265, 293
 - volunteer health representatives 282
- Community Intervention Trial (COMMIT) for Smoking Cessation 181, 183, 236, 260
- Congressional candidates, campaign support from tobacco industry 217

- Congressional Hispanic Caucus 215
- Consumer Expenditure Survey Interview Survey 292
- Coping mechanism, cigarette smoking 275
- Coronary Artery Risk Development in (Young) Adults (CARDIA) 172, 181, 186
- Coronary heart disease (CHD) incidence and mortality
 - African Americans 160–161
 - American Indians and Alaska Natives 161–162
 - Asian Americans and Pacific Islanders 162–163
 - Hispanics 163–164
- Cotinine. *See* Biochemical markers of tobacco use
- Cultural events, tobacco industry support of.
See Tobacco industry, support for cultural events
- Cultural values
 - as depicted in tobacco ads 222–224
 - cigarettes as indicator of affluence 222–224
 - Hispanic attitudes toward smoking 223
 - tobacco as a gift 210
 - See also* Attitudes toward tobacco use; Social influences
- Current Population Survey (CPS)
 - attitudes concerning minors' ease of access to tobacco products 267
 - ban on tobacco samples 293
 - classification of ethnicity 186, 187
 - CPS-I 161
 - efforts to restrict youth access to tobacco 266
 - employer-provided smoking cessation programs 286
 - ethnic differences in prevalence 87
 - ethnic differences in quitting smoking 183, 184
 - Hispanics and coronary heart disease 163
 - quitting behavior 25, 48, 57, 70
 - workplace/public place smoking restrictions 288, 289, 290–291
- Current smokers, definition of 97

D

- Dance troupes, tobacco industry support of 219
- Data collection and analysis
 - accuracy of findings on youth smoking prevalence 31–36
 - aggregation problems 239
 - bias against Asian Americans with low English skills 61
 - bias in selection for studies 61
 - bias of findings 31

- differential misclassification bias 30–32, 34
- differential school dropout rates, African American youth 31, 32, 228
- multivariable logistic regression technique 83, 85
- noncomparability of tobacco use studies 238
- nongeneralizability of tobacco use studies 238
- nonreporting problems in tobacco use studies 238
- reporting bias 31, 239
- retrospective analysis methodology 74
- sources of data 95–96
- tobacco smoke exposure, infant outcomes 168–171
- unavailability of data on specific ethnic groups 44, 56, 259, 277

Death rates

by cancer

- cervix/uteri 148, 150, 152, 153, 155
- esophagus 148, 150, 153
- kidney/renal pelvis 148, 150, 155
- larynx 148, 155
- lung/bronchus 144, 146, 148, 150
- oral/pharynx 148, 153–155
- pancreas 152
- stomach 155
- urinary/bladder, 152, 156

by ethnicity 139, 144, 146

- Decision-making skills training for youth 271
- Decline in smoking. *See* Smoking prevalence, decline in smoking

Definitions

- cigarette smoking and cessation 97
- number of cigarettes smoked daily 97
- use of cigars, pipes, and smokeless tobacco 97

Dentists, advice to patients 285

Depressive symptoms and smoking 234

See also Center for Epidemiological Studies

Depression Scale

Diagnostic and Statistical Manual of Mental

Disorders, Fourth Edition (DSM-IV™) 179, 181

Doctors, in cigarette ads 243

Doctors Ought to Care (DOC) 215

Don't Let Your Dreams Go Up in Smoke 286

Dropouts, high school 228

Drug use and smoking. *See* type of drug

E

Economics

- dependency on tobacco sales, American Indian reservations 213
- efforts to reduce tobacco use 292–293

expenditures on tobacco promotion in ethnic communities 213–219

Education

- by ethnic group
 - African Americans 83, 84
 - American Indians and Alaska Natives 83, 84
 - Asian Americans and Pacific Islanders 83, 84
 - Hispanics 83, 84
- levels of, and smoking 25, 26, 28

Educational materials, smoking intervention. *See* Smoking cessation programs

Elimination of nicotine. *See* Nicotine pharmacology

Empysema 158, 160

Employment

- employer antismoking policies 287–288
- employer-provided smoking cessation programs 286
- labor force composition of tobacco factories 208–209

English proficiency. *See* Language/linguistics

Environmental Protection Agency

- assessment of environmental tobacco smoke risks 287–289

Environmental tobacco smoke (ETS)

- exposure and ethnicity 86–87, 172–173, 287, 289
- exposure in public places 287–291
- exposure to household smoke 288
- fetal exposure 167
- infant outcomes 167–171
- nonsmokers' exposure 172–173
- perceived dangers of 261–263
- pregnant women 285
- Sudden Infant Death Syndrome 169–171
- workplace exposure 287–288
- See also* Smoking bans in public places

Esophageal cancer 151–153

Ethnic groups

- definition of 7–8, 186–187
- demographic characteristics 8–11
- exclusion from tobacco studies 61
- health outcomes 187

Ethnic labels, *see* Ethnic groups, definition of

Ever smokers, definition 97

F

Fagerström dependence questionnaire 179

Familialism 212

Federal Trade Commission 140, 181

Federal workplace antismoking policies 287–288

Fetal morbidity and mortality. *See* Infant outcomes, effects of smoking during pregnancy

Filters, packaging of Uptown cigarettes 224

Focus groups 40, 286

Food and Agriculture Organization of the United Nations 211

Food and Drug Administration 207, 266, 297

Food, Tobacco, Agriculture, and Allied Workers Union 209

For You and Your Family 284

Forced expiratory volume as a measure of pulmonary function 159

Former smokers, definition 97

Freedom from Smoking® for You and Your Family 281

Freedom from Smoking in 20 Days 281

Funding initiatives for public health 6

G

Gateway Program 217

Gender differences

- smoking prevalence
 - African Americans 22–24, 41
 - American Indians and Alaska Natives 44–48, 50–56
 - Asian Americans and Pacific Islanders 56–59
 - Hispanics 66–69
- smoking trends national data 23–28, 78–81

General Social Survey 233

Genetic risk, lung cancer and CYP1A1 gene 142

Gingival bleeding and recession 174

See also Periodontal disease

Government regulation of cigarettes, support for 298–299

Great American Smokeout 280, 283

Great Alaska Spit-Out 273

Group approaches to smoking cessation 277–278

Guide to Black Organizations 217

H

Harlem Dowling-West Side Center for Children and Family Services 216

Harlem Hospital 221

Health care facility access 277, 283–284

Health care providers 283–284, 285

Health consequences/risks of tobacco use

- knowledge of
 - among adults 235, 264–265
 - among blue collar workers 263

- among ethnic groups 12, 265
- among pregnant women 171
- Health insurance 216, 263
- Health Status of Minorities and Low-Income Groups* 6
- Healthy People 2000* 5
- Heart, Body, and Soul 286
- Heart attack. *See* Myocardial infarction
- Hey, Girlfriend, Let's Talk About Smoking and You* 285
- Hispanic Health and Nutrition Examination Survey (HHANES)
 - chronic obstructive pulmonary disease 159
 - cigarette smoking prevalence
 - among adults 66–67, 79
 - among successive birth cohorts 74, 76, 122
 - among women of reproductive age 71
 - among young people 72
 - description of 21, 95
 - environmental tobacco smoke and clean indoor air policies 287
 - long-term trends in cigarette smoking 78
 - methodological issues 186
 - quitting behavior 183
- Hispanic/Latino Tobacco Control Network 297
- History of tobacco use
 - by ethnic group
 - African Americans 208–209
 - American Indians and Alaska Natives 209–210
 - Asian Americans and Pacific Islanders 211–212
 - Hispanics 212
- Honolulu Heart Program 159
- Housing projects 236, 263
- Hypertension 160, 162, 163

I

- Immigration, impact on smoking prevalence 61, 234
- In-store advertising displays. *See* Advertising, tobacco products
- Income and increases in cigarette taxes 292
- Indian Health Service (IHS)
 - cancer death rates
 - age-adjusted 155
 - lung cancer 143–146
 - cervical cancer 152
 - classification of smoking status 186
 - regional differences in cancer death 144
 - smokeless tobacco use 49–50

- smoking cessation programs for pregnant women 285
- Infant outcomes, effects of smoking during pregnancy
 - birth weight 166–169
 - morbidity and mortality 169–171
 - Sudden Infant Death Syndrome 169–171
- International Multicultural Partnership 297
- Interviewing methods. *See* Data collection and analysis
- It's No Joke, Don't Smoke!* 274
- It's the Law* voluntary compliance program 268
- It's Your Life—It's Our Future* 276

J

- Jackie Robinson Foundation Awards Dinner 219
- Jargon, use in cigarette ads 242–243

K

- Kaiser Permanente 61, 161
- Kool Achiever Awards 218

L

- Labor unions 208–209
- Lám Thê Náo Để Bỏ Hút Thuốc?* 276
- Language/linguistics
 - proficiency, as barrier to knowledge of health consequences 234
 - proficiency, as barrier to tobacco control messages 262
 - proficiency as measure of acculturation smoking prevalence 234
 - translation of smoking cessation materials 274, 281
 - use of non-English words in tobacco product materials 222
- Law abidance 228, 232
- Leadership Conference on Civil Rights 216
- League of United Latin American Citizens 216
- Legends Campaign 282–283
- Legislation
 - sale of tobacco to minors (Synar Amendment) 266
 - FDA tobacco product regulations 297
- Liberalism, factor in smoking status 232
- Life Skills Training (LST) Program 271
- Lifestyle factors and decline in smoking
 - by ethnic group
 - African American youth 36–38

Low birth weight. *See* Infant outcomes, effects of smoking during pregnancy, birth weight
 Lung cancer 137–135
 African Americans 138–143
 American Indians and Alaska Natives 143–145
 Asian Americans and Pacific Islanders 145–147
 Hispanics 147–149

M

Magazines, ethnic
 African Americans 218, 241–243
 portrayal in tobacco ads 241
 American Indians' portrayal in tobacco ads 223, 241
 Hispanics 214
 perception as trustworthy information source 241, 274
 See also Advertising tobacco products; Mass media; Newspapers
Manual of the International Classification of Diseases, Injuries and Causes of Death (ICD) 187
 Marijuana use in conjunction with smoking 37, 44
 Mass media
 radio 274
 television 241, 274
 See also Advertising, tobacco products; Magazines, ethnic; Newspapers
 Maternal smoking. *See* Pregnancy and smoking
 Media literacy 241
 Medicinal usage of tobacco. *See* Religious use of tobacco
 Memory. *See* Nicotine, physiological effects
 Menthol cigarettes 79, 142, 224, 242, 243, 244
 Metabolism of nicotine. *See* Nicotine pharmacology
 Milwaukee County Youth Initiative 217
 Minors' access to tobacco. *See* Access of minors to tobacco products
 Misconceptions about causes of cancer 263
 Monitoring the Future (MTF) surveys
 description of 21, 96
 perceptions of risks of cigarette smoking 230–231
 predictors of cigarette smoking in African American youth 226
 smoking cessation 97
 smoking prevalence
 American Indian and Alaska Native high school seniors 49
 decline 36
 young people 28, 30, 32, 37, 42, 44, 72–74

MTV 274
 Muscle relaxation. *See* Nicotine pharmacology
 Musical events, ethnic targeting by tobacco industry 218–219
 Myocardial infarction 160, 164

N

National Association for the Advancement of Colored People (NAACP) 213, 216
 National Association of African Americans for Positive Imagery (NAAAPI) 224, 287, 296, 297
 National Association of Black Social Workers 216
 National Association of Negro Business and Professional Women's Clubs 216
 National Black Caucus of State Legislators 215
 National Black Leadership Initiative on Cancer (NBLIC) 295
 National Black Police Association 216
 National Cancer Institute (NCI) 25, 74, 265, 277, 279
 National Cancer Institute Advisory Panel on Tobacco-Use Reduction Among High-Risk Youth 269
 National Center for Health Statistics (NCHS) 147, 154, 163
 National Coalition of Hispanic Health and Human Services Organizations (COSSMHO) 215, 218
National Directory of Asian Pacific American Organizations 217
National Directory of Hispanic Organizations 217
 National Coalition of 100 Black Women 216
 National Conference of Black Lawyers 216
 National Death Index 163
 National Health and Nutrition Examination Surveys (NHANES I, II, III) 71, 86, 161, 164, 181
 National Health Interview Survey (NHIS) adults
 beliefs about health effects of smoking 264–265
 cigarette brand preferences 79
 cigarette smoking frequency 182
 current cigarette smoking 87–90
 effects of education and race/ethnicity on smoking behavior 83
 ethnic differences in quitting smoking 183
 exposure to environmental tobacco smoke 86–87, 172
 involvement of health care providers 283–286
 information needs 262–263
 lung cancer death rates 146

- measures of tobacco use 97
 - pipe and cigar use 91-92
 - prevalence of smoking 35, 92-93, 98-121, 122-124
 - quitting behavior 261
 - smoking prevalence estimates 124
 - smoking status and ethnicity 84
 - use of smokeless tobacco 94
 - African Americans
 - and chronic obstructive pulmonary disease 158
 - prevalence among successive birth cohorts 74-75, 76, 140
 - prevalence of cigarette smoking 22, 23-24
 - quitting behavior 25-26
 - women of reproductive age 26-28
 - young people 30-44
 - American Indians and Alaska Natives
 - prevalence of cigarette smoking 44-45
 - quitting behavior 46, 48
 - women of reproductive age 48-49
 - young people 49-50
 - Asian Americans and Pacific Islanders
 - prevalence of cigarette smoking 56
 - quitting behavior 57
 - women of reproductive age 57, 59
 - young people 59-60
 - Hispanics
 - prevalence among successive birth cohorts 77
 - prevalence of cigarette smoking 66-69
 - quitting behavior 70, 237
 - women of reproductive age 71-72
 - young people 72-74
 - National Heart, Lung, and Blood Institute 272
 - National High Blood Pressure Education Program 286
 - National High School Senior Surveys.
See Monitoring the Future survey
 - National Hispanic Scholarship Fund 217
 - National Household Survey on Drug Abuse (NHSDA) 28, 36, 72, 182
 - National Institute on Drug Abuse (NIDA) 28, 72
 - National Longitudinal Mortality Study 186
 - National Maternal and Infant Health Survey (NMIHS) 27, 28, 49, 170
 - National Medical Association (NMA) 276, 282, 283
 - National Medical Expenditure Survey 44
 - National Minority AIDS Council 216
 - National Mortality Followback Survey (NMFS) 161
 - National Natality Survey 27
 - National Pregnancy and Health Survey 28, 72
 - National Research Council 172
 - National Survey of Family Growth 27, 71
 - National Survey of Oral Health in U.S. School Children 174
 - National Urban League 215, 216
 - National Vital Statistics System 138
 - Native American Indians, by region and tribe (smoking survey) 50-56
 - Neighborhood tobacco product advertising 221-222, 293-297
 - Neural actions of nicotine. *See* Nicotine, physiological effects
 - Neurotransmitter release, changes caused by nicotine *See* Nicotine, physiological effects
 - New York City, proposed ban on public smoking 218
 - Newsletters, smoking prevention campaigns 274
 - Newspapers 214, 218. *See also* Magazines, ethnic
 - Nicotine dependence and addiction 181-184
 - Nicotine pharmacology 175-184
 - Nicotine, physiological effects 175-179. *See also* Withdrawal symptoms, nicotine
 - Nicotine replacement therapy 286
 - Nicotine yield 179
 - Nonsmokers
 - exposure to environmental tobacco smoke 137
 - support for bans on tobacco ads 293-298
-
- O**
-
- 100 Black Men of America, Inc. 216
 - One Day at a Time* 286
 - Operation PUSH (People United to Save Humanity) 213, 216
 - Opportunities Industrialization Centers of America 216
 - Oral cancer 153-155, 174
 - Oral lesions 174-175
 - Oral leukoplakia 174
 - Outdoor advertisements. *See* Advertising, tobacco products
 - Over-the-counter sales of cigarettes. *See* Access of minors to tobacco products
 - Oxygen-carrying capacity, maternal, and effects of smoking 171
-
- P**
-
- Packaging 224
 - Parental attitudes toward smoking 40
 - Parental cigarette smoking, as risk factor for initiation 229

Passive smoke exposure. *See* Environmental tobacco smoke

Pathways to Freedom Community Demonstration Project 280

Pathways to Freedom: Winning the Fight Against Tobacco 276

Patterns of tobacco use. *See* Cigarette consumption

Peace pipe 210

Peer tobacco use 231–233

Perinatal mortality 166

Periodontal disease 174

Personal consultation for smoking cessation
 face-to-face 278
 telephone 278

Pew Charitable Trusts 217

Pharyngeal cancer 174

Philadelphia Mayor's Commission on Literacy 217

Physicians
 advice to patients regarding smoking 283–285
 appearance in tobacco advertisements 243

Physiological measurement of cigarette smoking.
 See Biochemical markers of tobacco use

Pipe smoking
 definition for surveys 92
 history of 91–92
 prevalence of 91–92

Point-of-sale displays. *See* Advertising, tobacco products

Political campaign contributions by tobacco companies 217

Portland Life Center 216

Power distance 283

Predictors of tobacco use and initiation 231–233

Pregnancy and smoking
 abruptio placentae 171
 African American vs. white 167–169
 and other drug use 168
 birth weight 166, 167–169, 171, 185
 ectopic pregnancy 171
 intention to breast-feed as predictor of smoking cessation 260
 intrauterine growth retardation 166
 preterm delivery 169
 reduction of cigarette consumption 27, 71, 167, 169
 Sudden Infant Death Syndrome (SIDS) 167, 169–171
 See also Infant outcomes, effects of smoking during pregnancy; Smoking prevalence, during pregnancy

Prevalence of cessation 8

Prevalence of smoking. *See* Smoking prevalence

Preventing Tobacco Use Among Young People: A Report of the Surgeon General 44, 220

Prevention programs. *See* Mass media; School-based health education approaches

Product endorsements. *See* Advertising, tobacco products

Product targeting
 American Spirit cigarettes, American Indians 223
 Dorado cigarettes, Hispanics 220, 222
 Mild Seven cigarettes, Asian Americans 223
 Rio cigarettes, Hispanics 220, 222
 Uptown cigarettes, African Americans 222, 223–224, 294

Project SHOUT 271–272

Project SMART 271

Programa Latino Para Dejar de Fumar 279–280

“Proposition 99” tobacco tax initiative 217, 277

Psychosocial risk factors 225–233

Public health objectives 5. *See also* *Healthy People 2000*

Public places, antismoking policies. *See* Smoking bans in public places

Public service announcements 279

Q

Quit attempts. *See* Smoking cessation programs, quit attempts

Quit for Life, employer-provided program 282

Quit Today! 280

R

Race. *See* Ethnic groups

Racial discrimination 214, 260

Radio. *See* Mass media

Rappers/Pick It antismoking message 221

Rates of smoking. *See* Cigarette consumption

Recidivism. *See* Relapse

Regular smoking, definition of 97

Reinforcing effects of smoking tobacco 176

Relapse 25, 122, 261–262

Religion as protective factor 42, 226, 232

Religious use of tobacco 210

Reporting bias. *See* Data collection and analysis

Reproductive health. *See* Pregnancy and smoking; Smoking prevalence, during pregnancy

Resource guides for ethnic groups, tobacco industry support of 216–217

Retrospective analysis methodology. *See* Data collection and analysis

Revenues. *See* Advertising, tobacco products, revenues

- Risk-taking behavior, factor in tobacco use 44, 73, 95
- Robert Wood Johnson Foundation (RWJF). *See* Youth Access Survey
- Role models. *See* Advertising, tobacco products
- Rompa Con El Vicio. Una Guía Para Dejar de Fumar* 275

S

- Salem Freshside™ Salute 218
- Salem Open tennis tournament 211
- Sales to minors. *See* Access of minors to tobacco products
- San Antonio Heart Study 164
- School-based health education approaches 269–273
- School performance. *See* Academic performance and smoking initiation
- Schools, antismoking policies 289
- Second-hand smoke. *See* Environmental tobacco smoke
- Self-help approach to smoking cessation 275–277
 - willpower 275
- Self-reports of nicotine addiction, by ethnicity 181–183
- Self-service tobacco displays, elimination of 266, 269
- Sex differences. *See* Gender differences
- Sharing cigarettes 211, 212
- Sí Puedo 280
- Sickle cell trait and smoking, effects on birth weight 171
- Sidestream smoke. *See* Environmental tobacco smoke
- Smokefree policies. *See* Smoking bans in public places
- Smokeless tobacco addiction 183
- Smokeless tobacco use
 - by ethnic group
 - African Americans 44, 94, 174
 - American Indians and Alaska Natives 49–50, 55, 94, 174
 - Asian Americans and Pacific Islanders 60, 94, 174
 - Hispanics 74, 94
 - cessation programs 234
 - effects of 174–175
 - factors associated with initiation 232–233
 - prevalence 233–235
 - Skoal Bandit promotion 218, 219
 - use by adolescents 174, 232–233
- Smokers, acceptance of. *See* Attitudes toward tobacco use; Cultural values; Social influences
- Smokers, definitions 97
- Smoking abstinence, overnight, and loss of nicotine tolerance 178
- Smoking: Facts and Quitting Tips for Black Americans* 277
- Smoking: Facts and Quitting Tips for Hispanics* 277
- Smoking bans in public places 287–292
 - enforcement in ethnic communities 289
- Smoking cessation programs
 - age at cessation 46
 - among members of ethnic groups 14, 274–283, 286–287
 - approaches 259
 - attrition rate 277
 - culturally appropriate 259–262, 273, 274–283, 286, 287
 - desire to quit 260–262
 - education and ethnicity as factors 85
 - employer-provided programs 286
 - family-centered interventions 260
 - Freedom from Smoking in 20 Days* 281
 - health benefits of 263–265
 - home visits 278
 - information needs 262–263
 - motivation to quit 260
 - nontraditional providers and 286–287
 - perceived ability to quit 286
 - pregnant women 285
 - prevalence of former smokers
 - African Americans 25
 - American Indians and Alaska Natives 46
 - Asian Americans and Pacific Islanders 57
 - Hispanics 70
 - quit attempts, African Americans 25–26, 236
 - See also* Community; Group approaches to smoking cessation; Self-help approach to smoking cessation
- Smoking initiation
 - adolescents 225
 - by ethnic group
 - African Americans 40, 78, 226
 - American Indians and Alaska Natives 227
 - Asian Americans and Pacific Islanders 227
 - Hispanics 40, 78–79, 228–229
 - long-term trends, birth cohort analysis 78–79
 - multiple group studies 229
 - targeted advertising 223, 240–244
- Smoking prevalence
 - among adults 21–23, 26–28
 - among ethnic groups 12

- among young people
 - African Americans 28–31, 44
 - American Indians and Alaska Natives 49
 - Asian Americans and Pacific Islanders 59–60
 - Hispanics 72–73
- See also Monitoring the Future surveys
- by ethnic group
 - African Americans 22–25, 35, 74–75, 233
 - American Indians and Alaska Natives 44–46, 50–56, 233
 - Asian Americans and Pacific Islanders 56–59, 234
 - Hispanics 66–70, 75–77, 234–235
- comparisons among ethnic groups 87–91
- decline in smoking
 - African Americans 27, 30, 31, 36, 38, 41, 74–75, 78
 - American Indians and Alaska Natives 49
 - Asian Americans and Pacific Islanders 56–57, 59, 61
 - Hispanics 69, 71, 75–76, 78–79
- decreased by cigarette taxes 292–293
- during pregnancy
 - African Americans 26–28, 29, 285
 - American Indians and Alaska Natives 29, 49, 285
 - Asian Americans and Pacific Islanders 29, 59, 285
 - Hispanics 29, 71–72, 285
- education and ethnicity as factors in smoking status 83–86
- in Asian countries 65–66
- in Latin American countries 69
- in women of reproductive age
 - African Americans 26–28
 - American Indians and Alaska Natives 48–49
 - Asian Americans and Pacific Islanders 57, 59
 - Hispanics 71–72
- regional and tribal tobacco use 50–56
- retrospective analysis and assessment of
 - African Americans 74–75
 - Hispanics 75–76 See also Gender differences
- Smoking prevention programs. See Mass media; School-based health education approaches
- Smoking recidivism. See Relapse
- Smoking reduction during pregnancy. See Pregnancy and smoking
- Snuff use. See Smokeless tobacco use
- Social influences
 - smoking prevalence in Latin America 212
 - status-seeking behavior 224, 240–241
 - tobacco use at American Indian social gatherings 210
 - See also Cultural values
- Social Learning Theory 282
- Social skills/peer pressure
 - resistance training for youth 271
- Sociodemographic factors and decline in smoking by African American youth 36
- Socioeconomic status
 - coronary heart disease deaths 161
 - exposure to school-based smoking prevention programs 269
 - factor in the response to changes in cigarette price 292
 - smoking prevalence 83
 - targeting of ads 240–244
- Software, interactive learning programs 273
- Sponsorship by tobacco industry. See Tobacco industry
- Stages of change 225
- Stanford Five-City Multifactor Risk Reduction Project 279, 284
- Stomach cancer 155
- Stop Teenage Addiction to Tobacco (STAT) 268
- Stress. See Coping mechanism, cigarette smoking
- Strong Heart Study 45
- Stroke as the major form of cerebrovascular disease 164
- Suc Khoe La Vang! 283
- sudden infant death syndrome (SIDS) 169–171
- Surveillance, Epidemiology, and End Results (SEER) Program 138, 146, 149, 151, 152, 156, 186
- Surveys. See specific survey:
 - Adult Use of Tobacco Survey (ALTS)
 - Behavioral Risk Factor Surveillance System (BRFSS)
 - Current Population Survey (CPS)
 - Hispanic Health and Nutrition Examination Survey (HHANES)
 - Monitoring the Future (MTF) surveys
 - National Health and Nutrition Examination Surveys (NHANES)
 - National Health Interview Survey (NHIS)
 - Surveillance, Epidemiology, and End Results (SEER) Program
 - Teenage Attitudes and Practices Survey (TAPS)
 - Youth Access Survey, Robert Wood Johnson Foundation (RWJF)
 - Youth Risk Behavior Survey (YRBS)
- Synar Amendment. See Legislation

T

- Task performance. *See* Nicotine, physiological effects
- Taxes on tobacco products
 - excise taxes 292–293
 - sales taxes 292–293
- Teach For America 217
- Teenage Attitudes and Practices Survey (TAPS) 21, 32, 36, 73, 81, 83, 96, 228, 266, 267
- Terms related to tobacco use 8
- Television. *See* Mass media
- Tobacco, alternative uses. *See* Religious use of tobacco
- Tobacco companies
 - American Tobacco Co. 242, 244
 - British American Tobacco Co. 212
 - China National Tobacco Corporation 211
 - Brown & Williamson Tobacco Corp. 217, 224, 242
 - Japan Tobacco Inc. 223
 - Liggett & Myers 242, 243
 - Lorillard 223, 241, 242, 243
 - Parliament 219
 - Philip Morris 216, 217, 218, 222, 241, 242
 - RJR Nabisco (R. J. Reynolds) 215, 216, 217, 219, 223, 224, 244
 - Sante Fe Tobacco Co. 223
 - Tobacco Institute 216
 - United States Tobacco Co. 219
- Tobacco control. *See* Smoking cessation programs
- Tobacco industry
 - African American involvement 208–209, 213–214
 - Asian production 211
 - community loyalty 213
 - funding of community agencies and organizations 215–217
 - Latin American production 212
 - shift of expenditures to promotional marketing 293
 - support for arts 218–219
 - support for cultural activities 218–219
 - support for education 217
 - support for ethnic communities, pride, and culture 213, 216
- Tobacco Use. *See* Smokeless tobacco use; Smoking prevalence
- Tobacco-Use Reduction Among High-Risk Youth, NCI Advisory Panel 269
- Tobacco Workers International Union 208
- Tumor suppressor gene p53 143

U

- Union of Pan Asian Communities 287
- United Cambodian Community, Inc. 287
- United Negro College Fund (UNCF) 215, 216, 217, 219
- United Tobacco Workers 209
- Urinary bladder cancer 156–157

V

- Values, used as a means of smoking cessation and health promotion effort 260
- Vending machines 268–269
- Victory Over Smoking—A Guide to Smoking Cessation for You and Your Family* 277
- Vietnamese Community Health Promotion Project 283
- Virginia Slims fashion show 211

W

- Warning labels 298
- Warning signs mandated by state, prohibition of sales to minors 268
- Weight control and cigarette smoking 38–39, 277
- Withdrawal symptoms, nicotine 178–179
- Women. *See* Gender differences; Smoking prevalence
- Workplace environmental tobacco smoke exposure 287–288
 - See also* Environmental tobacco smoke

Y

- Young Men's Christian Association 216
- Youth
 - advertising, effectiveness of 41
 - alcohol use 37, 38
 - attitudes toward tobacco use 38–41
 - knowledge of health consequences of smoking 227
 - skills training 271
 - See also* Adolescents; Mass media; School-based health education approaches; Smoking initiation; Smoking prevalence
- Youth Access Survey, Robert Wood Johnson Foundation (RWJF) 269, 293, 298
- Youth access to tobacco. *See* Access of minors to tobacco products
- Youth Risk Behavior Survey (YRBS) 29, 36, 44, 73, 74, 96