

BIBLIOGRAPHY

(PRELIMINARY)

OF

THE LITERATURE ON THE PHYSIOLOGICAL AND
PATHOLOGICAL EFFECTS OF ALCOHOL
AND ALCOHOLIC DRINKS.

LIBRARY

EDITED FOR "THE COMMITTEE OF FIFTY FOR THE INVESTIGATION
OF THE LIQUOR PROBLEM
SURGEON GENERAL'S OFFICE

BY

JOHN S. BILLINGS, M. D.

WASHINGTON, D. C.:

JUDD & DETWEILER, PRINTERS.

1894.

This Bibliography has been compiled for the use of "The Committee of Fifty for the Investigation of the Liquor Problem," from notes furnished by Drs. J. S. Billings, H. P. Bowditch, R. H. Chittenden, and W. H. Welch. For the most part it includes only books and papers which contain original experiments or observations on the physiological or pathological effects of alcohols and alcoholic drinks. It does not include papers treating on the political, social, or ethical relations of alcohol, or treatises on the evils of intemperance, and it is not complete even in its own field, being merely a preliminary working list for the use of scientific investigators.

ALCOHOL (PHYSIOLOGICAL EFFECTS OF).

Chiefly Experimental Data.

Albertoni (P.) & **Lussana** (F.) Sull'alcool, sull'aldeide e sugli eteri vinici. Sperimentale, Firenze, 1874, 4. s., xxiv, 468; 563; 722. (Experiments on animals.)—**Albertoni** (P.) Sulla formazione e sul contegno dell'alcool e dell'aldeide nell'organismo. Ann. di chim. e di farm., Milano, 1887, vi, 4. s., 250. *Also, transl.*: J. de méd., chir. et pharmacol., Brux., 1887, lxxxiv, 715-721. (Summary of experiments on dogs and rabbits. No details given.)—**Andreesen** (A.) * Ueber die Ursachen der Schwankungen im Verhältniss der rothen Blutkörperchen zum Plasma. 8°, Dorpat, 1883, 54 pp. (Strong alcohol increases the number of red corpuscles, and this is followed by a decrease. With dilute alcohol the number decreases at once.)—**Anstie** (F. E.) The alcohol question. Lond. M. Rev., 1861-2, ii, 414; 459. (General summary.) *See also*: — On the theory of alcoholic stimulation in pyrexial diseases. Lancet, Lond., 1868, i, 120-122. — Stimulants and narcotics, their mutual relations [etc.]. 8°, London, 1864. — The same. 8°, Philadelphia, 1865, xxiv, 414 pp.

On the use of wines in health and disease. Practitioner, Lond., 1870, iv, 219, 286, 349; v, 89, 160, 122. *Also, reprint.* (Favors the use of wine, especially of light wines, as an article of diet, and advises as to their use in disease.)

— Remarks on certain recent papers on the action of alcohol. Practitioner, Lond., 1873, xi, 361; 422. (General review—interesting but no original matter.) — Final experiments on the elimination of alcohol from the body. *Ibid.*, 1874, xiii, 15-28. (Original experiments. Valuable.)—**Baer** (A.) Der Alcoholismus, seine Verbreitung, und seine Wirkung auf den individuellen und sozialen Organismus sowie die Mittel ihn zu bekämpfen. 8°, Berlin, 1878, 621 pp. (Useful statistical data.)—**Baudot** (E.) De l'alcool; de sa destruction dans l'organisme. Union Méd., Par., 1863, 2. s., xx, 273; 357; 374; 390; 1864, 2. s., xxi, 40. *Also, transl.* [Abstr.]: Schmidt's Jahrb., Leipz., 1864, cxxi, 277.

(Alcohol ingested in moderate quantities in form of wine, etc., is not eliminated by the urine. In exceptional cases small amounts can be recovered in the urine. Alcohol is destroyed in the organism and is a respiratory food in Liebig's sense. *See, infra*, PERRIN (M.) for a reply.)—**Béchamp** (A.) Sur la fermentation alcoolique et acétique spontanée du foie, et sur l'alcool physiologique de l'urine humaine. Compt. rend. Acad. d. Sc., Par., 1872, lxxv, 1830. (Author finds alcohol in fresh urine of persons abstaining entirely from alcoholic liquors). *See also*: Compt. rend. Acad. d. Sc., Par., 1878, lxxxvi, 886.—**Béchamp** (J.) Sur la présence de l'alcool dans les tissus animaux pendant la vie et après la mort, dans les cas de putréfaction, au point de vue physiologique et toxicologique. Compt. rend. Acad. d. Sc., Par., 1879, lxxxix, 573. *Also*: J. d. pharm. et chim., Par., 1879, xxx, 504.—**Berg** (E.) Ueber den Einfluss der Zahl und Tiefe der Athembewegungen auf die Ausscheidung der Kohlensäure durch die Lungen. IV. Versuche, angestellt nach Genuß von Alkohol. Arch. f. Klin. Med., Leipz., 1869, vi, 373.—**Bernard** (C.) Influence de l'alcool et de l'éther sur les sécretions du tube digestif, du pancréas et du foie. Compt. rend. Soc. de biol., 1856, Par., 1857, 2. s., iii, 30-32. *Also*, Gaz. méd. de Par., 1856, 3. S., xi, 295.—**Bikfalvi** (Karl.) Orvos-Termissettudományj's értesite. Kolossvár, 1885, 131. *Also, transl.* [Abstr.]: Ueber die Einwirkung von Alkohol, Bier, Wein, etc., auf die Verdauung. Jahresb. ü. d. Fortschr. d. Thierchem., Wiesbad., 1885, xv, 273. (Alcohol, even in small quantities, retards gastric digestion; to a less degree it retards conversion of starch into sugar. Beer, even in small quantities, has an unfavorable action on digestion. Wines, in small quantities, either show no action on digestion or a favorable one. Large quantities retard digestion.)—**Binz** (C.) Ueber die antipyretische Wirkung von Chinin und Alkohol. II. Arch. f. path. Anat., etc., Berl., 1870, li, 153. (In healthy animals and

in man, when sufficiently large doses of alcohol are taken to affect the temperature at all, the latter is lowered, though the fall may be slight and temporary. The antipyretic action of alcohol is independent of the regulation of the heat center. Only traces of alcohol were found in the urine.) — Die Wirkung des Alkohol auf die Temperatur des gesunden Menschen. *Ibid.*, 1871, liii, 529. (Doses of 15 to 80 cc. 80 per cent. alcohol lower the temperature somewhat in man, and less in those accustomed to alcoholic liquors than in others.) — On some effects of alcohol on warm-blooded animals. *J. Anat. & Physiol.*, Lond., 1863-4, viii, 233. (Moderate doses of alcohol lower temperature in man and in warm-blooded animals. This effect is specially marked in fevers, but is not very lasting. Alcohol may act as a food.) — Die Ausscheidung des Weingeistes durch Nieren und Lungen. *Arch. f. exper. Path. u. Pharmakol.*, Leipzig, 1876-7, vi, Hft 5-6. *Also* [Abstr.]: *Jahresb. ü. d. Fortschr. d. Thierchem.*, Wiesbad., 1877 (1878), vii, 327. (The urine, after introduction of alcohol into the body, contained only traces of alcohol. The expired air contained no alcohol.) — "Alkohol, Alkoholismus;" *Real-Encycl. d. ges. Heilk.*, Wien, 1880, i, 180-194. — Ueber Alkoholgenuss. *Centralbl. f. allg. Gsndtspflg.*, Bonn, 1882, i, 131-145. (A valuable summary paper, without details of data.) — Der Weingeist als Heilmittel. *Verhandl. d. Cong. f. innere Med.*, Wiesb., 1888, vii, 71-85.

Der Weingeist als Arzneimittel. *Centralbl. f. klin. Med.*, Leipzig, 1891, xii, 1-9. (In experiments on rabbits, injection of 0.2 to 0.25 grms. alcohol diluted with 2 vols. water into the veins always produced a marked increase in volume of air expired. This increase was maintained for one hour after injection. Subcutaneous injection gave less marked results.) — **Blumenau** (E. B.) # K vopros o dejstvii alkoholy a na otravlyenie jeludku u zaorovych. (Effect of alcohol upon functions of healthy stomach.) 8°, St. Petersburg, 1890, 59 pp., 1 l. *Also, transl.*: *Therap. Monatsh.*, Berl., 1890, v, 504. (25 to 50 per cent. alcohol introduced into the empty stomach leads to increased secretory activity. In the course of two or three hours digestion is retarded. The acidity and volume of acid (HCl) is decreased. In following two to three hours there is increased secretion, and acidity and volume of HCl increases to nearly double the previous amount.) — **Bodlaender** (G.) Die Ausscheidung aufgenommenen Weinsteistes aus dem Körper. *Arch. f. d. ges.*

Physiol., Bonn, 1883, xxxii, 398. (In man excretion of alcohol by the kidneys occurs chiefly during first hour after its ingestion, with slight excretion in second hour and only traces in the third. No large amounts of alcohol leave the system unoxidized. At least 95 per cent. of the quantity introduced is oxidized to H_2O and CO_2 . Concludes: That alcohol is valuable as a therapeutic agent rather than as a food-stuff.) —

Ueber den Einfluss des Weingeistes auf den Gaswechsel. *Ztschr. f. klin. Med.*, Berl., 1886, xi, 548-563. (A Bonn research. Review of literature, and experiments on dogs with dilute alcohol.) —

Die Wasserausscheidung durch die menschliche Haut nach Aufnahme von Weingeist. *Ztschr. f. klin. Med.*, Berl., 1887-8, xiii, 401-415. (Alcohol usually decreases somewhat the elimination of water by the skin and the giving off of heat. Constant results not obtained.) — **von Boeck** (H.) u. **Bauer** (J.). Einfluss des Alkohols auf den Gaswechsel. *Ztschr. f. Biol.*, München u. Leipzig, 1874, x, 361. (Experiments on dogs. Small quantities of alcohol produce a decrease in the excretion of CO_2 and absorption of oxygen. Larger quantities bring about an increase. The after effects resemble those produced by small doses.) — **Bonnafous** (M.-J.) * De l'alcool au point de vue toxicologique. 4°, Montpellier, 1884, 46 pp. (Summary review. No original experiments.) —

Bouchardat et Sandras. De la digestion des boissons alcooliques, et de leur rôle dans la nutrition. *Ann. de chim. et phys.*, Par., 1847, 3. s., xxi, 448. (Experiments on animals. Alcoholic fluids undergo no changes in the digestive tract; their absorption takes place especially in the stomach. Alcohol introduced into the circulation is not eliminated in the secretions; a small part is removed by the lungs. Introduced in large quantities, it may give rise to asphyxia. It can be directly converted into H_2O and CO_2 , but acetic acid was frequently obtained as an intermediate product. Alcohol is changed in the economy more rapidly than dextrose.) — **Bouvier** (C.). Untersuchungen ueber die Wirkung des Alcohols auf die Körpertemperatur. *Arch. f. d. ges. Physiol.*, Bonn, 1869, ii, 370. *Also* [with additions]: 8°, Bonn, 1869, 28 pp. (Experiments on animals in laboratory of Prof. Binz. Small doses of alcohol lower body temperature, and the pulse rate is increased; this effect is not lasting. Larger doses lower the temperature several degrees; the pulse becomes fuller and the rate increases. Alcohol can lower the temperature in fevers, but it must be

used continually and in not too small doses.) — **Pharmakologische Studien ueber den Alkohol.** 8°, Berl., 1872, 64 pp. (Gives results of experiments on dogs and rabbits, showing the effects of temperature, etc.) — **Bowditch** (H. P.) Alcohol as a nutritive agent. Boston M. & S. J., 1872, lxxxvi, 413. (Mainly a translation of Voits' views on the subject.) — **Brandt** (J.) Ueber Resorption und Secretion im Magen und deren Beeinflussung durch Arzneimittel. Ztschr. f. Biol., München u. Leipz., 1893, xxix, 277. (In experiments on dogs alcohol greatly increased the absorption of dextrose and of peptone, and is completely and rapidly absorbed from the stomach without undergoing any changes whatsoever.) — **Brown-Séquard.** Recherches sur une cause de mort qui existe dans un grand nombre d'empoisonnements. Compt. rend. Soc. de biol., Par., 1849, i, 102-104. Also: J. de la physiol de l'homme, Par., 1859, ii, 457. — **Brunton** (T. L.) The physiological action of alcohol. Proc. M. Soc. Lond., 1875-7, iii, 36-43. (General statements — no details of research.) Also: Practitioner, Lond., 1876, xci, 57; 118. — **Brunton** (T. L.) & **Martin** (S.) The action of alcohol and aldehydes on proteid substances. J. Physiol., Lond., 1891, xii, 1. (The higher alcohols in the series have a less powerful action in precipitating and coagulating proteids than the lower ones. Allyl alcohol is an exception, and is the only alcohol which coagulates albuminoes.) — **Buchner** (W.) Ein Beitrag zur Lehre von der Einwirkung des Alkohols auf die Magenverdauung. Deutsches Arch. f. Klin. Med., Leipz., 1881, xxix, 537. (Experiments in artificial gastric digestion showed that until the digestion mixture contained 10 per cent. of alcohol the latter had no influence upon the peptic action; from 10 to 20 per cent. alcohol retarded digestion. When alcohol was present in quantities over 20 per cent. digestion was inhibited entirely. Diluted beer retarded digestion, while undiluted beer completely stopped it. Various wines retarded digestion. In the human stomach alcohol, wine, and beer all retarded digestion, though not so markedly as in artificial digestion. We must consider the absorption processes in this latter case.) — **Cadéac** (C.) & **Meunier** (A.) Recherches expérimentales sur les essences. Contribution à l'étude de l'alcoolisme; étude physiologique de l'eau d'arquebuse ou vulnéraire. 8°. Paris, 1892. 514 pp. — **Cailliol de Poncy** (O.) Action du rouge de Bordeaux sur la digestion. Marseille méd., 1886, xxiii, 194-198. (Study of effects of a substance used to

color wines artificially. It contained no arsenic. Experiments on cats and guinea-pigs and on artificial digestion. Diminishes urea and retards digestion of albuminooids.) — **Cameron** (C. A.) On the toxic principles present in certain kinds of whisky. Dublin J. M. Sc., 1880, 3, s., lxix, 414-422. (Aldehyd and amyl alcohol in new whisky. General statements. No experiments.) — **Castillo** (J. D.) The physiological action of alcohol on the circulation. Phila. M. Times, 1880-1, xi, 44-46. (Summary of papers of Parkes, Wallowicz, and of Dogiel. No original data.) — **Chittenden** (R. H.) The influence of alcohol on proteid metabolism. J. Physiol., Lond., 1891, xii, 220. (Experiments on dogs. Conclusions: Alcohol has no striking specific action on proteid metabolism. It acts, in the main, simply as a non-nitrogenous food, having the power to diminish somewhat the general metabolism of proteid matter, thus conserving the tissues. Alcohol manifests a tendency to increase the excretion of uric acid.) — **Cloquet** (Jules). Heureux effets de l'action des alcooliques portée jusqu'à l'ivresse dans le cas de morsure par certaines serpents; observation de M. de la Gironniere. Compt. rend. Acad. d. Sc., Par., 1861, lii, 740. (Therapeutic; brief note.) — **Combemale.** See *infra*, Mairet et Combemale. — **Congrès international pour l'étude des questions relativ à l'alcoolisme**, tenu à Paris du 13 au 16 août 1878. 8°, Paris, 1879, 302 pp., 4 maps. — **Cosgrave** (E. MacD.) Report on experiments on the exact action of alcohol. Dublin J. M. Sc., 1891, xcii, 185-193. (Review of literature. Nothing original.) — **Couty**. De l'action des alcools sur l'excitabilité du cerveau. Compt. rend. Soc. de biol., Par., 1883, 7, s., v, 65. (Brief summary of experiments on dogs. No details given.) — **Crampton** (C. A.) Fermented alcoholic beverages, malt liquors, wine, and cider. UNITED STATES Department of Agriculture, Division of Chemistry, Bull. No. 13, 1887, pt. 3, pp. 259-399. (Gives methods and results of examinations of beers and wines with reference to adulterations. Little or no adulteration was found in the beers. Of 70 samples of wine examined, one was artificially colored, eighteen had received an addition of salicylic acid, and thirteen had been preserved by sulphurous acid. The cider was not adulterated.) — **Cros** (A.-F. A.) * Action de l'alcool amylique sur l'organisme. 4°, Strasbourg, 1863, 1 pl., 38 pp. (Could find but three notes on the subject, viz.: Pelletan (J. de Chem. Méd., etc., Par., 1, s., 1825, i, 81), Fürst (J. de

Chem. Méd., etc., Par., 3.s., 1845, i, 485), Schlossberger (Ann. d. Chem. u. Pharm., Leipz., 1850, lxxiii, 212). Gives results of experiments on animals and human beings. Valuable for reference.)—**Danillo** (S.) Influence de l'alcool éthylique et de l'essence d'absinthe sur les fonctions motrices du cerveau et sur celles de muscles de la vie de relation. Compt. rend. Acad. d. Sc., Par., 1882, xciv, 1435. (Experiments on dogs: The influence of alcohol in large doses on the motor functions of the brain is like that of other anaesthetics. Alcohol completely stops epileptic attacks, after injection of at least 1 gr. per kilo. of body weight. The arrest of the attack occurs in 15 to 20 seconds. Alcohol is not a true antidote for essence d'absinthe, any more than it is for strychnine.)—**Daub** (P.) Neue Versuche über Alkohol und Körpertemperatur. Centralbl. f. d. med. Wissensch., Berl., 1873, xi, 466–469. (Bonn research; repeated Rabow's experiments and made others. A criticism of Rabow.)—**Daub** (C.) *Ueber die Wirkung des Weingeistes auf die Körpertemperatur. 8°, Bonn, 1874, 1 pl., 28 pp., 2 l., 1 ch. (Experiments under the direction of Binz. Observations made on rectal temperatures in comparatively healthy persons.) *Also, in:* Arch. f. exper. Path. u. Pharmakol., Leipz., 1875, iii, 260–273. (Brief preliminary note to take date.)—**Dehn** (A.) Ueber die Ausscheidung der Kalisalze. Arch. f. d. ges. Physiol., Bonn, 1876, xiii, 356. (Samples of beer contained 0.472 and 0.402 gram. KCl per litre. Hence beer must be an important source of the K-salts in the urine in many cases.)—**Deitl** (M. J.) u. v. **Vintschgau** (M.) Das Verhalten der physiologischen Reactionszeit unter dem Einfluss von Morphium, Caffée, und Wein. (Aus dem physiol. Institut zu Innsbruck.) *Ibid.*, 1878, xvi, 369. (Small quantities of wine, slowly taken, usually shorten the reaction time. Very large quantities lengthen the reaction time. The results were not constant.)—**Demme** (R.) Besprechung mehrerer durch Einwirkung des Alkohols, bezw. alkoholischer Getränke, auf das Nervensystem des Kindes hervorgerufener Erkrankungen. Med. Ber. ü. d. Thätigk. d. Jenner'schen Kindersp. in Bern (1889), 1890, 18–44. (Summed up in his book published at Stuttgart, 1891.)

Ueber die Einwirkung des Alkohols auf den kindlichen Organismus. Wien med. Bl., 1891, xiv, 34; 52; 67. *Also, transl., in:* Wood's M. & S. Monog., 8°, N. Y., 1891, xii, 209–233. (Summed up in the following.) — Ueber den Einfluss des Alkohols auf den Organismus des Kindes. 8°, Stuttgart, 1891,

88 pp.—**Desplatz** (M. V.) Nouvelle méthode direct pour l'étude de la chaleur animale. J. de l'anat., et physiol., etc., Par., 1886, xxii, 213–223. *Also:* Compt. rend. Acad. d. sc., Par., 1886, cii, 321–323. (Experiments with rats receiving subcutaneous injections of alcohol, intoxicating doses, showed a marked diminution of metabolic changes and lessened production of heat.)—**Diaconoff** (D. L.) *K. voprosu o vlianii alkoholya na ausvoyenie i obmien azota u goryachechnikh. [Influence of alcohol upon assimilation and exchange of nitrogen in fever.] 8°, St. Petersburg, 1890, 67 pp., 2 l.—**Dogiel** (J.) VIII. Ueber einige einatomige gesättigte Alkohole in pharmakologischer Beziehung. Arch. f. d. ges. Physiol., Bonn, 1874, viii, 604. (Ethyl alcohol is taken up from stomach by lymphatics as well as veins. It acts as such, and not through its oxidation products. The blood of an animal under its influence coagulates more slowly and yields less fibrin than normal blood. It quickly stops ameboid movements of colorless corpuscles, checks the purification of arterial blood, causes an acceleration, followed by slowing of heart beat, first raises, then lowers the arterial tension, increases, then decreases the rapidity of the circulation in the carotid artery. Respiration is accelerated with small quantities and decreased with larger ones. Body temperature is lowered. Irritability of motor and sensory nerves is increased, then lowered. Action of alcohol on the nervous system is a direct one. Methyl, propyl, butyl and amyl alcohol act similarly to ethyl, the intensity of the action increasing with the complexity of the molecule. Many other important results.)

Zur Kenntniss der Eiweissreaktionen und von dem Verhalten des Albumins der lichtbrechenden Medien des Auges. *Ibid.*, 1879, xix, 340. (Strong increase of blood pressure by injection of ethyl alcohol into the carotid artery.) *See, also:* Arch. f. d. ges. Physiol., Bonn, 1874, viii, 604.—**Druitt** (R.) Report on the cheap wines from France, Germany, Italy, etc., 8°, London, xii, 180 pp., 1865. — The same. 2. ed., 1873. (Reprint of a series of articles in the Medical Times and Gazette, 1863–1864. Good popular treatise on the use of various wines from the point of view of one who considers them an useful article of diet.)—**Duchek** (A.) Ueber das Verhalten des Alkohols im thierischen Organismus. Vrtljschr. f. prakt. Heilk., Prag, 1853, xxxix, 104–133. (Experiments with aldehyd, fusel oil, and absolute alcohol on dogs. De-

tails given. 20 experiments. 1. Alcohol undergoes a continual oxidation in the system, and the intermediate resulting products can be found in the blood. 2. The intoxication is connected with the aldehyd found in the blood. 3. The aldehyd acts by withdrawing oxygen from the blood. 4. In this way the combustion of other substances, and metabolism itself, is hindered.)—

Duggan (J. R.) On the influence of alcohols on the conversion of starch by diastase. *Stud. Biol. lab., Johns Hopkins Univ., Balt.*, 1884-87, iii, 483-490. (Experiments with ethyl, methyl, and propyl alcohol, etc., in artificial digestion. Conclusions: Their activity increases on addition of each CH group, as is shown by the first five members of the primary series. Their activity decreases on addition of each OH group, e. g., glycol and glycerol have but little action, especially the latter, while maunitol has none at all.)—**Dujardin-Beaumetz**. Communication sur l'action toxique des divers alcools. *Cong. périod. internat. d. sc. méd. Compt.-rend.*, 1884, Copenh., 1886, iv, Seet. de méd. pub. et d'hyg., 114-121. (Summary of results; details not given. Refers to previous work with Audigé.)

(The toxicity of monatomic alcohols appears to depend upon their origin, their solubility, and their changes in the body. Ethyl alcohol lowers temperature. Brandies increase in toxicity with their content of products with high boiling points.)—**Dujardin-Beaumetz et Audigé**. Sur les propriétés toxiques des alcools par fermentation. *Compt.-rend., Acad. d. sc., Par.*, 1875, lxxxi, 192-194. (A study of the relative toxic action of ethyl, propyl, butyl, and amyl alcohol on dogs. Results: 1. The toxic action increases in intensity as the alcohols ascend in the series. 2. For the same alcohol a more intense action is obtained when it is introduced into the stomach than by way of the skin. 3. The toxic phenomena are in general alike for all the alcohols.)—De l'action toxique des alcools méthyllique, caprylique, hexanthylique et cétylique. *Ibid.*, 1876, lxxxiii, 80. (The law of the quantitative relationship between the size of the molecule and physiological activity (which holds for the alcohols of fermentation) ceases to apply to the higher monatomic alcohols, probably due in part to their lesser solubility. When mixed with another alcoholic fluid they show considerable toxic action.)—**Dumouly** (M.). *Recherches cliniques et expérimentales sur l'action hypothermique de l'alcool. 4°, Paris, 1880, 110 pp. (Mainly a compilation,

but gives some experiments on dogs.)—**Dupré** (A.) On the elimination of alcohol. *Proc. Roy. Soc. Lond.*, 1871-2, xx, 107; 268. *Also [Abstr.]*: *Practitioner, Lond.*, 1872, viii, 148; 224. (Alcohol is destroyed by the system. The elimination of alcohol following ingestion of a dose of alcohol ceases in 9 to 24 hours. The amount of alcohol eliminated in both breath and urine is a minute fraction only of the amount taken.)

The physiological action of alcohol: An answer to Dr. Subbotin. *Practitioner, Lond.*, 1872, ix, 28-34. (Critical review. No original matter.)—**Eagleton** (S. P.) The action of alcohol upon the circulation when continuously injected. *Univ. M. Mag., Phila.*, 1889-90, ii, 638-648. (Experiments on dogs, showing action of pure alcohol on the heart.)—

Ebstein (W.) Ueber die Veränderungen welche die Magenschleimhaut durch die Einverleibung von Alkohol und Phosphor in den Magen erleidet. *Arch. f. path. Anat.*, etc., Berl., 1872, iv, 469-480. (Histological study of the gastric mucous membrane after introduction of varying amounts of corn brandy into stomachs of starving dogs.)—**Emerson** (E. W.) Stimulants and narcotics. Notes for the use of teachers in the public schools. 8°, [1887], 12 pp. Privately printed. (Intended to counteract the dogmatic temperance instruction commonly given in schools of Massachusetts. Clear and sensible advice.)—**Engesser** (H.) Das Pankreas. Seine Bedeutung also Verdauungsorgan u. seine Verwerthung als diätetisches Heilmittel. 8°, Stuttgart, 1877, 53 pp. *Also [Abstr.]*: Schmidt's Jahrb., Leipzig, 1878, clxxix, 139. (Author finds that 10 per cent. alcohol retards artificial pancreatic digestion; 20 per cent. alcohol stops digestion entirely.)—**Esler** (W.) On whiskey: what is it and what it does. *Dublin J. M. Sc.*, 1882, 3. s., lxiii, 257-264. (That Irish whiskey is one of the best forms of alcoholic stimulant for therapeutical purposes.)—**Exner** (S.) Experimentelle Untersuchung der einfachsten psychischen Prozesse. *Arch. f. d. ges. Physiol., Bonn*, 1873, vii, 628. (Reaction time increased from 0.1904 sec. to 0.2969 sec. after drinking two bottles of Rheinwein.)—**Felton** (A. D.) Thermometric observations pertaining to the effect of alcohol on animal temperature. *Med. Rec., N.Y.*, 1876, xi, 584-586. (General statements; no details.)—**Fick** (A.) Die Alkoholfrage. 8°, Würzburg, 1892, 16 pp. (General discourse; interesting, but no scientific data.)—**Fiedler** (A.) Ueber Morphiumsucht. *Jahresb. d. Gesellsch. f. Nat. u. Heilk. in Dresden*, 1875-1876, 173-191. *Also [Abstr.]*:

Schmidt's Jahrb., Leipz., 1872, clxxii, 237. (Resemblance between symptoms of alcohol habit and those of morphine habit.)—**Fokker** (A. P.) Over den invloed van alcohol op de temperatuur en de Ureumuitscheiding. Nederl. Tijdschr. v. Geneesk., Amst., 1871, 2. s., vii, 125-136. (Original experiments.)—**Fourrier**. De l'emploi de l'alcool dans la fièvre typhoïde et dans le choléra infantile. Bull. gén. de thérap., etc., Par., 1873, lxxxv, 241; 292. (Clinical.)—**Foville** (A., fils). De l'influence de l'alcoolisme chronique sur la responsabilité criminelle. Ann. d'hyg., Par., 1875, 2. s., xlivi, 379. *Also, transl.* [Abstract]: Alkoholismus. Schmidt's Jahrb., Leipz., 1876, clxix, 63. (Medico-legal.)—**Frick** (A.) Der Einfluss der geistigen Getränke auf die Kinder. 12*, Bremerhaven u. Leipzig, 1892, 24 pp. (Popular treatise; nothing new.)—**Füth** (J.) *Ueber den Einfluss des Weingeistes auf Sauerstoff Aufnahme und Kohlensäureausscheidung. 8°, Bonn, 1885, 47 pp. (Experiments on the dog and on rabbits. Concludes that pure alcohol checks the exchange of oxygen and carbonic acid.)—**Gänge** (C.) Beiträge zur chemischen und spectroskopischen Prüfung von Rothweinen. Arch. d. Pharm., Halle, 1880, 3. R. xvii, 161-173. (Methods of testing for added coloring matters.)—**Gaubert**. Essai d'une classification des différentes espèces de vins au point de vue de la santé et de l'hygiène. Monit. Scient., Par., 1857, i, pt. 1, 233-248. (Extract from his book, "Étude sur les vins et les conserves alimentaires," Par., 1857, 8°. General remarks of an experienced wine-drinker. Not specially scientific.)—**von Geppert** (J.) Die Einwirkung des Alkohols auf den Gaswechsel des Menschen. Arch. f. exper. Path. u. Pharmakol., Leipz., 1887, xxii, 367-384. (Experiments on four men. Alcohol produces no striking action on the consumption of oxygen or the secretion of CO₂. The readily oxidizable alcohol is oxidized in the body by the available oxygen, and thus saves other substances.)—**Gibbs** (W.) u. **Reichert** (E. T.) Systematische Untersuchungen der Wirkung constitutionell verwandter chemischer Verbindungen auf den thierischen Organismus. Arch. f. d. ges. Physiol., Bonn, 1893 (Suppl.-Bd.), 201. (Experiments made after injecting various alcohols into the veins of animals. The various alcohols—propyl, butyl, heptyl, octyl, allyl, benzyl, cumin—all resemble ethyl alcohol in their action. Their toxicity increases as they ascend in the series.) *Also, transl.*: Am. Chem. J., Balt., 1891, xiii, No. 6.—**Glaser** (K.) Ueber den Einfluss alkoholischer Getränke auf das

Harnsediment des normalen Menschen. Deutsche med. Wehnschr., Leipz., 1891, xvii, 1193-1198. (Observations on sediments of urine collected by means of centrifugal machine made on patients in the clinic of Professor v. Jakob; in all on a series of 106 persons who used beer in greater or less quantities. Of little practical interest.)—**Gluzinski** (U. A.) D zi alanie wyskoku na cynamocie zotadku ludzkiego tak w stanie fizyolog. jak i patolog. (Effect of alcohol on functions of human stomach, from a physiological and pathological point of view.) Medycyna, Warszawa, 1885, xiii, 349; 365; 386; 402. *Also, transl.*: Deutsches Arch. f. klin. Med., Leipz., 1886, xxxix, 405-430. (Review of literature, and experiments on human beings with brandy and with dilute alcohol. Alcohol quickly disappears from the stomach; no aldehyd can be detected in the stomach. Two periods occur during stomach digestion in presence of alcohol: 1. Retardation of proteid digestion; 2. Secretion very active, strongly acid gastric juice. With use of alcohol, the secretion of gastric juice after completion of digestion is somewhat prolonged. The influence of alcohol in pathological conditions is considered.)—**Godfrin** (A.) *De l'alcool, son action physiologique, ses applications thérapeutiques. 4°, Paris, 1869, 92 pp.—**Grebe** (L.) Experimentelle Beiträge zur Wirkung des Weingeistes. Berl. klin. Wehnschr., 1879, xvi, 666-671. (Experiments on horses with rum, brandy, whiskey, and absolute alcohol with regard to the effects on temperature.) — Experimentelle Beiträge zur Wirkung des Weingeistes. Arch. f. Wissensch. u. prakt. Thierh., Berl., 1882, viii, 71-90. (Experiments on dogs, showing the effects of alcohol on temperature.)—**Grehant**. Mesure de la quantité d'alcool contenue dans le sang artériel pendant l'ivresse alcoolique. Gaz. méd. de Par., 1881, 6. s., iii, 693. (After one hour the blood in the femoral artery of an intoxicated animal contained 0.51 vol. per cent. alcohol.) — A quelle dose l'alcool doit-il se trouver dans le sang pour produire la mort? *Ibid.*, 1882, 6. s., iv, 95.—**Gros** (A. F. A.) *L'action de l'alcool amylique sur l'organisme. 4°, Strasbourg, 1863, 37 pp.—**Guilebeau** (A.) u. **Luchsinger** (B.) Fortgesetzte Studien zu einer allgemeinen Physiologie der irritablen Substanzen. (Ein Beitrag zur Kenntnis des Centralmarkes der Annelida Cuvieri.) Arch. f. d. ges. Physiol., Bonn, 1882, xxviii, 15. (Action of alcohol on annelid worms.)—**Gutnikow**

(Z. V.) O vlijanii alkoholja C_2H_6O na Kroveobratschenie. [Action of alcohol on the circulation.] Arch. psychiat., etc., Charkov., 1891, xviii, No. 1, 1-33. Also, transl.: Klin. u. exper. Stud. . . . Lab. v. Basch., Berl., 1892, ii, 108-125. (Experiments on curarized dogs; good work.) — **Hammod** (W. A.) The physiological effects of alcohol and tobacco upon the human system. Am. J. M. Sc., Phila., 1856, n. s., xxxii, 305-320. (Details of personal experiments. Alcohol increases body weight by retarding catabolism of tissues and accelerating the building up of fresh tissues. It restricts breaking down of fat tissue. Alcohol decreases elimination of CO_2 and H_2O by the lungs; it also diminishes the amount of feces and urine; elimination of chlorine, phosphoric acid, and sulphuric acid is decreased.) — **Physiological Memoirs.** (The physiological effects of alcohol upon the human system.) 8°, Phila., 1863, 348 pp.—**Hare** (H. A.) The influence of beer on salivary and gastric digestion. Med. News, Phila., 1887, I, 649. (About 15 kinds treated. Some accelerate the process, few retard it.) **Harley** (G.) On the influence of physical and chemical agents upon the blood. Alcohol. Phil. Tr. Lond., 1865, v, 155, 717. (The action of alcohol is to restrain the transformations occurring in the blood, upon which the exhalation of CO_2 depends, and to diminish the consumption of oxygen. It is impossible to arterialize properly blood mixed with alcohol. Such blood will yield no crystals. Alcohol does not destroy the corpuscles nor set the haematin free.) — **Hasse** (O.) Vortrag über die Heilung von Lipomen durch Alkoholinjectionen. Tagebl. d. Versamml. deutsch. Naturf. u. Aerzte, Leipz., 1872, xlv, 170.—**Hemmeter** (John C.) On the comparative physiological effects of certain members of the ethylic alcohol series (CH_3O to $C_5H_{12}O$) on the isolated mammalian heart. Stud. Biol. Lab. Johns Hopkins Univ., Balt., 1887-1890, iv, 225. (The physiological activity of the alcohols increases with the complexity of the molecule, with the exception of the second member (ethyl alcohol), which is weaker than methyl alcohol. The physiological activity increases as the temperature increases.) — **Henrijean** (F.) Sur le rôle de l'alcool dans la nutrition. Bull. Acad. roy. de méd. de Belg., Brux., 1883, 3. s., v, 113. (Preliminary communication; experiments; increased absorption of oxygen after the ingestion of alcohol. Alcohol is a food.) — **Hermann** (L.) Lehrbuch der experimentellen Toxicologie. 8°, Berlin, 1874, 396 pp. — **Notizen**

neber einige Gifte der Curaregruppe. (Ueber eine curareartig wirkende Substanz in Bieren.) (Aus dem physiol. Lab. in Zurich). Arch. f. d. ges. Physiol., Bonn, 1878, xviii, 458. (Extracts of certain kinds of beer, shown chemically to be free from curare, produced curare-like action in frogs when the dose was sufficiently large.) — Ueber die Wirkungsweise einer Gruppe von Giften. Arch. f. Anat. u. Physiol., Leipz., 1866, 27. (Describes the effects of alcohol vapor on blood.) — **Heubach** (H.) * Ueber die Ausscheidung des Weinsteiges durch den Harn Fiebernder. 8°, Bonn, 1875, 22 pp. (Alcohol appears, after its ingestion by fever patients, in the urine in traces or not at all.) — Quantitative Bestimmung des Alkohols im Harn. Arch. f. exper. Path. u. Pharmakol., Leipz., 1877-8, viii, 446-448. (Gives the methods of investigation.) — **Hillyer** (E.) Physiological and pathological observations connected with the effects of alcoholic drinks upon the liver. Atlants M. & S. J., 1855-6, i, 133.—**Hoppe-Seyler**. In his: Physiologische Chemie. 8°, Berl., 1881, Theil iv, 957. (A brief review of literature referring to the action of alcohol on metabolism.) — **Hugounenq** (L. J.) * Recherches nouvelles sur les vins. [Paris] 4°, Lyon, 1891, 32 pp. Also: Lyon méd., 1891, lxvi, 289-303. Also: Ann. d'hyg., Par., 1891, 3. s., xxvi, 5-21. Also, transl. [Abstr.]: Centralbl. f. klin. Med., Bonn, 1891, xii, 698. (Effects of different constituents of wines on artificial digestion; twelve series of experiments. Artificial digestion experiments indicate that wine has a deleterious action on digestion.) — **Jacobi** (W.) * Die Wirkungen des Alkohols, mit besonderer Rücksicht auf die verschiedenen Grade der Verdünnung mit Wasser. 8°, Marburg, 1857, 48 pp., 1 l. (Experiments on pigeons, rabbits, and cats.) — **Jaillet**. Transformation de l'alcool dans l'organisme. Bull. gén. de thérap., etc., Par., 1881, ci, 121-125. — * L'Aleool, sa combustion, son action physiologique, son antidote. 8°, Paris, 1884, 178 pp. (Original experiments and observations.) — **von Jaksch** (R.) Der Weingeist als Heilmittel. Verhandl. des VII. Congreses f. innere Medicin. 8°, Wiesbaden, 1888, 86-133. — **von Kahlden** (C.) Experimentelle Untersuchungen über die Wirkung des Alkohols auf Leber und Nieren. Beitr. z. path. Anat. n. z. allg. Path., Jena, 1890, ix, 349-379. (A summary paper with experiments on dogs, rabbits, and fowls.) — **Keller** (H.) Ueber den Einfluss des Äethylalcohols auf den Stoffwechsel des Menschen. Ztschr. f. Physiol. Chem., Strassb., 1889, xiii, 128.

(Experiments on the writer in the laboratory of Prof. Bunge show: 1. Noticeable diuretic action; 2. Slight decrease in N-excretion, followed by slight increase; 3. No increased excretion of PO; 4. Increased secretion of Cl. Used pure diluted alcohol.) — **Klemperer** (G.) *Alcohol und Kreosot als Stomachica.* Ztschr. f. klin. Med., Berl., 1890, xvii (Suppl. Bd.), 324. (Alcohol and creosote have little or no influence to increase the gastric secretion; both, however, increase the motor functions of the stomach markedly, as measured by the oil method.) — **Klencke** (P. F. H.) *Untersuchungen über die Wirkung des Brauntwein-Genusses auf den lebenden Organismus.* Eine wissenschaftliche Antwort auf die Enthaltsamkeitsfrage und das Nationalgutachten deutscher Ärzte. 8°, Braunschweig, 1848, 132 pp. (General discourse. No experiments.) — **Kletzinsky** (V.) *Note sur la question des alcools du commerce.* Cong. internat. p. l'étude d. questions rel. à l'alcoolisme, 1878, Par., 1879, 249–251. (Characteristics of various alcohols; effects of charcoal filtration. General statements only.) — **Klikowicz** (S.) *Ueber den Einfluss einiger Arzneimittel auf die künstliche Magenverdauung.* Arch. f. path. Anat., etc., Berl., 1885, cli, 376. (Artificial gastric digestion experiments made in Prof. Salkowski's laboratory. 5 per cent. alcohol caused slightly increased digestive action; 10 per cent. alcohol retarded digestive action. 15 to 30 per cent. completely checked the digestive action.) — **Klingemann** (F.) *Der Uebergang des Alkohols in die Milch.* *Ibid.*, 1891, exxvi, 72–80. (A Bonn research. A few good experiments in the human subject. With considerable quantities of alcohol (46–57 cc. per dose) no alcohol could be found in the milk. With larger doses slight, yet harmless, quantities may be found in the milk.) — **Kowalewsky** (N.) u. **Arnstein** (C.) *See Dogiel* (J.) *Ueber einige einatomige gesättigte Alkohole in pharmakologischer Beziehung.* Arch. f. d. ges. Physiol., Bonn, 1874, viii, 604. — **Kraepelin** (E.) *Ueber die Einwirkung einiger medicamentöser Stoffe auf die Dauer einfacher psychischer Vorgänge.* II. Abth. *Ueber die Einwirkung von Äthylalkohol.* Wundt's Philosophische Studien. 8°, Leipz., 1883, i, 573. — **Kretschy** (F.) *Beobachtungen und Versuche an einer Magenfistelkranken.* Deutsches Arch. f. klin. Med., Leipz., 1876, xviii, 527. (Alcohol retarded digestion in experiments with a woman having a gastric fistula.) — **Kulz** (E.) *Über Wirkung und Schicksal des Trichloräthyl- und Trichlorbutyl-alcohols im Thierorganismus.* Ztschr. f. Biol., Münch.

u. Leipz., 1884, xx, 157. (Chloral hydrate and butylchloral hydrate act as hypnotics in virtue of the trichlorethyl- and trichlorbutyl-alcohol respectively, which they give rise to by reduction in the body. They reappear in the urine as trichlorethyl- and trichlorbutyl-glyconic acid.) — **Laborde** (J.-V.) *L'alcool et sa toxicité; les alcools dits supérieurs et d'industrie, et les bouquets artificiels.* Bull. Acad. de Méd., Par., 1888, 2. s., xx, 470; 527. (Interesting experiments on convulsant substances in alcoholic drinks.) — **Lallemand** (L.), **Perrin** (M.), et **Duroy** (J.-L.-P.) *Du rôle de l'alcool et des anesthetiques dans l'organisme.* Recherches expérimentales. 8°, Paris, 1860, xii, 432 pp. (General conclusions are that alcohol is not changed in the system; that it is not a food, and that it is concentrated in the liver and brain. Work often quoted, but the conclusions have been invalidated by subsequent experimenters and it now has little value.) — *De l'action comparée de l'alcool, des anesthetiques et des gaz carbonés sur le système nerveux cérébro-spinal.* Compt. rend. Acad. d. Sc., Par., 1860, li, 400. (Experiments on dogs: "Ainsi l'action de l'alcool suspend complètement la sensibilité et la motrice de la moelle épinière et des cordons nerveux.") — **Latham** (P. W.) *Further observations on the transformation of alcohol and on the formation of alcohol and urea in the animal body.* Proc. Cambridge Phil. Soc., iv, 1, 198. (Theoretical exposition.) — **Legras** (A.-B.) **Contribution à l'emploi thérapeutique de l'alcool.* 4°, Par., 1866, 140 pp., 4 pl., No. 317. (Review of literature. Cases and sphygmograms. Favors use of alcohol as a remedy.) — **Lehmann** (K. B.) *Ueber die diuretische Wirkung des Bieres.* München med. Wehnschr., 1886, xxxiii, 942–944. (Gives results of experiments by Dr. Mori on himself.) — **Lewald**. *Untersuchungen ueber den Uebergang von Arzneimitteln in die Milch.* Habilitationsschrift, 8°, Breslau, 1857, p. 30. (In one experiment on a goat alcohol did not pass into the milk.) — **Lewin** (L.) *Ueber die Verwerthung des Alkohols in fiebervorhaften Krankheiten.* Deutsches Arch. f. klin. Med., Leipz., 1875, xvi, 564–574. (Experiments which show that alcohol lowers temperature in normal conditions, and also in fevers.) *See also:* Centralbl. f. d. med. Wissensch., Berl., 1874, xii, p. 593. — **Lewis** (W. B.) *The physiological action of alcohol in its relationship to animal heat, and its influence upon the vaso-motor nervous system.* J. Ment. Sc., Lond., 1880–81, xxvi, 20–31. (Ten experiments on rabbits with pure alcohol.) — **Lichtenfels** (R.) u.

Fröhlich (R.) Beobachtungen über d. Gesetze d. Ganges d. Pulsfrequenzen u. Körperwärme. II. Ueber den Einfluss der gebrauchlichsten Getränke, etc. Denkschr. d. Kaiserl. Akad. Wien. (Math.-Naturwiss. Kl.), 1852, iii, Abth. 2, 133. (After the ingestion of beer the pulse falls at first; the temperature is markedly lowered. After ingestion of wine the pulse falls in the first 10 to 20 minutes, then rises considerably. Temperature falls. After ingestion of alcohol the primary rise and secondary fall of pulse is observed, but no fall in temperature.) — **Lieben (A.)** Alkohol geht in den Harn über. Ann. d. Chem. u. Pharm., Leipz. u. Heidelb., 1870, vii (Suppl.-Bd.), 236. — **Macfadayan (A.)** The behavior of bacteria in the small intestine of man. Tr. Internat. Cong. Hyg. & Demog., Lond., 1892, xi, 60. (Study on a patient with fistulous opening into the ileum near the cæcum. The bacteria in the normal small intestine were isolated and their action on the contents of the intestine studied while the diet was varied. There were no putrefactive bacteria found; great variety of yeast fungi and other forms, and there was always a certain amount of ethyl alcohol, showing that it is being constantly produced by the bacteria in the digestive tract. See also: Untersuchungen über die chemischen Vorgänge im menschlichen Dünndarm. Arch. f. exper. Path., Leipz., 1890–91, xxviii, 311.) — **Magnus-Levy (A.)** Beiträge zur Kenntniss der Verdaulichkeit der Milch und des Brodes. Arch. f. d. ges. Physiol., Bonn, 1893, liii, 544–560. (In moderate doses alcohol does not interfere with the utilization of food.) — **Mainzer (M.)** *Ueber die Wirkung des Alkohols auf die Temperatur des gesunden Menschen. 8°, Bonn [1870], 30 pp., 1 l. (A summary of literature, with observations made on himself.) — **Mairet (A.) et Combemale.** Recherches expérimentales sur l'intoxication chronique par l'alcool. Compt.-rend. Acad. d. Sc., Par., 1888, evi, 757; 871. (Experiments on dogs. Changes produced in nervous and muscular systems by long-continued use of alcohol, with results of autopsies.) — **Maki.** Ueber den Einfluss des Camphers, Coffeins und Alkohols auf das Herz. 8°, Strassburg, 1884, 59 pp. (Fourteen experiments on frogs, cats, and rabbits.) — **Manassein (W.)** Zur Lehre von den temperaturherabsetzenden Mitteln. Arch. f. d. ges. Physiol., Bonn, 1871, iv, 283–301. (Experiments on rabbits with morphine, alcohol, etc.) — Ueber die Dimensionen der rothen Blutkörperchen unter verschiedenen Einflüssen

(Kälte, Chinin, Alkohol, etc.). 8°, Berlin, 1872, lxvi, 64 pp. — **Marcet (W.)** An experimental inquiry into the action of alcohol on the nervous system. Med. Times & Gaz., Lond., 1860, i, 214; 264. Also, Reprint. (Experiments on frogs and dogs. Insensibility from immersion in alcohol. Acute poisoning.) — **Martin (H. Newell) & Stevens (L. T.)** The action of ethyl alcohol on the dog's heart. Stud. Biol. Lab. Johns Hopkins Univ., Balt., 1883, ii, No. 4, 477. (Experiments on the isolated heart. When defibrinated blood containing one-half to one-fourth per cent. alcohol is supplied there is a rapid and marked diminution of the work done by the heart in a given time. Blood containing smaller percent. of alcohol exerts no influence. After action of alcohol is manifested the heart can often be restored to its original working state by supplying fresh blood.) — **Marvaud (A.)** Effets physiologiques et thérapeutiques des aliments d'épargne ou antidéperditeurs. 8°, Paris, 1871, 223 pp. Also, transl. [Abstr.]: J. Anat. & Physiol., Lond., 1871–2, vi, 500. (Alcohol exerts a general stimulant action on the cerebro-spinal nervous system; a retarding influence on the processes of disintegration; it lowers temperature; alcohol acts directly on the sensory apparatus of the cord and indirectly on the motor.) — L'alcool, son action physiologique. Son utilité, et ses applications en hygiène et en thérapeutique. 8°, Paris, 1872, 160 pp. (Some original experiments; a good summary for its date.) — **Masing (R.)** *De mutationibus spiritus vini in corpus ingest. 8°, Dorpat, 1854, 34 pp. (Gives a few experiments on dogs and a summary of the views of Duchec.) Also, [Abstr.] in: Schmidt's Jahrb., Leipz., 1855, lxxxvii, 22. (Alcohol enters the blood and organs as such. The transformation of even a small part of it into aldehyde or acetic acids cannot be demonstrated. The greater part of the alcohol ingested is eliminated unchanged by the lungs and kidneys.) — **Matkiewicz (F.)** Ueber die Wirkung des Alkohols, Strychnins und Opiums auf die reflexhemmenden Mechanismen des Frosches. Ztschr. f. rat. Med., Leipz. u. Heidelb., 1864, 3. R., xxi, 230–268. (17 experiments on frogs.) — **Mays (T. J.)** Is alcohol a food? Med. Rec., N. Y., 1876, xi, 661; 786. — **Meihuizen (S.)** Ueber den Einfluss einiger Substanzen auf die Reflexerregbarkeit des Rückenmarks. Arch. f. d. ges. Physiol., Bonn, 1873, vii, 217. (1 cc. alcohol (10 per cent.) greatly depresses the reflex excitability in frogs for some time; after recovery there is increased excitability.)

—v. Mering. Zur Glycogenbildung in der Leber. *Ibid.*, 1876–7, xiv, 277. (Action of higher alcohols in the rabbit: Erythrit ($C_4H_{10}O_6$) and quericit ($C_6H_{12}O_5$) have no influence on the formation of glycogen.) —Mitscherlich (C.G.) Ueber die Einwirkung des Alkohols und Äthers auf den thierischen Organismus. Med. Ztg., Berl., 1843, xii, 87–91. —

Lehrbuch der Arzneimittellehre. 2. ed., Berl., 1849, 8°, ii, 329. (Experiment of injection of one ounce of absolute alcohol into the stomach of a rabbit.) —

Miura (K.) Ueber die Bedeutung des Alcohols als Eiweisspärer in der Ernährung des gesunden Menschen. Ztschr. f. klin. Med., Berl., 1892, xx, 137. (Experiments; alcohol in considerable quantity cannot replace the protein sparing effect of carbohydrate diet. Alcohol appears rather to be a protoplasmic poison.) —Mogilganski (A. M.) * Materialy deja dietetiki alkoholja. Vlijanie alkoholoja na usvoenie i obmien azota i usvoenie jirov. (Contribution to dietetics of alcohol. Influence of alcohol upon assimilation and metamorphosis of nitrogen.) 8°, St. Petersb., 1889, 57 pp. —

Mommsen (J.) Beitrag zur Kenntniß von Erregbarkeitsveränderungen der Nerven durch verschiedene Einflüsse, insbesondere durch "Giftes." II. Alcohol. Arch. f. path. Anat., etc., Berl., 1881, lxxxiii, 273. (Alcohol produces complete disappearance of the excitability of the motor nerves, preceded by increased excitability; after removal of the cause the irritability returns more or less quickly and completely. There is a temporary decrease in the intensity of the nerve currents.) —Mulvany (J.) Alcohol as a generator of thermo-electric currents in the system: one of its modes of action. Lancet, Lond., 1875, ii, 164–167. (A curious report of observations showing deviation in a definite direction of a galvanometer by the use of brandy; also details of experiments in Ontario. Statements extremely improbable.) —

Munk (I.) Ueber die Frage ob Glycerin ein Nahrungsstoff ist. Arch. f. Physiol., Leipzig, 1878, 565. (Glycerine used in adulteration of beer and wine. Experiments on a dog in Salkowski's laboratory showed that glycerine did not change the output of N. Glycerine has no value as a food-stuff.) — Ueber den Einfluss des Alkohols und des Eisens auf den Eiweisszerfall. *Ibid.*, 1879, 163. (Experiments on dogs in Salkowski's laboratory. Small doses of alcohol decrease the output of N; large doses increase it.) Also [Abstr.]: Jahresh. ü. d. Fortschr. d. Thierchem., Wiesbad., 1878, viii, 310. —Nelke (J.) * Untersuchungen über parenchymatöse und subcutane

Alkohol-Injectionen. 8°, Greifswald, 1880, 24 pp., 1 l. (No special information.) —Nencki (M.) Die Alchoholfrage. Cor.-Blatt f. schweiz. Aerzte, Basel, 1884, xiv, 105–116. (An excellent summary by a skilled physiological chemist.) —

von Noorden (C.) Alkohol als Sparmittel für Eiweiss unter verschiedenen Ernährungsverhältnissen. Berl. med. Wehnschr., 1891, xxviii, 554–558. (Researches made on healthy men.) —Obernier (F.) Zur Kenntniß der Wirkungen des Weingeistes. Arch. f. d. ges. Physiol., Bonn, 1869, ii, 494–510. (A Bonn research. Detailed experiments: wine, alcohol. Criticism of Cuny Bouvier. Ordinary doses of alcohol do not lower body temperature. Administration of alcohol in man gave the following changes from normal in the urine:

1. Large increase in volume (1,900 cc.);
2. Decreased specific gravity (1010–1012);
3. Increased acidity;
4. Increase in urea (22.8–24.8g);
5. Alcoholic odor.) —

Ogáta (M.) Ueber den Einfluss der Genussmittel auf die Magenverdauung. Arch. f. Hyg., München ü. Leipz., 1885, iii, 204–214. —Ollive. Action résolutive de l'alcool employé comme topique dans les inflammations. Bull. Soc. clin. de Par. (1882), 1883, vi, 35–38. —Ollivier (Paul). Union méd., Par., 1877, 3. s., xxiii, 356; 375; 397. (Clinical. Alcohol in lymphatic leukaemia.) —Otto (J. G.) Fysiologiske Undersøgelser over Alcohol, Fuseloje og Brandevin. Christiania, 1886. (Fusel oil does not exist in sufficient quantities in brandy to be a cause in itself for the phenomena of acute alcoholic intoxication.) —

Pagès (C. F.) * Recherches sur les phénomènes produits par l'introduction des liqueurs alcoolisées dans les voies digestives. 4°, Par., 1815, 24 pp. (Nothing of importance.) —

Panum (P. L.) Untersuchungen über die physiologischen Wirkungen der comprimierten Luft. Arch. f. d. ges. Physiol., Bonn, 1868, i, 125. (Important for its methods of measuring expired air, but has no direct relation to alcohol.) —

Parkes (E. A.) & Wollowicz (C.) Experiments on the effect of alcohol (ethyl alcohol) on the human body. Proc. Roy. Soc., Lond., 1870, xviii, 362. (Valuable paper. The heart-beats increase in number. Alcohol did not apparently impede digestion or lessen temperature. An effect on the nervous system was not proved.) —

Experiments on the action of red Bordeaux wine (claret) on the human body. *Ibid.*, xix, 73. (Experiments on man. Marked effect on the heart; no unequivocal alteration of temperature; no alteration in elimination of nitrogen or phosphoric acid of wine; some augmentation of free

acidity of urine.) — Further experiments on the effect of alcohol and exercise on the elimination of nitrogen and on the pulse and temperature. *Ibid.*, 1872, xx, 402. (Experiments on man, with brandy. Elimination of nitrogen during exercise was unaffected by brandy. The heat of the body was unaffected by the amount given. Pulse was increased in frequency by 4 oz. brandy. No effect on phosphoric acid excretion during exercise.) — **Paschkouski** (I. T.) * K vosprosu o vlijanii ostrago umerennaga otravlenija alkoholem na usvoenie jirov. (Influence of moderate alcoholic intoxication on assimilation of fats.) 8°, St. Petersb., 1892, 32 pp., 11.—**Peeters** (J.-A.) L'alcool; physiologie, pathologie, médecine légale. 8°, Brux. & Par., 1885, 415 pp. (General review. No original experiments.) — **Pereles** (H.) u. **Sachs** (M.) Über die Wirkung von Ether, Chloroform und Alkohol auf das Leistungsvermögen motorischer und sensibler Nervenfasern des Frosches. Arch. f. d. ges. Physiol., Bonn, 1892, iii, 526. (After producing local anaesthesia of frog's ischiadicus with alcohol the conductivity disappears, first in the sensory, and then in the motor nerve fibers. On recovery the motor nerve fibers regain their conductivity before the sensory fibers.) — **Perrin** (M.) De l'alcool; de sa destruction dans l'organisme. Union méd., Par., 1863, 2. s., xx, 582-587. Also: J. de pharm. et de chim., Par., 1864, 3. s., 173. (Criticism of Bandot: Author maintains that alcohol is not a food, because, 1, it exists in the blood unchanged; 2, no trace of its transformation or destruction can be found; 3, it is eliminated through all excretory channels; 4, its toxic action.)

De l'influence des boissons alcooliques prises à doses modérées, sur la nutrition. Gaz. hebd. de méd., Par., 1864, 2. s., i, 565; 598; 627. Also, Reprint. Also: Gaz. d. hôp., Par., 1864, xxxviii, 370. (Experiments on man. Wine and beer.) — **Petit** (M. A.) Études sur les fermentations digestives. J. de thérap., Par., 1880, vii, 493. (Action of alcohol on solutions of pepsin. Ordinary wine does not interfere with peptic digestion.) — **Pick** (A.) Ueber die Einwirkung von Wein und Bier, sowie von einigen organischen Säuren auf die Cholera- und Typhus-Bakterien. Arch. f. Hyg., Münch. u. Leipz., 1893, xix, 51. (Gives results of investigations on the effects of wine and beer on cholera and typhus bacteria. Wines sterilized and mixed with sterilized water—one part to three. This mixture killed cholera vibrios in from five to ten minutes. The action did not depend on the alcohol, but on

their organic acids. German corn whisky undiluted killed cholera vibrios in five minutes; diluted one-half, in ten minutes; diluted with three parts water, did not kill them in five hours. Vienna and Munich beer undiluted killed them in about five minutes. The effects of the wines and beers on the typhoid bacteria were much less.) — **Presniakoff** (I. T.)

* K voprosu o vlijanii ostrago umerennago otravlenija alkoholem na usvoenie i obmien azota i kolichestvo srednei (nedokislennoi) siery v moche u zdorovych londei. [Influence of moderate use of alcohol on nitrogenous metabolism and on the quantity of sulphur dioxide in the urine in healthy people.] 8°, St. Petersb., 1892, 60 pp. — **Freyer** (W.) Ueber die Eigenschaften des Haemoglobins und des Methaemoglobins. (Ueber das Verhalten des Sauerstoffhaemoglobins zu einigen Alkoholen, etc.) Arch. f. d. ges. Physiol., Bonn, 1868, I, 443. (Action of ethyl alcohol, anhyd alcohol, and glycerine on haemoglobin. Chemical rather than physiological.) —

Rabow (S.) Beobachtungen über die Wirkung des Alkohol auf die Körper-temperatur. Berl. klin. Wchnschr., 1871, iii, 257-260. Also: Reprint, 8°, Strassburg, 1872, 30 pp. Also: With additions (Inaug. Diss.). (Researches on man with schnapps and wine.) See also supra: **DAUB**. (A criticism of Rabow). — **Rabuteau**. De quelques propriétés nouvelles ou peu connues de l'alcool du vin ou alcool éthylique; déductions thérapeutiques de ces propriétés; des effets toxiques des alcools butyrique et amylique; application à l'alcoolisation du vin improprement appelée vinage. Union méd., Par., 1870, 3. s., x, 154; 165. (Experiments.)

Des alcools et de l'alcoolisme. Cong. internat. p. l'étude d. questions rel. à l'alcoolisme, 1878, Par., 1879, 225-248. (Effects of butylic and other alcohols; experiments on frogs and guinea-pigs. Valuable for reference.)

De la présence des alcools isopropylique, butylique normale et amylique secondaire dans les huiles et les alcools de pomme de terre; comparaison des effets physiologiques et toxiques de ces divers alcools. Compt. rend. Soc. de biol., 1878, Par., 1880, 6. s., v, 357-361. —

Rajewsky (A.) Ueber das Vorkommen von Alkohol im Organismus. Arch. f. d. ges. Physiol., Bonn, 1875, xi, 122-127. (Experiments on rabbits. Work done under Prof. Hoppe-Seyler, in Strassburg, to detect alcohol in the brain. The iodoform reaction cannot be used to determine the quantity of alcohol in the body after its introduction, as these experiments show that there are always constituents present in the body which

yield alcohol by distillation, or else the organs of animals always contain a very small amount of preformed alcohol.)—**Reichert** (E. T.) The action of alcohol on animal heat functions. *Therap. Gaz.*, Detroit, 1890, 3. s., vi, 73-86. *Also:* Reprint. (Experiments with H. C. Wood on dogs; pure alcohol. Agrees with Riegel.)—**Reincke** (J. J.) Beobachtungen über die Körpertemperatur Betrunkener. *Deutsches Arch. f. klin. Med.*, Leipz., 1875, xvi, 12-18. (Clinical observations. Good data.)—**Reveil** (O.), **Perrin**, & **Behier**. Alcool. Dict. eneyel. d. Sc. méd., Par., 1859, ii, 572-611.—**Richardson** (B. W.) On alcohol. 8°, London, 1875, 2 pl., 122 pp. *Also, in:* Med. Press & Circ., Lond., 1875, i, 199; 224; 265. *Also:* Lond. M. Rec., 1875, iii, 62; 77; 93. (Cantor lectures. No experiments.) *See also:* Pop. Sc. Month., N. Y., 1872, i, 219.—**Riegel** (F.) Ueber den Einfluss des Alkohols auf die Körperwärme. *Deutsches Arch. f. klin. Med.*, Leipz., 1874, xii, 79-111, 1 pl. (86 experiments on man. Careful and valuable.)—**Riess** (L.) Einfluss des Alkohols auf den Stoffwechsel des Menschen. *Ztschr. f. klin. Med.*, Berl., 1880, ii, hft. 1. (Experimenting with men and giving 3 to 5 grams of absolute alcohol per kilo. of body weight, the writer found both the urea and uric acid of the urine diminished 15 to 16 per cent. during an alcohol period of 13 days.) *Also, [Abstr.]:* Jahress. ü. d. Fortschr. d. Thierchem., Wiesbad., 1880, x, 414.—**Ringer** (S.) & **Rickards** (W.) The influence of alcohol on the temperature of non-febrile and febrile persons. *Proc. Roy. M. & Chir. Soc. Lond.*, 1864-7, v, 209-211. *Also:* Brit. M. J., Lond., 1866, ii, 289. (A brief abstract only.)—**Ringer** (S.) & **Sainbury** (H.) Observations on the relative effects of certain members of the ethylic alcohol series on the ventricle of the frog's heart. *Practitioner*, Lond., 1883, xxx, 339.—**Robertson** (A.) On the differentiating action of alcohol in the nervous system; with observations on its toxic symptoms. *Am. J. M. Sc.*, Phila., 1892, n. s., civ, 643-654. (Clinical observations on effects of whiskey; impure.)—**Rochard** (J.) L'alcool; son rôle dans les sociétés modernes. In his: *Quesn. d'hyg. sociale*, 12°, Par., 1891, 1-55.—**von Rokitanski**. Zur Lehre von der Einwirkung des Alkohols auf die Verdauung. *Deutsche Rev.*, Berl., 1882, vii, 123-125.—**Romeyn** (D.) *Onderzoeken over den invloed van alkohol op den mensch. Amsterdam, 1887. *Also, in:* München. med. Wehnschr., 1887, xxxiv, No. 33, von J. Forster mitgetheilt. (Experiments on starving men regarding the influence of alcohol

on N and P₂O₅ excretion in the urine. The ingestion of alcohol was followed by a diuretic action. No decrease in N elimination was observed, but occasional increase with large doses. There is an increase in P₂O₅ excretion relative to N excretion. Concludes that alcohol is undesirable as a food.)—**Ronchi** (L.) & **Salvioli** (G.) Studio critico-sperimentale intorno ad alcune particolarità dell'azione fisiologica dell'alcool. 8°, Modena, 1875, 96 pp. (Experimental work. To be consulted.)—**Rooker** (J. J.) Case of poisoning by strychnine whiskey. *Cincin. Lancet & Obs.*, 1859, n. s., ii, 277-280. (Tetanic symptoms after drinking a large quantity of poor whiskey; no evidence of strychnine.)—**Ruge** (P.) Wirkung des Alkohols auf den thierischen Organismus. *Arch. f. path. Anat.*, etc., Berl., 1870, xlxi, 252-266. *Also:* Centralbl. f. d. med. Wissenschaft., Berl., 1870, viii, 204. (Experiments on animals to investigate the effect of chronic alcoholism on various organs.)—**Sanders-Ezn** (H.) Der respiratorische Gasaustausch bei grossen Temperaturänderungen. *Arb. a. d. Physiol. Anstalt zu Leipz.*, 1867, ii, 58. (Important for its experimental methods. No experiments with alcohol.)—**Sandmann** (P.) *Eine Experimentalstudie über die Wirkung des Alkohol und Äther auf die Circulation. 8°, Greifswald, 1874, 32 pp. (Researches made under Prof. Hueter on frogs; of little value.)—**Schellhaas** (H.) Beiträge zur Pathologie des Magens. *Deutsches Arch. f. klin. Med.*, Leipz., 1884-5, xxxvi, 427. (Experiments on artificial gastric digestion show that the presence of over 10 per cent. alcohol retards digestion; 20 per cent. alcohol almost completely stops it. Experiments with gastric juice obtained by washing out the stomach of a patient with gastrectasia showed similar results; but larger quantities of alcohol were needed to produce complete inhibition. In experiments in the living stomach alcohol did not retard digestion so long as there was free HCl present. A patient with *Carcinoma ventr.* formed the only exception.)—**Scheremetjewski** (Dr.) Ueber die Aenderung des respiratorischen Gas austausches durch die Zufügung verbrennlicher Moleküle zum kreisenden Blute. *Arb. a. d. Physiol. Anstalt zu Leipz.*, 1868, iii, 114. (Important for its methods of collecting and examining the expired air, giving experiments with lactic acid, grape sugar, and other substances. Has no experiments with alcohol.)—**Schlossberger** (J.) Ueber die physiologischen Wirkungen analog constituirter organischer Materien. *Ann. d. Chem.*

u. Pharm., Heidelb., 1850, lxxiii, 212-215. (Relative effects of methyl and amyly alcohol. Summary of results of experiments on dogs, cats, and rabbits. No details; of small value.)—**Schmid** (H.) * Die Wasserverdunstung der menschlichen Haut unter dem Einfluss des Weingeistes. 8°, Bonn, 1886, 30 pp., 1 l. *Also in:* Centralbl. f. klin. Med., Bonn, 1887, viii, 345.—**Schmidt** (A.) Die Ausscheidung des Weingeistes durch die Respiration. Centralbl. f. d. Med., Wissenschaft., Berl., 1875, xiii, 371. (Experiments performed under the direction of Prof. Binz. Little or no alcohol found in expired air.)—**Schmidt-Rimppler** (H.) Hornhautimpfungen, vorgezugsweise mit Thrinensackeiter ange stellt, und Benutzung derselben zur experimentellen Prüfung der Wirkung des disinfecting Mittel. Arch. f. path. Anat., etc., Berl., 1870, lxx, 213; 226. (Single experiment on a rabbit to show the disinfectant action of alcohol.)—**Schmiedeberg**. Ueber die Wirkung des Alcohols und Chloroforms auf den Stoffwechsel. St. Petersb. med. Ztschr., 1868, xiv, 93-97. (General statements of results without details.)—**Schulinus** (H.) * Untersuchungen über die Vertheilung des Weingeistes im thierischen Organismus. 8°, Dorpat, 1865, 57 pp., 1 l. (Used horses and dogs. Concludes that the greater part of the absorbed alcohol in the body is oxidized and that only a small part escapes unaltered through the lungs, skin and kidneys.) *Also in:* Arch. d. Heilk., Leipz., 1866, vii, 97-128. (Contains substance of his inaug. diss. Dorpat, 1863. With new experiments. Valuable.)—**Schutz** (E.) Einfluss des Alcohols und der Salicyl säure auf die Magenverdaunung. Prag. med. Wehnschr., 1885, x, No. 20. (Alcohol present to the extent of 2 per cent. caused a retardation of formation of peptone; 10 per cent. caused a marked retardation; with 15 per cent. only traces of peptone were found.)—**Schwalbe** (C.) Die Radicalheilung der Hernien. Deutsche med. Wehnschr., Berl., 1876, ii, 453; 1876, 1877, iii, 541. *See also:* Cor.-Bl. d. Allg. ärztl. Ver. von Thüringen, Leipz., 1879, viii, 220-228. (Local effects of Alcohol in producing sclerosis.)—**Senator** (H.) Untersuchungen ueber den fieberhaften Process. 8°, Berl., 1873, p. 208. (Little effect from alcohol given in relapsing fever.) — Untersuchungen über Wärmebildung und Stoffwechsel. Arch. f. Anat. Physiol. u. wissenschaftl. Med., Berl., 1874, i, 18. *Also [Abstr.]:* Schmidt's Jahrb., Leipz., 1874, cxliii, 62. (Alcohol lowers temperature very slightly, as a rule.)—**Simanowski** (N.) u. **Schoumoff**

(C.) Ueber den Einfluss des Alcohols und des Morphiums auf die physiologische Oxydation. (From Lab. of Prof. Nencki.) Arch. f. d. ges. Physiol., Bonn, 1884, xxxiii, 251. (Ingestion of alcohol is followed by decrease of temperature. Use of alcohol can decrease the oxidation of tissue substance 50 to 75 per cent. Fats and carbohydrates are probably spared. Large doses of alcohol increase the excretion of N not because of increased oxidation, but probably in consequence of the resulting breaking down of protoplasm.)—**Spaink** (P. F.) Ueber die Einwirkung reinen Alcohols auf den Organismus und insbesondere auf das peripherische Nervensystem. Untersuch. z. Naturl. d. Mensch. u. d. Thiere, Giessen, 1891, xiv, 449-514, 1 pl.—**Stammreich** (M.) * Ueber den Einfluss des Alcohols auf den Stoffwechsel des Menschen. 8°, Berl., 1891, 47 pp. (Review of literature. Experiments on man, beer, and wine.)—**Stenberg** (S.) Några experimentella bidrag till besvarandet af frågan om det inflytande, som bråvinets föreningar hafva på dess fysiologiska verkaningar. [Experiments on the physiological effect of alcohol.] Nord. med. Ark., Stockholm, 1878, x, 1-22. *Also,* reprint. (Research with Prof. Elias Heyman. Observations on rabbits.) — Méthode pour déceler les impuretés des eaux-de-vie du commerce. Cong. internat. p. l'étude d. questions rel. à l'alcoolisme, 1878, Par., 1879, 252-256. (Gives figure of apparatus and detail of method.)—**Strassburg** (G.) Experimenteller Beitrag zur Wirkung des Alcohols im Fieber. Arch. f. path. Anat., etc., Berl., 1874, ix, 471. *Ibid.*, 1875, lxii, 437. (Explanatory note regarding the preceding article. Clinical. Alcohol was found to lower the temperature in most cases.)—**Strassmann** (F.) Experimentelle Untersuchungen zur Lehre vom chronischen Alkoholismus. Vrtljschr. f. gerichtl. Med., Berl., 1888, n. F., xlvi, 232-251. — Weitere Mittheilungen über die Bedeutung der Verunreinigungen des Trinkbranntweins. Deutsche Vrtljschr. f. öff. Gsndhtspflg., Brnschw., 1890, xxii, 418-419. (Experiments on dogs.) — Untersuchungen ueber den Nährwerth und die Ausscheidung des Alcohols. Arch. f. d. ges. Physiol., Bonn, 1891, xlii, 315. (Dogs receiving alcohol for considerable periods gain in weight (fat) over those without alcohol. Liver, pancreas, kidneys, but not brain, increase in weight. Alcohol ingested diluted, as in wine or beer, was excreted in considerably greater quantities as such (in virtue of increased diuretic action) than after in-

gestion of small amounts of stronger alcohol. Increased respiration, as is caused by great muscular exertion, increases amount of alcohol expired as such. Concludes: Alcohol acts like foods, in smaller doses, but is not to be recommended in health.)—**Strübing** (P.) Ueber die Phosphorsäure im Urin unter dem Einflusse excitirender und deprimirender Mittel. Arch. f. exper. Path. u. Pharmakol., Leipz., 1876, vi, 266. *Also:* Deutsche Ztschr. f. prakt. Med., Leipz., 1876, iii, 391; 399. (Excitants (alcohol, *e. g.*) cause decrease in P_2O_5 excretion. In the depressed condition following large doses of alcohol there is an increase in P_2O_5 .)—**Stumpf** (M.) Ueber die Veränderungen der Milchsecretion unter dem Einflusse einiger Medicamente. Deutsches Arch. f. klin. Med., Leipz., 1881-2, xxx, 201. (Experiments on goats given 6-100 alcohol daily showed no noticeable change in volume of milk secreted; the total solids increased, while the specific gravity decreased. The gain in solids is almost entirely composed of fats. Albumen and lactose are scarcely changed. Beer gave similar results, but the content of lactose in the milk was increased. No traces of alcohol, aldehyde, or acetic acid could be detected in the milk.)—**Subbotin** (V.) Ueber die physiologische Bedeutung des Alkohol für den thierischen Organismus. Ztschr. f. Biol., München, 1871, vii, 361. (Experiments on rabbits show that in the first five hours after ingestion of alcohol considerable quantities of it are excreted by the skin and lungs and also by the kidneys. The skin and lungs excrete at least twice as much as the kidneys. Part of the alcohol is oxidized in the organism. Conclusion: Alcohol is not a food-stuff proper, yet valuable as a stimulant.)—**Sulzyński** (M.) *Ueber die Wirkung des Alcohols, Chloroforms und Äthers auf den thierischen Organismus. 8°, Dorpat, 1865, 33 pp. (Experimental work. To be consulted.)—**Thierfelder** (H.) u. v. **Mehring** (J.) Das Verhalten tertiarer Alkohole im Organismus. Ztschr. f. physiol. Chem., Strassb., 1885, ix, 511. (Experiments on animals. Tertiary alcohols combine with glycuronic acid in the organism. This is not true of various primary and secondary alcohols. Neither tertiary butyl- nor amyl-alcohol caused an increase of the combined sulphuric acid in the urine).—**Thompson** (T. W.) Is alcohol a food? Lancet, Lond., 1885, i, 743; 828.—**Thudichum**. On alcohol, in relation to the chemistry of the human body. Med. Offices Privy Council, 8°, London, 1868, X Rep., 288.—(Experiment on 33 men

drinking 44 bottles of wine. Only 0.25 per cent. of the alcohol taken was found in the urine.)—**Todé** (R. B.) On the therapeutical action of alcohol. In his: Clinical lectures on certain acute diseases. 8°, London, 1860, 438-487.—**Tscheschichin** (J.) Zur Lehre von der thierischen Wärme. Arch. f. Anat., Physiol. u. Wissensch. Med., Leipz., 1866, 151-179. (On the influence of alcoholic poisoning on the general heat of the animal body, page 161; Experiments on rabbits. Considerable doses of alcohol caused a fall of temperature (from 39.2° C. to 37.2°) and abnormally high pulse and rapid breathing during the first stage of its action.)—**Uffelmann** (J.) Studien über die Verdaulichkeit der Kuhmilch und über die Mittel, ihre Verdaulichkeit zu erhöhen. Arch. f. d. ges. Physiol., Bonn, 1882, xxix, 384. (Dilute alcohol—*e. g.*, cognac—mixed with milk increases the digestibility of the latter.)—**Virchow** (R.) Ueber Nahrungs- u. Genussmittel. In: VIRCHOW u. HOLTZENDORFF, Samml. gemein. wissensch. Vortr., rov. 8°, Berl., 1868, hft. 42.—**Vogelius** (L. S.) *Ueber den Alkohol, speciell sein Einfluss auf die Respiration, den Harn und die Körpertemperatur. 8°, Kiel, 1885, 112 pp. (Experiments on rabbits; pure diluted alcohol used; also on dogs. Good collection of references to literature; plate of apparatus.)—**Voit** (C.) Physiologie des allgemeinen Stoffwechsels und der Ernährung. In: HERMANN (L.): Handbuch der Physiologie, Leipz., 1881, vi, 1 Theil, 6, 415. (References to earlier literature.)—**Warren** (J. W.) The effect of pure alcohol on the reaction time, with a description of a new chronoscope. J. Physiol., Cambridge, 1887, viii, 311-348. (Experiments made under the direction of Prof. H. P. Bowditch. Details and diagrams given. The experiments are not very conclusive. The changes in reaction time, after varying amounts of pure alcohol are taken, are, on the whole, more considerable than those occurring in equally long experiments without alcohol. There is no positive relation between the amount of alcohol taken and the effect. Alcohol may improve the quality of the reaction time.)—Alcohol again: A consideration of recent misstatements of its physiological action. Boston M. & S. J., 1887, cxvii, 1-25. (A good summary of the results of physiological research up to the time of its publication.)—**Watson** (W. H.) Notes on the effect of alcohol on saliva and on the chemistry of digestion. J. Chem. Soc., Lond., 1879, xxxv, 539. (Experiments to show that alcohol retards the digestion of starch by saliva; author

thinks this due to some of the ptyalin being thrown out of solution and thus rendered inactive by alcohol.)—**Weiche** (H.) u. **Flechsig** (E.) Versuche über die Wirkung von Alcohol-Aufnahme bei Herbivoren. Journ. f. Landwirthschaft, 1886, Göttingen, 153. (In experiments on a sheep, 1 cc. alcohol per kilo. of body weight per day produced no diuretic action, nor any marked changes in the nitrogenous metabolism of the animal.) — Versuche über die Wirkung des Alcohols bei Herbivoren. *Ibid.*, xxxvii, 328. (Continuation of experiments recorded (Journ. f. Landw. 1886). With a diet richer in nitrogenous foods, the introduction of alcohol brought about an increase, rather than any decrease in proteid katabolism.)—**Weinbehandlung** (Die) in hygienischer Beziehung. Deutscher Ver. f. öff. Gesundheitspfleg. Ber. Brnschw., 1879, vi, 7. (Discussion by Neubauer, Roth, and others on effects of coloration or salicylating wines.)—**Wershoven** (Ch.) *Ueber den Einfluss des Weingeistes auf die menschliche Haut, hinsichtlich der Wasserverdunstung und Wärmeabgabe. See also: Centralbl. f. Klin. Med., Bonn, 1887, viii, 345.—**Wilks** (S.) Introduction to a discussion on the effects of alcohol. Brit. M. J., Lond., 1891, ii, 459–466. (Rather favorable to use of alcohol, especially in light wines. No original observations.)—**Wolfberg**. Ueber den Nahrwerth des Alcohols. Centralbl. f. allg. Gesundheitspfleg., Bonn, 1883, ii, 179–189.—**Wolfers** (J.) Untersuchungen über den Einfluss einiger Stickstoff-freier Substanzen, speciell des Alcohols, auf den thierischen Stoffwechsel. Arch. f. d. ges. Physiol., Bonn, 1883, xxxii, 222. (Alcohol introduced directly or through the stomach into the blood is partly oxidized in the body and thus produces changes in the respiratory quotient. Use of alcohol increases the consumption of oxygen and usually the production of CO_2 . Accordingly alcohol does not decrease the oxidation processes. The fall of temperature regularly observed is therefore due to increased loss of heat relative to production of heat.)—**Wolff** (Lud.) Beiträge zur Kenntniss der Einwirkung verschiedener Genuss und Arzneimittel auf den menschlichen Magensaft. Ztschr. f. Klin. Med., Berl., 1889, xvi, 222. (Experiments on a man. Alcohol (cognac) in small doses increased the secretion of HCl; larger doses decreased the activity and formation of peptone. After frequent use of alcohol the stomach does not respond to the stimula-

tion of the usual diet with its former energy; the demand for stimulants is increased. The functional activity of the stomach glands decreases.)—**Wolffhardt** (R.) *Ueber den Einfluss des Alcohols auf die Magenverdauung. [Erlangen.] 8°, München, 1890, 12 pp. Also in: München med. Wchnschr., 1890, xxxvii, 608–611. (Experiments with absolute alcohol, brandy, and wine on a healthy man. Absolute alcohol delays digestion of starches and of meats when given in quantities of from 15 to 30 grammes. The delay caused is from 30 to 40 minutes. Red and white wine promote digestion when taken during meals, as well as before the same. Experiments on a man: *Absolute alcohol* (15 to 30 grammes) interferes with amylaceous and proteid digestion. *Cognac* interferes with amylaceous digestion; taken during meals, it increases digestion of meat diet, but retards it when taken in small doses during digestion.)—**Wollenweber** (E.) *Recherches expérimentales sur les modifications imprimées à la température physiologique par l'alcool. 4°, Nancy, 1873, 28 pp. (Experiments on rabbits, dogs, and cats. Limited in number, but a comparatively good work.)—**Wood** (H. C.) & **Reichert** (E. T.) A contribution to our knowledge of the action of certain drugs upon bodily temperature. J. Physiol., Lond., 1880–2, iii, 321–326. (In a series of experiments with alcohol there was in each of five cases an increase in heat production after introduction of alcohol. In three experiments this increase was greater than that of heat dissipation; in two it was less. The average was the same in the two functions.)—**Zimmerberg** (H.) *Untersuchungen über den Einfluss des Alcohols auf die Thätigkeit des Herzens. 8°, Dorpat, 1869, 41 pp. (Experiments on frogs and rabbits under direction of Schmiedeberg. Worth consulting.)—**Zuntz** (N.) Ueber die Einwirkung des Alcohols auf den Stoffwechsel des Menschen. Arch. f. Physiol., Leipzig, 1887, 178. (In a man 20 to 30 cc. alcohol produced an increase in the volume of air respired of 9 per cent., and an increased consumption of oxygen and excretion of CO_2 of 3.5 per cent.) — Beitrag zur Kenntniss der Einwirkung des Weingeistes auf den Respirationsprocess des Menschen, nach Versuchen mit Dr. Berdez aus Lausanne referirt. Fortschr. d. Med., Berl., 1887, v, 1–9. (Experiments on man; pure dilute alcohol.) See also: Biol. Centralbl., Erlang., 1887, vi, 704.

ALCOHOL (PATHOLOGICAL EFFECTS OF).

See also in Index Catalogue, Library Surgeon General's Office, U. S. A., under the headings:

Albuminuria and Alcoholism, Alcohol (Toxicology, etc., of), Alcoholism, Amaurosis from Alcohol, Combustion (Spontaneous), Crime and Alcoholism, Delirium Tremens, Dipsomania, Epilepsy (Causation of), Jaundice (Causes, etc., of), Liver (Cirrhosis of), and, below, "Alcoholic Neuritis and Paralysis."

Anstie (F. E.) *Alcoholism.* Syst. Med. (Reynolds'), Lond., 1868, ii, 63.—
Audhoui (V.) * *Pathologie générale de l'empoisonnement par l'alcool.* 4°, Paris, 1868, 132 pp.—
Bentham (R.) The comparative death-rate of total abstainers and moderate drinkers. *Lancet*, Lond., 1890, ii, 997.—
Black (V.) Dissections of two habitual drunks. *Tr. Ass. King's & Queen's Coll. Phys. Ireland*, Dublin, 1817, i, 56-62.—
Böffrich. Ein Fall von acuter Alcoholvergiftung mit tödtlichem Ausgang. *Therap. Monatsh.* Berl., 1891, v, 164.—
Borchard (M.) De l'empoisonnement par l'alcool et les boissons spiritueuses. *J. d. méd. de Bordeaux*, 1860, 2. s., v, 264-276.—
Bouchard et **Proust**. Anatomie pathologique de l'alcoolisme. *Compt. rend. Soc. de biol.*, Par., 1867, 4. s., iv, 180.—
Bourdon (H.) *Alcoolisme; hyperesthésie et convulsions, puis délire; autopsie.* Bull. et mém. Soc. méd. hôp. de Par., 1868, iv, 173-177.—
Brigidi (V.) Ricerche di anatomia patologica intorno ai centri nervosi nei casi di delirium tremens. *Imparziale*, Firenze, 1875, xv, 546-578.—
Bunge (G.) *Die Alcoholfrage.* Ein Vortrag. 8°, Leipzig, 1887, 24 pp. (General statements.)—
Caral (A. C.) * Contribution à l'étude de la cirrhose alcoolique, sa marche, sa durée. 4°, Lyon, 1885, 62 pp.—
Champouillon. Résumé des études les plus récentes sur l'alcoolisme et spécialement sur le pronostic des lésions traumatiques ainsi que des opérations chirurgicales, chez les alcoolisés. Rec. de mém. de méd. . . . mil. Par., 1871, 3. s., xxvii, 337-367.—
Christison (R.) *A treatise on poisons.* 4. ed., Edinburgh, 1845, 8°, 951-963. (Cases of acute poisoning by alcohol.)—
Clouston (T. S.) Diseased cravings and paralysed control: dipsomania;

morphinomania; chloralism; cocaineism. *Edinb. M. J.*, 1888-90, xxxv, 508; 689; 793; 985.—
Coe (A. S.) The effects of alcohol poisoning on the heart. *N. York M. J.*, 1884, xl, 491.—
Combemale. Rapports de la paralysie générale précoce avec l'alcoolisme ancestral. *Congr. ann. de méd. ment. C. r.* 1891, Lyon, 1892, ii, 374-378.—
Congrès international pour l'étude des questions relatives à l'alcoolisme, tenu à Paris du 13 au 16 août 1878. 8°, Paris, 1879, 302 pp., 4 maps.—
Coutenot. Alcoolisme; diagnostic différentiel d'une forme de cette affection et de la fièvre typhoïde. *Gaz. d. hôp., Par.*, 1865, xxxviii, 362.—
Crisp (E.) Diseased livers and kidneys from the inordinate use of alcohol. *Tr. Path. Soc. Lond.*, 1873, xxiv, 265.—
Cullerre. Alcoolisme et délire des persécutions. *Ann. méd.-psych.*, Par., 1875, 5. s., xiii, 398-410. *Also, transl. [Abstr.]*: Schmidt's *Jahrb.*, Leipzig, 1876, clxxi, 290. (Clinical.)—
Curnow (J.) On the diagnosis and treatment of acute diseases induced by alcohol. *Lancet*, Lond., 1877, ii, 915; 953.—
Dagonet (H.) De l'alcoolisme au point de vue de l'aliénation mentale. 8°, Paris, 1873, 111 pp. (Clinical observations.)—
Daish (W. C.) Case of acute alcoholic poisoning. *Austral. M. J.*, Melbourne, 1886, n. s., viii, 561.—
Danillo (S.) Contribution à la physiologie pathologique de la région corticale du cerveau et de la moelle, dans l'empoisonnement par l'alcool éthylique et l'essence d'absinthe. *Arch. de physiol. norm. et path.*, Par., 1882, 2. s., x, 388; 559. (Good experimental work.)—
Decaisne (E.) Étude médicale sur les buveurs d'absinthe, précédée de quelques considérations sur l'abus des alcooliques. *Compt. rend. Acad. d. Sc., Par.*, 1864, lix, 229. (A brief statement of results.)—
De Marmon (P.)

Report of three cases of poisoning by whiskey in children, with remarks on alcoholism. N. York M. J., 1870, xii, 521-541. Also: Leavenworth M. Herald, 1870-71, iv, 337-359. Also: Reprint.—**Dickinson** (H.) On the morbid effects of alcohol as shown in persons who trade in liquor. Med.-Chir. Tr., Lond., 1873, lvi, 27-60. Also, transl. [Abstr.]: Schmidt's Jahrb., Leipzig, 1874, clxi, 261. (Pathological.)—**Down** (L.) Case of arrested development. Tr. Path. Soc., Lond., 1869, xx, 419.—**Drouet** (J.) Recherches sur l'épilepsie alcoolique. Ann. méd.-psych. Par., 1875, 5. s., xiii, 193-219. Also, transl. [Abstr.]: Schmidt's Jahrb., Leipzig, 1876, clxix, 57. (Clinical.)—**Dujardin-Beaumetz & Audigé**. Recherches expérimentales sur le puissance toxique des alcools. 8°, Par., 1879, 306 pp. (Valuable work of reference, giving numerous experiments on the effects of different alcohols and upon certain commercial alcohols.)—**Duménil** (L.) et **Pouchet** (G.) Habitudes d'ivrognerie. Affection générale aiguë à marche rapide. Diminution considérable de la masse du sang avec déformation des globules et présence d'une grande quantité de granulations moléculaires dans ce liquide. Altération graisseuse du foie et du cœur. Gaz. hebdom. de méd., Par., 1862, ix, 23-26.—**Duparcque**. Empoisonnement par l'eau de vie. Gaz. hebdom. de méd. et de chir., Par., 1858, v., 371.—**Eichhorst** (H.) Beobachtungen über apoplektische Alkohollähmung. Arch. f. path. Anat., etc., Berl., 1892, cxxix, 140-162, 1 pl.—**Eichmann**. Ein Fall von chronischer Alkoholvergiftung nebst Sectionsbericht. Deutsche Klinik, Berl., 1853, v, 355-357.—**Finck**. Tod durch akute Alkoholvergiftung. Ärztl. Mitth. a. Baden, Karlsruhe, 1871, xxv, 165; 184.—**Finnell**. Sudden death the result of drinking a large quantity of whiskey. Med. Rec., N. Y., 1872, vii, 451.—**Fischer** (G.) Ueber eine eigenthümliche Spinalerkrankung bei Trinkern. Arch. f. Psychiat., Berl., 1882, xiii, 1.—**Fournier** (A.) Alcoolisme. N. dict. de méd. et de chir. prat., Par., 1864, i, 617-688.—**Fourrier**. De l'emploi de l'alcool dans la fièvre typhoïde et dans le choléra infantile. Bull. gén. de thérap., etc., Par., 1873, lxxxv, 241; 292. (Clinical.)—**Foville fils**. Des termes delirium tremens, dipsomanie, et alcoolisme (notice historique et bibliographique). J. de méd. ment., Par., 1868, viii, 7-13.—**von Franque** (A.) Beiträge zur pathologischen Anatomie des Delirium tremens. Memorabilien Heilbr., 1863, viii, 6-12.—**Fürstner** (C.) Ueber Albuminurie bei Alkoholisten. Arch. f. Psychiat., Berl., 1876, vi, 755-764. (Clinical. In

many cases albumen appears in the urine in delirium tremens, and disappears gradually with the subsidence of the delirium.)—**Gallard**. Troubles digestifs due à l'alcoolisme. Union méd., Par., 1869, viii, 886-890; 1870, ix, 15-20.—**Gambus** (L.) *De l'alcoolisme chronique terminé par paralysie générale. 4°, Par., 1873, 72 pp., 3 l.—**Gandil** (F.) *De la cirrhose alcoolique. 4°, Par., 1867, 48 pp.—**Garaudeaux** (E.) *De la tuberculeuse chez les buveurs et de ses rapports avec la cirrhose. 4°, Par., 1878, 84 pp., 1 l.—**Gaupp**. Acute Alcoholvergiftung. Med. Cor.-Bl. d. Württemb. ärztl. Ver., Stuttg., 1866, xxxvi, 231.—**Gilson** (H. C.) *De la cirrhose alcoolique graisseuse. 4°, Par., 1884, 1 p. l., 89 pp., 2 l.—**Glaister**, jr. The diagnostic signs of alcoholism. Lancet, Lond., 1878, ii, 831.—**de Grandmaison** (F.) Du rôle de la cellule hépatique dans la production des scleroses du foie. 8°, Par., 1892, 102 pp. (Includes experimental work with alcohol.)—**Gravité** (De la) des lésions traumatiques et des opérations chirurgicales chez les alcooliques. Communications à l'Academie de médecine par MM. Verneuil, Hardy, Gubler [et al.]. 8°, Par., 1871, 159 pp.—**Gréhant**. A quelle dose l'alcool doit il se trouver dans le sang pour produire la mort. Compt. rend. Soc. de biol., 1881, Par., 1882, 7. s., iii, 403.—**Grimaldi** (A.) Follia paralitiforme alcoolica (pseudo-paralisi generale alcoolica). N. riv. di psichiat., etc., Napoli, 1892-3, i, 65-69.—**Grodvolle** (P.) *Contribution à l'étude des altérations du foie dans l'alcoolisme. 4°, Par., 1875, 36 pp.—**Haddon** (J.) On intemperance in women, with special reference to its effects on the reproductive system. Brit. M. J., Lond., 1878, i, 748-750.—**Hall**. Chronic alcoholism. Tr. Path. Soc. Phila., 1860, ii, 76.—**Hammond** (W. A.) The effects of alcohol upon the nervous system. Neurol. Contrib., N. Y., 1880, i, No. 2, 29-60.—**Hankel** (E.) Vergiftung durch einmaligen Genuss von Alkohol. Vrtljschr. f. gerichtl. Med., Berl., 1883, n. F., xxxviii, 15-21.—**Harley** (G.) The effects of moderate drinking on the human constitution; its influence on liver, kidney, heart, and brain diseases. Lancet, Lond., 1888, i, 361; 409; 461; 560; 614. (Clinical and statistical data. No experimental work, but an interesting summary from the point of view of the practising physician.)—**Hart** (B. F.) Alcohol: its relations to crime and insanity. St. Louis Cour. Med., 1885, xiii, 106-123. (Quotations and appeals. No original matter.)—**Hawkes** (J.) Report of a case of alcoholic poisoning. Lancet, Lond.,

1855, i, 89.—**Heinrich.** Seltener Leichenbefund nach Alkoholvergiftung. *Vrtljsschr. f. gerichtl. u. öff. Med.*, Berl., 1868, ix, 359–366.—**Influencia** del alcoholismo en el pronóstico de los traumatismos. *Bol. de med. y cirug. de Jaen*, 1879, i, 1–3.—**Jaladon** (G. A.) *Alcoolisme et cirrhose. 4°, Par., 1884, 76 pp. (No original observations.)—**Johnson** (Z.) A case of poisoning [by alcohol]. *Dublin M. Press*, 1853, xxix, 65.—**Keating** (J. M.) On sudden death from alcoholism. *St. Louis Clin. Rec.*, 1875, ii, 200–209.—**Knecht.** Tod durch acute Alkoholvergiftung. *Arch. d. Heilk.*, Leipzig, 1874, xv, 32.—**Koller** (B.) *Ueber die Einwirkung von Geburt an gereichter, steigender Alkoholgaben auf den Organismus junger Hunde. [Bern.] 8°, Basel, 1891, 26 pp. (Effects of pure alcohol on growth and development of dogs. Chronic poisoning of young dogs, with reports of pathological observations.)—**Kremiansky** (J.) Ueber die Pachymeningitis interna haemorrhagica bei Menschen und Hunden. *Arch. f. path. Anat.*, etc., Berl., 1868, xlvi, 129–161. (Relation of alcohol habit to this pathogenetic condition, etc.)—**Laborde & Magnan.** De la toxicité des alcools dits supérieurs et des bouquets artificiels. *Rev. d. hyg.*, Par., 1887, ix, 625–654. (Experiments on dogs, with pulse tracings. Important.)—**Lancereaux** (E.) Études sur les altérations produites par l'abus des boissons alcooliques. *Gaz. hebd. de méd.*, Par., 1865, 2. s., ii, 435–439. — Alcoolisme. *Dict. encycl. d. sc. méd.*, Par., 1869, ii, 615–704.

Etude comparée des effets produits par les différentes boissons spiritueuses; conséquences à tirer de cette étude au point de vue de la prophylaxie de l'alcoolisme. *Bull. Acad. de méd.*, Par., 1885, 2. s., xiv, 1524–1534. *Also*: *Gaz. d. hôp.*, Par., 1885, lviii, 1066; 1075. (Statistical and clinical data relating to diseases produced by wine, cider, beer, etc.) — Intoxication chronique par les boissons contenant des essences. *Bull. méd.*, Par., 1891, v, 363.—**Landouzy.** Gastrique alcoolique. (Stomach of habitual spirit-drinker.) *Bull. Soc. anat.* de Par., 1870, xlvi, 258.—**La Ségué** (C.) De l'alcoolisme subaigüe. *Arch. gén. de méd.*, Par., 1869, i, 513; ii, 145–163.

Les troubles visuels de l'alcoolisme. *Ibid.*, 1879, ii, 342–357.—**Lassaigne** (P.) *Quelques considérations sur l'alcoolisme dans ses rapports avec la pneumonie, la variole et l'erysipèle. 4°, Paris, 1870, 70 pp.—**Laval** (V.) Essai critique sur le delirium tremens. 8°, Par., 1872, 86 pp. (Clinical and statistical.)—**Lawson** (R.) On the symptomatology of alcoholic brain dis-

orders. *Brain*, Lond., 1878, i, 183–194. *Also*: *Pop. Sc. Month. (Suppl.)*, N. Y., 1878, iii, 426–432.—**Leblond.** Empoisonnement aigu par l'alcool. *Soc. de méd. lég. de France Bull.*, Par., 1881–82, vi, 294–97.—**Leclerc** (É.) *Étude sur quelques accidents nerveux aigus de l'alcoolisme chronique. 4°, Paris, 1868, 58 pp.—**Letulle** (M.) Alcoolisme chronique; gastrite scléreuse; peritonite chronique (cirrhose gastrique et périctonale); températures locales élevées et révélatrices d'un état phlegmasique. *France méd.*, Par., 1879, xxvi, 313.—**Leudet** (E.) De l'état mental des alcoolisés. *Cong. périod. internat. d. sc. méd. Compt. rend.* (1875), Brux. et Par., 1876, 150–159.—**Lewis** (S.) A case in which alcohol was detected in the brain. *Med. Exam.*, Phila., 1842, i, 289–293.—**Lewis** (W. B.) The origins of crime. *Fortnightly Rev.*, N. Y., 1893, n. s., liv, 329. (Alcohol is less important as a cause of insanity than as a factor in the evolution of a criminal type of degenerates, especially of an epileptoid type. Statistics.)—**Liddell** (J. A.) Acute poisoning by alcohol; death in twelve hours. *N. York M. J.*, 1867–8, vi, 402–405.—**Locatelli** (E.) Ricerche chimico-legali intorno all'avvelenamento acuto per alcool. *Riv. veneta di sc. med.*, Venezia, 1885, iii, 347–367. (Case of person found dead from unknown cause; to determine whether his death was due to alcohol; experiments.)—**Luniér** (L.) Du rôle que jouent les boissons alcooliques dans l'augmentation du nombre des cas de folie et de suicide. *Ann. méd. psych.*, Par., 1873, 5. s. vii, 321–358.—**Lykke.** Om nogle former af sindssydom, som skyldes kronisk alkoholisme. (On some forms of insanity produced by alcohol). *Hosp. Tid.*, Kjøbenhavn, 1878, 2. r., v, 369–378.—**McClintock** (A. H.) Remarks on the semiology of chronic alcoholism. *Dublin J. M. Sc.*, 1873, iv, 339–353.—**Magnan.** Sur l'alcoolisme, avec expériences comparatives sur l'action de l'alcool et de l'absinthe. *Bull. et mém. soc. de thérap.*, 1868–9, Par., 1871, ii, 69–74. — Étude expérimentale et clinique sur l'alcoolisme; alcool et absinthe; épilepsie absinthique. 12°, Paris, 1871, 46 pp. *Repr. from*: *Rec. de méd. vét.*, Par., 1871. — Action prolongée de l'alcool chez les chiens. *Compt. rend. Soc. de biol.*, Par., 1871, 5. s., iii, pt. 2, 41–47. (Chronic alcoholism in a dog. Pathological anatomy.) — Alcoolisme chronique; impulsion suicide, héritéité morbide; pleuro-pneumonie de cause traumatique (etc.). *Compt. rend. Soc. de biol.*, Par., 1877, 6. s., iii, 348–350. *Also*: *Gaz. méd. de Par.*, 1877, 4. s., vi, 28. — Influence de l'alcoolisme

- sur les maladies mentales. Cong. périod. internat. d. Sc. méd. Compt. rend. Genève, 1878, 560-570.—**Marandon de Montyel** (E.) Contribution à l'étude médico-légale de l'épilepsie alcoolique. Ann. d'hyg., Par., 1891, 3. s., xxvi, 25-39.—**Marcé**. Délire ambitieux sans paralysie générale chez des sujets adonnés aux boissons alcooliques. Gaz. d. hôp., Par., 1863, xxxvi, 145.—**Marcet** (W.) On chronic alcoholic intoxication; with an inquiry into the influence of the abuse of alcohol as a predisposing cause of disease. 1. Am., from 2. Eng., ed. 8°, New York.—**Maschka**. Vergiftung zweier Kinder mit Alcohol. Oesterr. Ztschr. f. prakt. Heilk., Wien, 1860, vi, 130; 147.—**Mengin**. Note relative à un cas d'intoxication par l'alcool méthylique ayant amené en 24 heures une cécité complète. Rec. d'ophth., Par., 1879, 3. s., i, 663-667.—**Mitscherlich** (A.) Todesfall durch Alkoholvergiftung. Arch. f. path. Anat., etc., Berl., 1867, xxxviii, 319-323.—**Moeli** (C.) Alcoholismus, psychische Störung; atrophische Lähmung der Extensoren am Oberschenkel. Charite-Ann., 1881, Berl., 1883, viii, 552, 556. — Statistisches und klinisches über Alcoholismus. *Ibid.*, ix, 541.—**Montalti** (A.) Ricerca chimico-legale intorno all'avvelenamento acuto per alcool. Sperimentale, Firenze, 1883, iii, 604-617.—**Morgan** (E. C.) Aphony due to chronic alcoholism; paralysis of the lateral crico-arytenoids. J. Am. M. Ass., Chicago, 1884, iii, 622.—**Morton** (J.) A case of alcoholic poisoning with peculiar fatal consequences. Indian M. Rec., Calcutta, 1891, ii, 76.—**Müller** (H.) *Symptome des Alkoholismus, nebst Mittheilung einiger Fälle von chronischer Alkohol-Vergiftung. 8°, Würzb., 1868, 20 pp.—**Nasse** (W.) Ueber den Verfolgungswahn der geistesgestörten Trinker. Allg. Ztschr. f. Psychiat., etc., Berl., 1877, xxxiv, 167-183.—**Neumann** (E. A. O.) *Ueber die Pachymeningitis bei der chronischen Alkoholvergiftung. 8°, Königsb. [1869], 36 pp. (Experiments on dogs).—**Nicol** (J. I.) Case of death following the excessive use of ardent spirits. Month. J. M. Sc., Edim., 1844, iv, 449-453.—**Oberstadt**. Tod nach dem Genuss von Branntwein. Gen.-Ber. d. k. rhein. Med.-Coll. (1838), Koblenz, 1840, 105.—**O'Connor** (D. C.) Observations of some of the effects of chronic alcoholism on the nervous system. Dublin J. M. Sc., 1876, lxii, 79-81.—**Ogston** (F.) Pathological observations on the bodies of known drunkards. Brit. & For. M. Chir. Rev., Lond., 1854, xiii, 502-507; 1855, xvi, 187-195.—**Oppolzer**. Ueber Alkohol-Vergiftung. Spitals-Ztg., Wien, 1864, 281; 289; 297.—**Optiz** (J. S. K.) u. **Beyer**. Leichenöffnung einer plötzlich verstorbenen starken Brandweinsäuferin. Aufsätze. u. Beob. a. d. gerichtl. Arzeneyw., Berl., 1887, 98-104.—**Orfila**. Traité de toxicologie, 4. ed., Par., 1845, 8°, vol. ii, 526. (On acute poisoning by alcohol).—**Ott** (L.) Fifteen years observation among beer-drinkers. Med. News, Phila., 1894, Ixix, 4-6.—**Otto**. Alkoholvergiftung. Memorabilien, Heilbr., 1868, xiii, 164. — Tod eines 4½ jährigen Kindes durch angebliche Alkoholvergiftung. *Ibid.*, 1872, xvii, 14; 57.—**Parker**. (Cure of child poisoned by three ounces of rum.) Lancet, Lond., 1860, ii, 238.—**Pascal** (C.) *De l'alcoolisme et de son influence sur le développement et la marche des maladies. [Montpellier.] 4°, Nîmes, 1868, 83 pp., 21.—**Paton** (R.) Report of two instances of poisoning by alcohol; in one case death and post-mortem examination. Lancet, Lond., 1848, ii, 148.—**Payne**. On the morbid anatomy and pathology of chronic alcoholism. Brit. M. J., Lond., 1888, ii, 329.—**Palletan** (G.) De l'huile séparée par la rectification de l'alcohol de pomme-de-terre. J. de chim. méd., Par., 1825, i, 76-84. (Poisonous effects of methyl alcohol on dogs. Fusel oil).—**Pennetier** (G.) *De la gastrite dans l'alcoolisme. 4°, Par., 1865, 27 pp.—**Pepper** (W.) The effects of the prolonged use of alcohol in the viscera, nervous system and organs of special sense. Phila. M. Times, 1880-1, xi, 686. (Clinical observations. No details).—**Percy** (J.) An experimental inquiry concerning the presence of alcohol in the ventricles of the brain, after poisoning by that liquid; together with experiments illustrative of the physiological action of alcohol. 8°, Lond., 1839, 1 pl. 112 pp., 1 pl. (Acute toxicology of alcohol. Experiments on dogs. Observations on man).—**Peronne** (C.) *De l'alcoolisme dans ses rapports avec le traumatisme. 4°, Par., 1870, 160 pp.—**Peters** (J. C.) On the pathological results of alcohol. N. York J. M., 1844, iii, 335. Also: Tr. N. York Path. Soc., 1876, i, 211. (General statements of results observed in 70 autopsies. No details; no histology).—**Peyraud**. Empoisonnement aigu par l'alcool; autopsie. Mém. et bull. Soc. de méd. et chir. de Bordeaux, 1883-4, 323.—**Potain** Des formes atténées ou latentes de l'alcoolisme chronique. Union méd., Par., 1879, 3. s., xxvii, 1033-1040.—**Pupier** (Z.) Démonstration expérimentale de l'action des boissons dites spiritueuses sur le foie. Cong. méd. chir. de France, 1872, Par., 1873, 621-627. — Action des boissons dites spiritueuses sur le foie.

Arch. de physiol. norm. et path., Par., 1888, 4. s., i, 417-444, 2 pl. (Experiments on fowls and rabbits with absinthe, wine, and absolute alcohol. Details given, with plates of pathological anatomy.)—**Quarterly** (The) Journal of Inebriety. Published under the auspices of the American Association for the Cure of Inebriates. T. D. Crothers, secretary of publication committee. v. 1-15 & No. 1, v. 16 (Dec., 1876, to Jan., 1894).—**Rabuteau** (A.) Des alcools et de l'alcoolisme. Étude de diverses substances contenues dans les alcools. L'alcoolisme chronique n'est produit que par les alcools contenant des substances toxiques, notamment l'alcool amylique et par les boissons vinées avec ces alcools. Union méd., Par., 1878, 3. s., xxvi, 274; 286; 318.—**Radcliffe** (S. J.) Child fatally poisoned by alcohol. Phila. M. Times, 1876, vi, 463.—**Ravaglia** (G.) Dell'avvelenamento per alcool sotto il rispetto medico-legale. Bull. de sc. med. di Bologna, 1887, 6. s., xx, 29-36.—**Regis.** Existence de tous les symptômes physiques et intellectuels de la paralysie générale, chez un alcoolique chronique, sans aucune lésion de paralysie générale à l'autopsie. Ann. méd.-psych., Par., 1881, 6. s., vi, 236-241.—**Rendu** (H.) Note sur deux cas d'alcoolisme subaigu ayant donné lieu à des accidents comparables à ceux de l'ictère grave. France méd., Par., 1879, xxvi, 593; 602.—**Revillout** (V.) Étude nouvelle sur les symptômes de l'alcoolisme chronique. Gaz. d'hôp., Par., 1877, i, 617; 641.—**Richet** (C.) Les poisons de l'intelligence. Rev. d. deux mondes, Par., 1877, xix, 816; 840.—**Rösch.** Ueber die Vergiftung durch Weingeist und die Veränderung, welche dieselbe in der Leiche hinterlässt. Ztschr. f. d. Staatsärztn., Erlang., 1850, ix, 241-279.—**Rooker** (J. L.) Pneumonic diseases of drunkards. Cincin. Lancet & Obs., 1862, n. s., v, 82-85.—**Roques** (G.) * De l'alcoolisme et de la paralysie générale dans leurs rapports réciproques. 4°, Par., 1891, 85 pp.—**Rose** (H. C.) Case of poisoning by alcohol in a child three years of age. Med. Times & Gaz., Lond., 1860, ii, 236.—**Ruge** (P.) Wirkung des Alcohols auf den thierischen Organismus. Arch. f. path. Anat., etc., Berl., 1870, xlix, 252-266. (Experiments on dogs and rabbits. Valuable.)—**Russel** (J.) Remarks on alcoholism from a clinical point of view. Brit. M. J., Lond., 1874, ii, 607-610.—**Salvan** (C.) *Alcoolisme et traumatisme. Considérations sur le traitement des plaies chez les alcooliques. 4°, Par., 1879, 38 pp.—**Salvatori** (O. M. A.) Pathological description of continued remittent and intermittent drunken-

ness. Med. Critic & Psych. J., Lond., 1862, ii, 483-507.—**Santius.** Akuter Alkoholismus lethalis; Section und Gutachten. Cor.-Bl. d. deutsch. Gesellsch. f. Psychiat., etc., Neuwied, 1856, iii, 169-172.—**Scaverns** (J.) Fatal effects of New England rum in an infant. Boston M. & S. J., 1857, lvi, 99.—**Schauenburg** (C. H.) Acute Alkoholintoxication mit tödtlichem Ausgänge. Vrtljsschr. f. Psychiat., Neuwied u. Leipz., 1867-8, 217-226.—**Schultze.** Ueber einen Fall von Kleinhirnenschwund mit Degenerationen im verlängerten Marke und im Rückenmark (wahrscheinlich in Folge von Alkoholismus). Arch. f. path. Anat., etc., Berl., 1887, cviii, 331. (Clinical and pathological.)—**Schumann** (A.) Eigenthümliche Entartung der Unterleibsorgane und Mürbheit der Knochen bei einem Branntweintrinker. J. d. pract. Heilk., Berl., 1840, xci, 48-71.—**Schwalbe** (C.) Ueber die parenchymatöse und subcutane Injection des Alkohols und ähnlich wirkender Stoffe. Arch. f. path. Anat., etc., Berl., 1872, lvi, 360. — Die subcutanen Injectionen des Alkohols und ähnlich wirkender Stoffe bei Erkrankungen der Blutgefäße. Ibid., lxxvi, 1879, 511. — Ueber die narbenbildende Cirrhose, Sclerose erzeugende Eigenschaft des Alkohols. (Hierzu Taf. vi, fig. 1-3.) Ibid., 1881, lxxxv, 172. (Brief note; clinical observations.)—**Schwartz.** Tod in Folge zu starken Brandweingenusses. Org. f. d. ges. Heilk., Berl., 1859, viii, 94.—**Scott** (J.) Case of death after the pumping of rum. Med. & Phys. J., Lond., 1809, xxii, 31-33.—**Sentex** (L.) Observation d'alcoolisme chronique. J. de méd. de Bordeaux, 1862, vii, 2. s., 289-293.—**Sharkey** (S. J.) Alcoholie paralysis of the phrenic, pneumogastric, and other nerves. Tr. Path. Soc. Lond., 1887-8, xxxix, 27-33, 2 pl.—**Spaink** (P. F.) *Ueber die Einwirkung reinen Alkohols auf den Organismus und insbesondere das peripherische Nervensystem [Jena]. 8°, Amsterdam, 1890, 112 pp., 1 l., 1 pl. Also, in: Untersuch. z. Naturl. d. Mensch. u. d. Thiere, Giessen, 1891, xiv, 449-514, 1 pl. (Experiments made on rabbits with pure alcohol given by the mouth. Concludes that the continued administration of pure alcohol to rabbits produces tremor in the tongue and cheek, even also in the extremities and the whole body; that by long-continued administration delirium tremens may be produced in rabbits; that pure alcohol causes in rabbits certain nerve degenerations, as shown by histological investigations of the nerve fibres. Affected especially the axis cylinder; gives a plate

showing such effect.)—**Stadler.** Seltne Wirkung des Kartoffelbranntweins auf einen kindlichen Körper. Mit einer Nachschrift von Heusinger. Wehnschr. f. d. ges. Heilk., Berl., 1842, 449–456.—**Stevenson (T.)** Acute alcoholic poisoning. Guy's Hosp. Rep., Lond., 1869, 3, s., xiv, 268.—**Straus (I.) et Blocq (P.)** Étude expérimentale sur la cirrhose alcoolique du foie. Arch. de physiol. norm. et path., Par., 1887, xix, 409. (Experiments made on rabbits. Careful pathological observations, with figures.)—**Strauss (E.)** Zahlreiche Erkrankungen durch gährendes Bier. Arch. f. path. Anat. etc., Berl., 1864, xxx, 601. (70 persons become violently ill after drinking freshly brewed beer. Brief note.)—**Surmey.** De quelques formes peu communes de la cachexie alcoolique et particulièrement de sa terminaison par intoxication urémique sans albumine. Union méd., Par., 1868, 3, s., v, 242–266.—**Tagert.** Stomach of a man whose death was caused by drinking a large quantity of ardent spirits. Dublin M. Press, 1839, i, 293–295.—**Taylor (A. S.)** Poisoning by alcohol. Fatal effects of brandy on a child. Guy's Hosp. Rep., Lond., 1864, 3, s., x, 191.—**Thomeuf (L.)** Essai clinique sur l'alcoolisme. 4° Paris, 1859, 51 pp.—**Thomsen (R.)** Zur Pathologie und Anatomie der "acuten" alkoholischen Augenmuskellähmungen. Arch. f. Psychiat., Berl., 1886, xix, 185.—**Thomson (W. H.)** Nervous and muscular disorders in chronic alcoholism. Med. Rec., N. Y., 1878, xiv, 181–183.—**Trötzscher (J.)** Akute Alkoholvergiftung; plötzlicher Tod; Sektions-Befund. Allg. mil.-ärztl. Ztg., Wien, 1864, 60–62. **Uhde (C. W. F.)** Acute Vergiftung eines kindes durch Kornbranntwein. Deutsche Klinik, Berl., 1854, vi, 424.—**Untersuchung** einer Vergiftung mit Brannthein. Bl. f. gerichtl. Anthropol., Ansbach, 1854, 2 hft., 70–75.—**Vallois (C.)** Pseudo-paralyses générales saturnine et alcoolique. 4°, Par., 1894, 104 pp. (Civrieux prize essay for 1892)—**Van Bibber (W.C.)** A case of fatal poisoning by alcohol. Virginia M. & S. J., Richmond, 1856, vii, 101–103.—**Vas (F.)** Zur Kentniss der chronischen Nikotin und Alkoholvergiftung. Arch. f. exper. Pathol. u. Pharmakol., Leipz., 1894, xxxiii, 141–153.—**Wedel (L.)** De la valeur diagnostique du rêve dans l'alcoolisme chronique. 4°, Paris, 1878, 54 pp.—**Vergiftung zweier Kinder mit Alkohol.** Samml. gerichtsärztl. Gutacht. d. Prag. med. Fak., Leipz., 1874, 4. F., 230–245.—**Vernay.** Convulsions par alcoolisme chez un nouveau née. Lyon méd., 1872, xi, 440–460.—**Verneuil.** Du pronostic des lésions traumatiques et

des opérations chirurgicales chez les alcooliques. Bull. Acad. de méd. Par., 1870, xxxv, 90–986. *Also:* Bull. gén. de thérap., etc., Par., 1871, lxxx, 15–34. *Also:* Union méd., Par., 1871, 3, s., xi, 3; 17; 26.—**Voisin (A.)** Alcoolisme chronique. Dé-générescence graisseuse du ventricule droit du cœur du foie, des reins. État pigmenté du foie et d'un rein. Fermeté remarquable du cerveau. Bull. Soc. anat. de Par., 1863, xxxviii, 423–427. *Ibid.*, 427–430. *Ibid.*, 563–567. *Ibid.*, 577–582.—**—** De l'état mental dans l'alcoolisme aigue et chronique. Ann. méd. psych., Par., 1864, 4, s., iii, 1–32; iv, 1–66.—**Voltolini.** Ueber Alkohol-Vergiftung und eine eigenthümliche Färbung der Herz-klappen bei derselben. Med. Ztg., Berl., 1857, xxvi, 51. — Sectionsbericht über einen an Brannthein-Vergiftung gestorbenen 18-jährigen Burschen. Arch. d. Ver. gemeinsch., Arb. z. Förd. d. wissensch. Heilk., Götting., 1861, v, 289.—**Vulpian (A.)** Alcoolisme chronique. Six cases. In his: Clin. méd. de l'hôp. de la Charité. 8°, Par., 1879, 505–529.—**Wadham.** Case of acute alcoholic poisoning. Lancet, Lond., 1875, i, 13.—**Ward (S. H.)** On some effects of acute alcoholism. *Ibid.*, 1866, i, 4; 90.—**Ward (T. O.)** Convulsions in a child from an overdose of brandy. Assoc. M. J., Lond., 1856, i, 269.—**Weckerling (H.)** Ueber die temperaturerniedrigende Wirkung des Alcohol. Deutsches Arch. f. klin. Med., Leipz., 1877, xix, 317. (Case of acute poisoning of a child with alcohol. Clinical.)—**Weiss (A.)** Tod durch Alkoholvergiftung. Friedrich's Bl. f. gerichtl. Med., Nürnb., 1880, xxxi, 436–440.—**Wernicke (C.)** Lehrbuch der Gehirnkrankheiten. 8°, Kassel, 1881. Bd. 2, 235, 236. (Notes of autopsies of brains. Two cases of chronic alcoholism.)—**Westergaard (H.)** Om de stærke Drikkes Indflydelse paa Dodeleggheden. (Influence of alcoholic drinks on mortality.) Ugesk. f. Læger. Vibenh., 1889, xix, 549–554.—**Westphal.** Ueber eine bei chronischen Alkoholisten beobachtete Form von Gehörung. (2 Fälle.) Charité Ann., Berl., 1879, iv, 395–404.—**Williamson (W.)** On poisoning with alcohol. Med. Times, Lond., 1849, xix, 395.—**Willshire.** Two cases of acute alcoholic poisoning in a high degree; recovery. Lancet, Lond., 1862, i, 325.—**Woodman (W. B.)** Notes of a case of alcoholic coma in which the urine contained a large amount of alcohol. Med. Mirror, Lond., 1865, ii, 387–392.—**Wright (T. L.)** Some prominent features common to drunkenness and general paralysis of the insane. J. Am. M. Ass., Chicago, 1890, xiv, 884–887.

ALCOHOLIC NEURITIS AND PARALYSIS.

Achard (C.) & Soupault (M.) Deux cas de paralysie alcoolique à forme aiguë et généralisée. Arch. de méd. expér. et d'anat. path., Par., 1893, v, 359-375.—**Arnaud (J.)** Pronostic des paralysies alcooliques. Gaz. d. hôp., Par., 1893, lxvi, 241-244. (Forms of alcoholic paralysis.)—**Arnaud (J.) et Lop (P. A.)** Alcoolisme subaigu; delirium tremens avec albuminurie; paralysie alcoolique très étendue. Rev. de méd., Par., 1891, xi, 955-960.—**Barker (C. F.)** Alcoholic hyperesthesia and paraesthesia of the feet. Med. Rec., N.Y., 1885, xxvii, 402.—**Béhague (A. V.)** *Étude sur les paralysies alcooliques. 4°, Par., 1889, 92 pp., No. 195.—**Berbez (H.)** *De la paralysie générale due aux excès alcooliques. 4°, Par., 1892, 87 pp.—**Bernhardt (M.)** Ueber multiple Neuritis der Alkoholisten, etc. Ztschr. f. klin. Med., Berl., 1886, xi, 362.—**Biedekarken (C.)** *Ueber multiple, insbesondere Alkohol Neuritis mit Beschreibung eines Falles von solcher. 8°, Freiburg i. B., 1892, 79 pp.—**Bieganski (W.)** Prsyadek vozzi-anego zapalenia nerwów noskutek zatrucia nyskociem. (Case of multiple neuritis produced by alcohol.) Gaz. lek., Warszawa, 1890, 2. s., x, 747; 774.—**Biggs (H. M.)** Alcoholic paralysis due to multiple neuritis. Med. Rec., N. Y., 1887, xxxi, 503.—**Boisvert (F.)** *Étude clinique des formes atténueées de la paralysie alcoolique. 4°, Par., 1888, 127 pp.—**Bonnet (H.)** Paralysie générale; alcoolisme chronique; troubles tabétiques; paralysie générale confirmée; lésions de dénutrition. Rev. méd. de l'est, Nancy, 1887, xix, 403.—**Bradshaw (T. R.)** Toxic neuritis simulating locomotor ataxy (alcoholic pseudo-tabes). Liverpool M.-Chir. J., 1893, xiii, 443.—**Bramwell (B.)** A case of alcoholic paralysis, in which myalgic pains and tenderness were absent, and in which there was very little disturbance of the cutaneous (tactile) sensibility; with a report of the microscopical appearances of the nerves in a case of peripheral neuritis and perforating ulcer of the foot, associated with diabetes mellitus. Am. J. M. Sc., Phila., 1888, n. s., xciv, 575-588.—**Broadbent (W. H.)** On a form of alcoholic spinal paralysis. Med. Chir. Tr., Lond., 1884, lxvii, 133.—**Buzzard (T.)** A case of

double wrist drop apparently due to multiple neuritis of alcoholic origin, the lower extremities having perfectly recovered. Brailn, Lond., 1888-9, xi, 90-93. — Illustrations of some less-known forms of peripheral neuritis, especially alcoholic monoplegia, and diabetic neuritis. Brit. M. J., Lond., 1890, i, 1419-1422. Also, transl.: Mercredi méd., Par., 1890, i, 322.—**Campbell (A. W.)** Ein Beitrag zur pathologischen Anatomie der sogenannten Polyneuritis alcoolica. Ztschr. f. Heilk., Berl., 1893, xiv, 11-40.—**Carpentier (F.)** Contribution à l'étude des paralysies alcooliques. 8°, Par., 1891, 78 pp.—**Charcot.** Les paralysies alcooliques. Gaz. d. hôp., Par., 1884, lvii, 785-787. — Paralysie alcoolique chez un homme de 29 ans; hysterie. Gaz. méd. de Montréal, 1889, iii, 145-148.—**Cole-Baker (L.)** A case of multiple alcoholic neuritis. Brit. M. J., Lond., 1893, i, 405.—**Cross (J.)** Remarkable case of palsy. Med. & Phys. J., Lond., 1816, xxxvi, 194.—**Crothers (T. D.)** Alcoholic paralysis. Tr. N. York M. Ass., 1889, Concord, 1890, vi, 64-74.—**Déjerine (J.)** Étude sur le nervo-tabes périphérique. Arch. de physiol. norm. et path., Par., 1884, ii, 231-261, 3 pl. — Contribution à l'étude de la névrite alcoolique (forme paralytique, forme ataxique, tachycardie par névrète du pneumogastrique). *Ibid.*, 1887, xix, 248. (Interesting clinical observations.) See also: Sur l'existence d'une névrète du pneumogastrique au cours de la paralysie alcoolique. Compt. rend. Soc. de biol., Par., 1887, 8. s., iv, 470-473.—**De Renzi (E.)** Sulle nevrète alcoolica ed arsenicale. Riforma med., Napoli, 1891, vii, pt. ii, 121-125.—**Dreschfeld (J.)** On alcoholic paralysis. Brain, Lond., 1884-5, vii, 200-211. — Further observations on alcoholic paralysis. *Ibid.*, 1885-6, viii, 433.—**Drysdale (C. R.)** A case of alcoholic paralysis. Brit. M. J., Lond., 1888, ii, 937.—**Dubrisay (J.)** Paralysie alcoolique chez une jeune femme dispomane; névrètes multiples; guérison. Union méd., Par., 1891, 3. s., lii, 758-761.—**Duckworth (Sir D.)** Three cases of multiple peripheral (alcoholic) neuritis in women. St. Barth. Hosp. Rep., Lond., 1886, xxii, 253-260.—**Dutil (A.)** Un cas de paralysie al-

coolique à marche rapide ; mort par paralysie du diaphragme ; tachycardie ; nérvites périphériques multiples ; nérvite des deux nerfs phréniques ; intégrité de la moelle des racines antérieures rachidiennes et des ganglions. Bull. Soc. anat. de Par., 1887, lxii, 546. — **Eichhorst** (H.) Beobachtungen ü. apoplektische Alkohollähmung. Arch. f. path. Anat., etc., Berl., 1892, cxxix, 140. — Neuritis fascians. Ein Beitrag zur Lehre von der Alkoholneuritis. Arch. f. path. Anat., etc., Berl., 1888, cxii, 227-259, 2 pl. — **Erlinski** (A.) O alkogol paraliche. Vestnik klin. i sudebnoi psichiat. i nevropatol. St. Petersb., 1889, vi, No. 2, 175-191. — **Eskridge** (J. T.) Clinical memoranda on chronic alcoholic neuritis. Univ. M. Mag., Phila., 1891-2, iv, 426. — **Ettinger** (W. O.) O paralichach alkogol proischojdenija. Perev. s. Frantz. L. Finkelsteina. Mejduanar. klin., St. Petersb., 1887, vi, 1-65. — **Ferrier** (D.) Alcoholic paralysis. Internat. Clin., Phila., 1891, i, 265-276. — **Finlay** (D. W.) Three cases of alcoholic paralysis (multiple neuritis). Med. Chir. Tr., Lond., 1887, lxx, 371-395, 2 pl. — **Francotte** (H.) Un cas de paralysie alcoolique, nérvite dégénérative multiple d'origine alcoolique. Ann. Soc. med. chir. de Liège, 1885, xxiv, 76-84. — **Fry** (F. R.) A clinical study of alcoholic neuritis. St. Louis Cour. Med., 1888, xx, 397; 406. — Functional paralysis and contracture in an alcoholic subject, presenting several points of resemblance with alcoholic neuritis. Middlesex Hosp. Rep., 1888, Lond., 1889, 26-28. — **Gammarelli** (A.) Alcoolisma paralitiforme. Bull. d. r. Accad. med. di Roma, 1892-3, xix, 26-29. — **Gilles de la Tourette**. James Jackson et les paralysies alcooliques. Arch. de neurol., Par., 1887, xiii, 381-386. — **Godet** (R.) De la pseudo-paralysie alcoolique dans ses rapports avec la paralysie générale. Rev. méd. de la Suisse Ro., Genève, 1889, ix, 201; 249. — **Godfrey**. Notes on a case of peripheral neuritis due to alcohol monoplegia. Brit. Guiana M. Ann., Demerara, 1891, 181-183. — **Glynn** (T. R.) Cases of alcoholic paraplegia. Liverpool M.-Chir. J., 1883, iii, 374-382. — **Hadden** (W. B.) Fatal cases of alcoholic paralysis. Tr. Path. Soc. Lond., 1886-7, xxxviii, 57-61, 1 pl. — **Henneberg** (R., M. U.) *Beitrag zur Kenntniss der Polyneuritis alcoolica. 8°, Berlin, 1893, 30 pp. — **Hervouët**. Leçon sur deux cas de polynérvite périphérique ; paralysie consécutive à la fièvre typhoïde et paralysie alcoolique. Gaz. méd. de Nantes, 1890-1, ix, 105-108. — **Hun** (H.) Alcoholic paralysis. Am. J. M. Sc., Phila., 1885, n. s., lxxxix, 372-388. — **Jakob** (C.) Acute alkoholische

Neuritis bei einem fünfjährigen Kinde. Jahrb. f. Kinderh., Leipz., 1893, xxxvi, 210-214. — **Jones** (C. H.) Notes on epileptic attacks and paralysis as results of alcoholic excess. Practitioner, Lond., 1871, vii, 331-344. — **Knapp** (H.) Orbital optic neuritis, including alcohol and tobacco amaurosis. Tr. N. York Acad. M., N. Y., 1890-1891, 2. s., vii, 439; 446. — **Kiriltzeff** (S. I.) Such. alkogol. paralicha sochen bystrym techemiem. Med. Obozr., Mosk., 1889, xxxi, 27-35. — **Korsakoff** (S.) Ob alkogolnom paraliche. (Paralysis alcoholica, paraplegia alcoolica.) 8°, Moskva, 1887, 462 pp., 6 pl. Also, transl. [Abstr.]: Arch. di psichiat., etc., Torino, 1890, xi, 279-285. — Razstroistvo psichich dejatel pri alkohol paraliche. Vestnik klin. i. sudebnoi psichiat. i nevropatol. St. Pet., 1887, iv, pt. ii, 1-102. — **Laberge** (J.) Paralysie alcoolique chez un homme de 29 ans; hystérie. Gaz. méd. de Montréal, 1889, iii, 49-52. — **Laffitte** (A.) Les paralysies alcooliques. Gaz. d. hôp. Par., 1892, lxy, 1081-1088. — **Lambert** (L.) De l'hémiplégie et de l'hémianesthésie chez les alcooliques (hystéro-alcoolisme). 8°, Par., 1889, 74 pp. — **Lancereaux** (E.) Da la paralysie alcoolique. Gaz. hebdom. de méd., Par., 1881, 2. s., xviii, 119; 165; 195. — **Le Diderder**. Paralysie des membres supérieurs et inférieurs guérie par des frictions d'huile phosphorée chez une alcoolique. Ibid., 1891, 2. s., xxviii, 7. — **Léroux** (C.) Des paralysies alcooliques, d'après le docteur Brissaud. Médecin clin., Par., 1886, ii, 217-220. — **Leudel** (E.) Étude clinique de la forme hyperesthésique de l'alcoolisme chronique, et de sa relation avec les maladies de la moelle. Arch. gén. de méd., Par., 1867, i, 5-39. — **Lewis** (B.) Alcoholic paralysis of the extremities; recovery. St. Louis M. & S. J., 1888, liv, 160. — **Lloyd** (J.) Specimens from a case of probable alcoholic multiple neuritis, with brain involvement. J. Nerv. & Ment. Dis., N. Y., 1888, xv, 255-257. — **Löwenfeld** (L.) Ueber Spinallähmungen mit Atoxie. Arch. f. Psychiat., Berl., 1884, xv, 438. — **Luntz** (M. A.) & **Mamurovski** (A. G.) Sluch ostrazo voschod. alkohol paralicha. (Case of acute ascendiary alcohol paralysis.) Sborn. statei po nevropat. i psichiat., Mosk., 1890, 451; 465. — **McDowall** (T. W.) Case of peripheral (alcoholic) neuritis. J. Ment. Sc., Lond., 1890, xxxvi, 228-231, 1 pl. — **M'Phedran** (A.) Alcoholic peripheral neuritis. Canad. Pract., Toronto, 1890, xv, 395; 397. — **Marlier** (A.) Paraplégie alcoolique; troubles trophiques de la peau; début de paralysie générale progressive. J. de méd. et chir. prat., Par., 1888, lix, 493-

- 497.—**Massy** (A.) Cas de guérison d'une paraplégie alcoolique par l'électricité. *J. de méd. de Bordeaux*, 1893, xxiii, 194.
- **Maude** (A.) Alcoholic peripheral neuritis; cramps; exaggerated knee jerks. *Brit. M. J.*, Lond., 1893, i, 349.
- **Mueller** (F. C.) Ein Fall von multipler Neuritis. *Arch. f. Psychiat.*, Berl., 1883, xiii, 669. (Pathological changes produced by alcohol.)—**Myrtle**. On a case of acute ascending paralysis, chronic alcoholism. *Brit. M. J.*, Lond., 1882, ii, 312.
- Ettinger** (W.) *Étude sur les paralysies alcooliques (névrites multiples chez les alcooliques). [Paris.] 4°, Le Mans, 1885, 112 pp., 1 pl.—**Oppenheim** (H.) Beiträge zur Pathologie der multiplen Neuritis und Alkohol-Lähmung. *Ztschr. f. klin. Med.*, Berl., 1886, xi, 232, 262, 1 pl. — Weitere Mittheilungen zur Pathologie der multiplen Neuritis. *Berl. klin. Wehnschr.*, 1890, xxvii, 545.—**Ord**. A case of alcoholic paralysis with contracture of the flexor muscles of the legs; recovery. *Lancet*, Lond., 1888, i, 273.
- **Paris** (A.) Alcoolisme et saturnisme paralytiques. *Rev. méd. de l'est*, Nancy, 1893, xxv, 353; 385; 417; 449.—**Pearce** (W.) Case of alcoholic paralysis. *Tr. Clin. Soc.*, Lond., 1890, xxiii, 267–270.
- **Pershing** (H. T.) Alcoholic multiple neuritis, with characteristic mental derangement. *Internat. M. Mag.*, Phila, 1892, i, 803–809.
- **Pitres** (A.) & **Villard** (L.) Des névrites provoquées par le contact de l'alcool pur ou dilué avec nerfs vivants. *Compt. rend. Soc. de biol.*, Par., 1888, S. s. v, 550–553.—**Plauth** (A.) Ein Fall von Neuritis multiplex alcoolica. *Ann. d. städt. allg. Krankenh. zu München* (1890–2), 1894, 186–188.—**Power** (D. A.) Cast of the right leg from a case of alcoholic neuritis. *Repr. from: Tr. Path. Soc.*, Lond., 1889. *Also in his:* (Pathological cases.) 8°, Lond., 1889, 13.
- **Rachmaninoff** (I. M.) Kuchen o degenerat atrophii peripherichesk nerv.; sluch simmetrichesk gangvenyi i dva sluch alkohol paralicha. *Med. Obozr. Mosk.*, 1891, xxxv, 917–947, 1 pl.—**Reunert** (O.) Beitrag zur Kenntniss der multiplen Alkoholneuritis. *Deutsches Arch. f. klin. Med.*, Leipzig, 1892, I, 213–231.—**Rey** (P.) Paraplégie d'origine alcoolique, suivie de guérison. *Ann. méd. psych.*, Par., 1885, 7. s., i, 68–72.
- **Ross** (J.) The premonitory symptoms of alcoholic paralysis. *Lancet*, Lond., 1889, i, 1125–1128.—**Rousseau**. Un cas grave de pseudo paralysie générale alcoolique. *Bull. Soc. méd. de l'Yonne*, 1888, Auxerre, 1889, xxix, 67–72.—**Rummo** (G.) Contributo allo studio anatomico e clinico della névrite alcoolica, considerazioni sulla patologia delle névrite tossiche. *Arch. d. Riforma med.* Napoli, 1890, ii, 118–147, 2 pl.
- Pathologische Veränderungen des Nervensystems bei den Alkoholparalysen. *Wien. med. Wehnschr.*, 1891, xli, 1684–1687.—**Saundby** (R.) Clinical lecture on a case of alcoholic paraplegia. *Lancet*, Lond., 1886, ii, 241–243.
- The ataxic form of alcoholic peripheral neuritis. *Birmingh. M. Rev.*, 1891, xxx, 25.—**Saunders** (G. R.) Multiple peripheral (alcoholic) neuritis. *N. Zealand M. J.*, Dunedin, 1890–1, i, 98–103.—**Schaffer** (K.) Ein Fall von Alkoholparalyse mit zentralem Befunde. *Neurolog. Centralbl.*, Leipzig, 1889, viii, 156–159.—**Schulz** (R.) Beitrag zur Lehre der multiplen Neuritis bei Potatoren. *Ibid.*, 1885, iv, 482–488.—**Siemerling**. Ein Fall von Alkoholneuritis mit hervorragender Beteiligung des Muskelapparates nebst Bemerkungen über das Vorkommen neuromusculärer Stämmchen in den Muskulatur. *Charité Ann.*, Berl., 1889, xiv, 443–453.—**Smart** (A.) A case of multiple neuritis in a woman of combined syphilitic and alcoholic origin; treatment by electro-massage; complete recovery. *Med. Press & Circ.*, Lond., 1888, n. s., xlvi, 125–127.
- **Stahn** (P.) *Ueber alcoholsche neuritis. 8°, Berl., 1893, 40 pp.—**Standish** (M.) A case of alcoholic paralysis preceded and accompanied by amblyopia ex abuso, with remarks thereon. *Bost. M. & S. J.*, 1886, exiv, 361–364.—**Starkel** (C. H.) A case of alcoholic neuritis; pseudo-tabetic variety. *St. Louis Cour. Med.*, 1887, xviii, 125–128.—**Stewart** (N.) A case of alcoholic hemiplegia. *Nashville M. News*, 1887, i, 8.—**Stoddard** (E. V.) Alcoholic paralyses. *Med. Press West. N. York*, Buffalo, 1885–6, i, 347–354.—**Struempehl** (A.) Zur Kenntniss der multiplen degenerativen Neuritis. *Arch. f. Psychiat.*, Berl., 1883, xiv, 339.—**Suckling** (C. W.) Alcoholic paralysis. *Am. J. M. Sc.*, Phila., 1888, n. s., xev, 567–575.—**Thomsen** (R.) Zur Klinik und pathologischen Anatomie der multiplen Alkohol-Neuritis. *Arch. f. Psychiat.*, Berl., 1889–90, xxi, 806–835, 1 pl.—**Tiling** (T.) Ueber die bei der alkoholischen Neuritis multiple beobachtete Geistesstörung. *Allg. Ztschr. f. Psychiat.*, etc., Berl., 1889, xlvi, 233–257.—**Turner** (F. C.) A case of alcoholic (?) paralysis. *Med. Exam.*, Lond., 1878, iii, 201.—**Tusnoff** (V. N.) Ob alkohol paralitchach. *Arch. psichiat.*, etc., Charkov, 1893, xxii, No. 1, 73–88.—**Tuttle**. Multiple peripheral neuritis of alcoholic origin. *N. York M. J.*, 1887, xlvi, 633.—**Uspenski** (S. N.) Sluch progress paralitchach na alkohol pochve. (Case of progressive paralysis from alco-

hol.) Sborn. statie po nevropati i psichiat., Mosk., 1890, 673-684.—**Vassal** (P.) Contribution à l'étude de la paralysie alcoolique et en particulier des formes généralisées. 8°, Par., 1891, 104 pp.—**Vaughan** (J. C.) Alcoholic paralysis. Med. Press & Cire., Lond., 1888, n. s., xlvi, 130-132.—**Vigouroux** (A.) Paralysie alcoolique chez les aliénés. Gaz. d. hôp., Par., 1891, lxiv, 1047-1049.—**Villard.** Pseudo-paralysie générale d'origine alcoolique. Marseille méd.,

1892, xxix, 117-133.—**Viti** (A.) Osservazioni istologiche sulle paralisi alcoliche; nota postuma. Atti. d. R. Accad. d. fiscioerit. in Siena, 1891, 4. s., iii, 123-141.—**Vojevnikoff** (A.) Ob alkohol paralichie. (Paralysis alcoholica.) Vestnik klin. i sudebnoi psichiat. i nevropatol., St. Petersb., 1891, viii, No. 2, 180-209.—**Walsh** (J. H. T.) Four cases of alcoholic neuritis. Indian M. Gaz., Calcutta, 1892, xxvii, 103.

ALCOHOL IN ITS RELATIONS TO GENERATION AND HEREDITY.

Allen (N.) Effects of alcohol on the offspring. J. Psych. M., Lond., n. s., 1877, iii, 209-214.—**Clarke** (H.) Heredity and crime in epileptic criminals. Brain, Lond., 1880, ii, 491. (Statistics indicating that there are more drunkards among epileptics than among non-epileptics, and that epilepsy in males is associated especially with alcoholism in the parents.) **Grenier** (L.) *Contributions à l'étude de la descendance des alcooliques. 4°, Paris, 1887, 96 pp. (Gives 188 cases observed in man; valuable.)—**Guipon.** Sur les effets de la consanguinité, de la syphilis et de l'alcoolisme combinés et observés dans une même famille. Compt. rend. Acad. d. Sc., Par., 1863, lvii, 512. (Anthropological. Brief note.)—**Lardier.** L'intoxication alcooliques, maladie endémique. Sa prophylaxie. Bull. méd. d. Vosges, 1893, vii, 24-43. (Alcohol and heredity; from ob-

servations.)—**Legrain** (M.) Hérédité et alcoolisme; étude psychologique et clinique sur les dégénérés buveurs et les familles d'ivrognes. Avec une préface de Magnan. 8°, Paris, 1889, 424 pp. (An important work.)—**Mairet** (A.) & **Combemale.** Influence dégénéérative de l'alcool sur la descendance; recherches expérimentales. Compt. rend. Acad. d. Sc., Par., 1888, cxi, 667-670. (Brief but interesting report of influence of chronic absinthe poisoning upon a male dog and upon his offspring, the effects upon the latter being well marked; also effects of absinthe in acute poisoning of dogs of the first and second generations.)—**Tagnet** (H.) De l'hérédité dans l'alcoolisme. Ann. méd.-psych., Par., 1877, xviii, 5. s., 5-17. Also, transl. [Abstr.]: Lond. M. Record, 1878, vi, p. 8. (Gives examples in three families.)

ALCOHOL AND ALCOHOLIC DRINKS.

Chemical and Miscellaneous.

Bannister (R.) Colonial wines. J. Soc. Arts, Lond., 1886-7, xxxv, 537-552. (Good account of Australian wines.)—**Beckwith** (E. L.) Practical notes on wine; being a reprint of the report on wines and other fermented liquors prepared by command of Her Majesty's commissioners for the Paris exposition universelle by . . . 8°, Lond., 1868, viii, 106 pp. (Good general description of characteristics of various wines, etc.)—**Berthelot**. Recherches sur le bouquet des vins. Gaz. méd. de Par., 1863, xxxiv, 3. s., 833; 858. (Chemical researches on the ethers found in wines.) *Also*: Compt. rend. Soc. de biol., 1863, Par., 1864, 3. s., v, pt. 2, 71-94.—**Cornwall** (H. B.) Adulteration of beer. Am. Pub. Health Ass. Rep., 1884, Concord, N. H., 1885, x, 106-115.—**Gaubert** Essai d'une classification des différentes espèces de vins au point de vue de la santé et de l'hygiène. Monit. scient., Par., 1857, i, pt. 1, 233-248. *Extract from his book*: "Étude sur les vins et les conserves alimentaires," 8°, Par., 1857. (General remarks of an experienced wine-drinker. Not specially scientific.)—**Griffin** (J. J.) The chemical testing of wines and spirits. 8°, Lond., 1866, 141 pp.—**Knauth**. Die Bestandtheile des Weines, nach Zusammenstellungen und Originalarbeiten in den Annalen der Önologie. Heidelb., 1870, 1872, 1873. *Also* [Abstr.]: Schmidt's Jahrb., Leipzig, 1875, clxvi, 113. (Contains account of alcohol contents of wines by Blankenhorn u. Rossler, i, 4.)—**Larbalé-tier** (A.) L'alcool au point de vue chimique, agricole, industriel, hygiénique et fiscal. 12°, Par., 1888, 309 pp. (A popular summary.)—**Lunier**. Matières employées pour la fabrication des alcools. Cong. internat. p. l'étude d. questions rel. à l'alcoolisme, 1878,

Par., 1879, 257-267. (General description, with statistical table for France.)—**Marcano** (V.) Sur la formation de quantités notables d'alcool dans la fermentation panaire. Compt. rend., Acad. d. Sc., Par., 1883, xxvii, 1070.—**Merrick** (J. M.) Analysis of California wines. Am. Chemist, N. Y., 1875, vi, 85-87.—**Mulder** (G. J.) The chemistry of wine. Edited by H. Bence Jones. 12°, Lond., 1857, xii, 390 pp. (Good authority.)—**Nessler** (J.) u. **Barth** (M.) Beiträge zur Weinanalyse. Ztschr. f. anal. Chem., Wiesb., 1882, xxi, 43-63. (Useful hints as to methods of analysis.)—**Pasteur** (L.) Études sur le vin, ses maladies [etc.]. 8°, Par., 1866, 264 pp.—**von Strümpell** (A.) Ueber die Alkoholfrage vom ärztlichen Standpunkt aus. 8°, Leipzig, 1893, 22 pp. *Repr. from*: Amtl. Ber. d. Versamml. deutsch. Naturf. u. Aerzte, Nürnb., 1893, Ixv.—**Thudichum** (J. L. W.) & **Dupre** (A.) A treatise on the origin, nature, and varieties of wine. 8°, Lond., 1872, 760 pp. (Good authority on the chemistry of wine.)—**Venable** (F. P.) & **Phillips** (W. B.) Analyses of North Carolina wines. North Car. M. J., Wilmington, 1887, xx, 268. (Nineteen samples analyzed.)—**Weinstatistik** für Deutschland. Ztschr. f. anal. Chem., Wiesb., 1888, xxvii, 729-808; 1889, xxviii, 525-580; 1890, xxix, 509-550; 1891, xxx, 533-578; 1892, xxxi, 607-662; 1893, xxxii, 647-753.—**Windisch** (K.) Die untersuchungen von Tralles über die spezifischen Gewichte der Alkohol-Wassermischungen; nach dem im Besitze der Königl. Akademie der Wissenschaften zu Berlin befindlichen, bisher noch nicht veröffentlichten Tralles'schen Handschriften Nachklasse bearbeitet. Arb. a. d. k. Gsndhtsamte, Berl., 1893, ix, 1-75.