

Dr. Pfeiffer

COLL. CAT.

UH

592

0617

Capt. Anderson
(Medical Intelligence)
RE 6700 - ext 76547

Capt. Chesley
1818 H St. Room 1215
ext. 78477

English titles.

✓ Acriflavine	11
✓ Acrinol (external antiseptic)	12
✓ Adsorbin	13
✓ Alcohol (95% ethyl)	16
Alcohol (methyl)	17
✓ Alkaline Ophthalmic Ointment	73
Alumen (konishi)	14
✓ Aminopyrin	15
Argyrol	18
✓ Aspirin	19
Atebrin, intramuscular (acrinamine)	4
✓ Bagnon (quinine, caffeine, urethane)	3
✓ Benzine (Pet. Ether)	21
✓ Bismuth subnitrate tablets	22
✓ Bleach powder (strong for Dakins' sol.)	39
✓ Blood typing set	114
✓ Bonslee (Athletes' foot)	23
✓ Boric Acid Oint.	24
✓ Camphor	25
✓ Castor oil (ricini)	71
Caustic soda (NaOH)	97
✓ Charcoal--medicinal	28
✓ Chloramine	29
✓ Chloroform	30
Citric Acid	31
✓ Cocaine	33
✓ Codeine	35
✓ Codeine	36
Cod Liver Ointment	37
✓ Coramin	38
✓ Creosote Tablets	32
✓ Dermatal (Bismuth subgallate and iodoform)	40
Dextrose	41
Diastase	42
✓ Digitalis tablets	44
✓ Digitamin	45
Dionin	46
✓ Distilled water	110
Distilled water Sterile in Ampuls	111
✓ Diuretin	43
✓ Dover Tablets	47
✓ Ether	48
✓ Ethyl chloride	49

English titles.

48	Ether
49	Ethyl chloride
47	Gover Tablets
43	Diuretin
43	Sterile in Ampuls III
	Distilled water
110	Distilled water
46	Dionin
45	Digitamin
44	Digitalis tablets
42	Diatase
41	Dextrose
40	Dermatal (Bismuth subgallate and iodoform)
32	Cresote Tablets
38	Coramin
37	God Liver Ointment
36	Codaine
35	Codaine
33	Cocaine
31	Citric Acid
30	Chloroform
29	Chloramine
28	Charcoal--medical
27	Caustic soda (NaOH)
27	Castor oil (ricini)
25	Camphor
24	Boric Acid Oint.
23	Foot)
	Bonisee (Athletes'
114	Blood typing set
39	for Dakins' sol.)
	Bleach powder (strong
22	tablets
	Bismuth subnitrate
21	Benzine (Pet. Ether)
3	caffeine, urethane)
	Bagnon (quinine,
4	(serinamine)
	Atebrin, intramuscular
19	Aspirin
18	Argyrol
15	Aminopyrin
14	Alumen (konishi)
73	Ointment
	Alkaline Ophthalmic
17	Alcohol (methyl)
16	Alcohol (95% ethyl)
13	Adsorbin
12	antiseptic)
	Acinol (external
11	Acriflavine

Formaldehyde	50
Glucose plus acacia	52
Glucose solution (sterile)	51
Hydrochloric acid (dilute)	53
Hydrogen peroxide	54
✓Ichthyol	59
Imamigal	95
✓Insulin	60
✓Iodine - dispensors	56
swabs	57
tincture	55
✓Iodoform	58
✓Laxatol (Isovaleryl- acetylphenol- phthalein)	75
✓Lobelin hydrochloride (ampules)	61
✓Magnesium oxide	62
✓Magnesium sulfate (epsom salts)	63
✓Magnesium sulfate ointment	64
Malaria medicine A	5
Malaria medicine B (plasmoquin)	6
✓Mercuric chloride	65
✓Mercurochrome	66
✓Morphine	67
Mosquito repellent lotion	8
(cream B) cream	9
Mustard	68
✓Novocaine	69
Opium hydrochloride with papaverin	70
✓Pavinal-Atropin	20
✓Peptic tablets (Anti-acid)	74
Plasma (human?)	115
Plasmochin	7
Plaster of Paris (gypsum ustum)	76
✓Potassium iodide	78
ampules	79
✓Potassium perman- ganate	80
✓Potassium soap	81

50	Formaldehyde
52	Glucose plus saccharose solution
51	Glucose solution (sterile)
53	Hydrochloric acid (dilute)
54	Hydrogen peroxide
55	Iodol
55	Imperial
60	Insulin
56	Iodine - dispensars
57	swabs
55	tincture
58	Iodoform
75	✓ Iodoform (Iodoform) - acetylphenol - phthalate
61	✓ Iodine hydrochloride (ampules)
62	Magnesium oxide
63	Magnesium sulfate (epsom salts)
64	Magnesium sulfate ointment
5	Malaria medicine A
6	Malaria medicine B (plasmodium)
65	Mercuric chloride
66	Mercurochrome
67	Morphine
8	Mosquito repellent lotion
9	(cream B) cream
68	Mustard
69	Novocaine
70	✓ Opium hydrochloride with papaverin
20	✓ Paine's - Atropin Peptic tablets
74	(Anti-acid)
115	Plasma (human?)
7	Plasmochin
76	Plaster of Paris (gypsum castum)
78	Potassium iodide
79	ampules
80	Potassium permanganate
81	Potassium soap

Psyllium tablets	82
Pyrabitolium (amino- pyrine & sorbitan)	83
✓ Quinine hydrochloride	1
✓ Quinine sulfate (sugar coated tabs)	2
Riken-Camphenal	27
✓ Ringer solution	84
Salicylic acid	19A
Saline	85
Santonin	86
Scabol (Dimethyl-di- phenyl-disulfide)	87
Secondary pneumonia preventative	77
Senega root powder	88
Serum--anti-strep- tococci	89
Serum--anti-tetanus, prophylactic	92
Serum--gas gangrene	90
Silver nitrate	93
✓ Silver nitrate	94
✓ Soda bicarbonate	96
Soy Bean Oil (?)	72
Spirit Horuboru (5 min. on hands to sterilize)	113
Stibnal	98
Strophanthin	101
Sugar	99
Sulfanilamide	102
Sulfur tar ointment	100
✓ Tannalbin	104
Tannic acid	103
✓ Thrombogen	105
Thymol	106
✓ Tropacocaine	34
✓ Vaseline	107
✓ Vita campher	26
✓ Vitamine C	108
✓ Water chlorination kit	10
✓ Zinc sulfate	112

112	Zinc sulfate
10	Water chlorination kit
108	Vitamin C
98	Vita campher
107	Vaseline
34	Tropacocaine
106	Thymol
105	Thrombogen
103	Tannic acid
104	Tannin
100	Sulfur tar ointment
102	Sulfanilamide
99	Sugar
101	Strophanthin
98	Stibnal
113	on hands to sterilize
72	Soy Bean Oil (?)
96	Soda bicarbonate
94	Silver nitrate
93	Silver nitrate
90	Serum--gas gangrene
92	prophylactic
89	Serum--anti-tetanus
89	tococci
88	Serum--anti-strep-
88	Senega root powder
77	preventative
87	Secondary pneumonia
87	phenyl-diulfide)
87	Sedol (Dimethyl-di-
86	Santonin
85	Saline
19A	Salicylic acid
84	Ringer solution
87	Riken-Campdenal
82	(sugar coated tabs) S.
82	Quinine sulfate
82	Quinine hydrochloride I
82	Pyridium (amino-
82	Pyridium & sorbitan)
82	Pyllium tablets

Japanese titles.

Adosorubin	13
Ajinon	102
✓ Akurifurabein	11
✓ Akurinamin	4
✓ Akurinatoru	12
Arabajira	102
✓ Asupirin	19
Asuramin	11
✓ Bagunon	3
✓ Bitamin C	108
Chimōru	106
Chiro	37
✓ Derumatoru	40
Desichin	37
✓ Digitalisu	44
✓ Dionin	46
✓ Dofuru	47
Enki	1
✓ Eteru	48
✓ Fu-rumarin	50
Himatsu	71
✓ Hinorammin	7
✓ Horuboru	113
Ikutioru	59
✓ Imamigoru	95
✓ Inserin	60
Isohinorammin	7
✓ Jiasuta	42
✓ Jiurechin	43
✓ Kanfuru	25
✓ Kari	81
✓ Kodein	35
Koka	33
✓ Koramin	38
✓ Korunichin	38
Kureosota Korun	32
✓ Kurorofu	30
✓ Kurōruamin	29
✓ Kuroru Echiru	49
Lusil	102
✓ Merukurokuromu	66
✓ Mohi	67
✓ Narukopon with papaberin	70
?Neptron?	102
✓ Nobu-kain	69

Japanese titles.

13	Adosorubin
102	Ajinon
11	Akurifurubin
4	Akurinamin
12	Akurinon
102	Arabajira
19	Aspirin
11	Auramin
3	Bagnon
108	Bitamin C
106	Chimora
37	Chiro
40	Dermostaton
37	Deschin
44	Digitarin
46	Dionin
47	Dofun
1	Enki
48	Etern
50	Fu-ruminin
71	Himatan
7	Hinoramin
113	Hornborn
52	Iktolon
55	Imamigoru
60	Inserin
7	Ischthoramin
42	Jisuta
43	Jirachin
52	Kanburu
81	Kari
32	Kobain
32	Koka
38	Koramin
38	Kornichin
32	Kurosoke Koran
30	Kuroton
29	Kuroramin
49	Kuron Echiru
102	Luai
66	Merukurokromin
67	Mohi
70	Narkopon with papaverin
102	?Nepron?
69	Nobu-kain

✓ Oxyfull	54
✓ Pasepuchin	11
✓ Pirabitaru	83
✓ Purotein	18
✓ Rakisatoru	75
✓ Rimaon	12
✓ Ringeru	84
✓ Rivanol	12
✓ Roberin	61
Rujira	102
Ryūki	1
✓ Saritiru	19A
✓ Suchibunaru	98
Sukaboru	87
✓ Surufuamin	102
✓ Tannarubin	104
✓ Tannin	103
Taru	100
✓ Telapol	102
✓ Toropakokain	34
✓ Trypaflavine	11
Uabanin	101
✓ Waserin	107
✓ Yodohorumu	58
50 Yodōa Kāri	79
✓ Yodo Kariun	78
Yusoka	37
Zaupin	102

54	Oxyli
11	Paepchen
83	Pirbiter
18	Protein
75	Rakastorn
12	Ranson
84	Ringer
12	Rivno
61	Robert
102	Rutis
1	Rycki
191	Saritin
98	Schibner
87	Sukborn
102	Suramin
104	Tannarbin
102	Tannin
100	Tern
102	Telap
34	Tropokokain
11	Trypavine
101	Uabain
107	Wasserin
58	Yobohornu
79	Yobokari
78	Yobokarin
37	Yasoka
102	Zapin

G 1A p 66

JAPANESE EQUIPMENT
MEDICAL

DRUGS & MEDICINE
REPRODUCTION NO.1
(Preliminary, incomplete)

HEADQUARTERS
UNITED STATES ARMY SERVICES OF SUPPLY
OFFICE OF THE A.C. OF S., G-2

5250 Technical Intelligence Composite Co, Separate, Provisional
Medical Section
APO 501

JAPANESE EQUIPMENT
MEDICAL

DRUGS & MEDICINE
REPRODUCTION NO. 1
(Preliminary, incomplete)

HEADQUARTERS
UNITED STATES ARMY SERVICES OF SUPPLY
OFFICE OF THE A. C. OF S. & S.

8250 Technical Intelligence Composite Co. Separate, Provisional

Medical Section

ARO 501

QUININE
HYDROCHLORIDE



Synonyms: RYUKI, ENKI



QUININE SULFATE

硫 規 錠

500

TAB. CHININUM SULFURICUM

0.222 gram

陸軍中二一製薬所

SUGAR COATED TABLETS

8

7

6

5

4

3

2

1



QUININE
 CAFFEINE Bagnon
 URETHANE

バグノン液


2cc中 塩 量 0.136g
 カフェイン 0.024g
 ウレタン 0.028g

2cc 10ml

陸軍衛生科

BA GU NO N

2 cc contains 0 0 0.136g
 ka fu i n - 0.024
 u re ta n - 0.028g



10

9

8

7

6

5

4

3

2

INTRAMUSCULAR ATEBRIN
(Japs have used this
intravenously and
intrathecally)



アクリナミン液

一筒中 5.0g



A K U R I N A M I N

4

4

3



2

1

MALARIA MEDICINE, TYPE A
(Atebrin)



MALARIA MEDICINE, TYPE A
(Aspirin)




4

3



2

1

MALARIA MEDICINE, TYPE B
(Plasmoquin)




MALARIA MEDICINE, TYPE B
(1940-1941)





Synonyms: HINCRAMIN, ISOHINORAMIN

H I N O R A M I N



MOSQUITO REPELLENT LOTION

防蚊液

(22)

500 ml

陸軍衛生材料本廠

Incomplete analysis indicates probably Citronella only.

5

4


3


2

1

MOSQUITO
REPELLANT
CREAM









WATER CHLORINIZATION KIT

1. Add 1 spoonful (spoon in kit) of powder from amber bottle to one canteen of water. Shake well for 5 minutes.
2. After 10 more minutes, add 1 spoonful of powder from white bottle.
3. Wipe spoon off.




THE INFORMATION IS


1. Add 1 spoonful (spoon full) of powder from upper bottle to one pint of water. Shake well for 2 minutes.
2. After 10 minutes, add 1 spoonful of powder from white bottle.
3. Stir spoon off.



Synonyms: ASURAVIN,
POSEPUCHIN, TRIPAFLAVINE.

AKURIFURAN








Synonyms:
RIVANOL
RIMOAN


external use

*AKURINORU
tablets*



Faint handwritten text, possibly a signature or date, located below the large stamp.

Faint rectangular stamp or watermark located at the bottom right of the page.



ADO 50 RUBIN

4/5

TRADE MARK



菊水印

ALUMEN



500 Gr

SOLE AGENTS
R. KONISHI & CO
SOLE BY
R. KONISHI & CO

5

4

3

2


1


A M I N O P I R I N


アミノピリン錠

AMIDO PYRINE



アミノピリン錠
2007









N TA



174



pu R O T E I N G I N



NO. 1000

5

4

3

2

1




A S O P I R I N



SA RI CHI RU

19a





DA 10 19 12

10-11










See 5305



FOR
ATHLETE'S FOOT




5

4

3

2

1



BORIC ACID
OINTMENT



方局藥軍
軟膏硼酸

硼膏

400g

總製衛生材料廠

7

6

5

4

3

2

1

6

5


4

3

2

1





8

7

6

5

4


3

2

1



BI TA KA M FU -- 0



10

9

8

7

6



5

4


3

2













KU RO RU A MIN

К. Х. А. М. И. Н.



CHLOROFORM



KU RO RO FU



5

4

3

2

1

枸橼酸

CITRIC ACID



5


4.

3

2

1

CREOSOTE
TABLETS




KU
RE
050
TO?
?

Ku



KO KA



AK 07

6

5

4

3

2




T O R O P A K O K A I N

34



KO DE 1 N



11 201 11



5

4


3

2

1



KO DE I N



Synonyms: DESHICHIN,
CHIRO, YUSOKO.

6


5

4

3

2

1





★
 Coraminum.
 コラミン
 (コルニチン)

陸軍衛生材料廠

(25 ㄖ)
 1ㄖ中 ビタミンB12 0.2ㄖ含有
 ナイアシン 0.2ㄖ含有
 10 ㄖ

陸軍衛生材料廠


KO RA MI N
 (KORUNICHIN)
 =TI



KO RA MI W
KORUAI CHU
IT



STRONG BLEACHING POWDER
(For Dakin's solution)



6

5

4

3

2

1



デル マール

DERMATAL

A mixture of Bismuth
Subgallate and Iodoform.
(To promote Granulations)

DE RU MA RU





チアスターゼ



JIURECHIN
271

9

8

7

6

5


4

3


2



JI GI TA RI SU.




DI GIT A MI N




ジオニン

DIONIN



ジオニン

DOVER'S
TABLETS
0.1 GM



5


4

3

2

1

DO FURU



8

7

6

5

4

3

2

1

ETHER

ether pro narcosis
酔用エーテル

昭和拾六年三月

ETHERU

8

7

6


5

4


3

2

1



K₂ RO₁ RO₂ RO₃ E CH₁ R₂
 CH₁ R₂



KU RO RU E CHI RU



7



0.2 hyphen? FU. RU MA RI N
formalin 50

10

9

8

7

6


5

4

3

2








GLUCOSE plus ACACIA

HYDROCHLORIC ACID

DILUTE

稀
塩
酸




HYDROGEN PEROXIDE



OXYFULL

#112

54



TINCTURE of IODINE






IODINE DISPENSORS




大 入 沃 了

(10個入)

伊東薬工株式会社







5

4

3


2



1

YO DO HO RU MU

ヨートホルム

IODIFORM





1 KU TIO RU

4




3

2


1



I N S E R I N



I Y 22 21 M



Liquor Lobelini
hydrochlorici sterilisatus

ロベリン液

(アトムラチン)
(1%)

1cc中に0.01gを含む
10瓶

陸軍衛生材料廠

ROBELIN
(=LO)

6


5

4

3

2

1



煨


麻

煨

麻

125

MAGNESIUM
OXIDE



EPSON SALTS


REGISTERED TRADE MARK



Fuji Sharien

富士瀉利塩

正装 五百グラム入



東京 藤澤友吉商店

大阪 市東区 東船場二丁目

横濱 市 西本町二丁目

京都 市 西本町二丁目

MAGNESIUM SULFURICUM

MAGNESIUM SULFURICUM

7

6

5

4

3

2

1

MAGNESIUM
SULFATE
OINTMENT



MA

4

3

2

4

6


5

4

3

2

1



昇汞錠

500g

昇汞錠

MERCURIC CHLORIDE

7

6

5

4

3

2

1



ME RO KU RO KU RO MU




MO HI






芥子末

MUSTARD



NO BO O K A I N



NARUKOPON
HAAPABERIN



日本薬局

ヒマシ油

Oleum Ricini

500 g

日本薬局 株式会社

東京都中央区本町二丁目

CASTOR OIL



10

9

8

7

6

5

4

3

2

1

ALKALINE
OPHTHALMIC
OINTMENT

アルカリ性眼軟膏

100g

東京製薬株式会社

組成			
重	礬	砂	1.0
炭	酸	膏	2.0
蒸	餾	水	10.0
精	水	クノラン	10.0
白	色	ワセリン	80.0
			(計科用)

ARUKARI

6

5

4

3

2

1



6

5

4

3


2

1





RA KI SA TO RU

75










YODO KARIUMU

KALIUM = Potassium 78



5 YODO KARI

5

4

3


2

1

MAN

過マン剤



POTASSIUM PERMANGANATE







KA RI Soap







PI RABI TĀ RO








SANTONIN

96



Dimethyl-diphenyl-disulfide
(For Scabies, Taenia, Eczema)



50 KA BÖRU

87




4

3

2

1



5

4


3


2

1

GAS GANGRENE

SERUM






NIRO SWI
C/WA TSUKU
BI

DO RI CHI KU SO

2000
800
800
400

400 g



ANTI-HEPATIC SERUM, PROPHYLACTIC

預防用
血清保肝血清

1944
23110

1944
23110

92

5

4

3


2

1

硝酸銀

SILVER NITRATE





硝酸銀

SILVER NITRATE





IMA MI KO RU

95



6

5

4

3

2

1



6

5


4

3

2

1


SODA



SU CHU BU NĀ RU



-71

98



20 CH. BOYER

177



SUGAR


白糖
100g

白糖




SULFUR TAR
OINTMENT

★
陸軍製薬方
タール硫黄混膏
参 硫 膏
500g
陸軍衛生材料廠



TARU

100



U A B A M I N 101

5

4

3

2

1

スルファミン錠

SULFANILAMIDE Tablets


スルファミン錠
SULFUAMIN
2004

Synonyms: RUJIRA, ARABAJIRA,
ZAUPIN, AJINON, TELAPOL,
LUSIL, ?NEFRON? .


2
4
3
1

スルヤン登

SEPPALIANDE




THEYRENT KUTIA, ANKAT
KAPIN, ALIHO, KAPAT
LUSIA, THEYRENT



Tannic Acid



104




10 AMPOLLEN
NEUTRALISIERENDES LÖSLICHES
HAEMOSTATIKUM

Thrombogen FUJI


100 mg Thromboplastin (Fibrinogen)

100 mg Heparin (Heparin)






271 XI MO RU



WASERIN



6

5

4


3

2

1

107

W. R. H.




Page:

BI T A M I N C



Same characters for
VITAMINE B₁



10

9

8

7

6

5


4

3

2

1





5

4

3

2

1


皓礬錠

ZINC SULPHATE



(chlor cresol)

Spirits of HOBURORU
(Use 5 cc on hands for
5 minutes to sterilize)



9
8
7
6
5
4
3
2

★


乾 燥 標 準 血 清

Blood Typing Set

內 容


乾燥標準血清A型	100
乾燥標準血清B型	100
乾燥標準血清O型	100
乾燥標準血清AB型	100
乾燥標準血清C型	100
乾燥標準血清D型	100
乾燥標準血清E型	100
乾燥標準血清F型	100
乾燥標準血清G型	100
乾燥標準血清H型	100
乾燥標準血清I型	100
乾燥標準血清J型	100
乾燥標準血清K型	100
乾燥標準血清L型	100
乾燥標準血清M型	100
乾燥標準血清N型	100
乾燥標準血清O型	100

上海華英書局





PLASMA, HUMAN?



1874

1874



