

Recipe 42

R. Plumbi acetat - ʒʷ xxʷ

agua ——— ʒij

Cleid acet — ʒij

Tinc opti — ʒij

a table spoon, full ter quater

in ole

Q. Muriatis Ammon. ℥iiii
Pulv. extr. glycyrr. ℥ss.
Tart. Ammoniaci gr i
aq. Lent ℥viii. m -
℞. A tea spoon - full every
two hours.
Marsk. marsk. ℞ -

Mucus injection for
Aqua Ammon. $\text{℥} \text{ss}$ $\text{℥} \text{ss}$

41. Aqua Calcil. $\text{℥} \text{ss}$ $\text{℥} \text{ss}$

Morning & Evening

Receipt book 156

Hydranthe parotidica Meunje

Rad. mos. mur. ℥ss

acet commun. ℥j

aq. — ℥vj

Spl. Vin Comp. ℥i℥

lotio

compreper kept wet

℞. Morphine murate ℥ ij
Extr. Hyosciam gr ʒj
℞m. in pil. jʒ divided

R. vin Colchici ʒi.
Sodæ Carbon ʒi.
ter in die.

Rheumatism

Lancet 13. 410

Neuralgia &
Rheumatism of
Jan 12. 299
Syr. Stramonium.

Cures for Deafness,

Prescribed by Dr. Boore of New York.

Take 1 oz Wine of Sweet Oil,

Put 10 Drops Spirits of Turpentine

into it,

Put Cotton in it & put it into the Ears.

Spencer's Lunet 25. 771

R/ Peppermint water
Orange flower water
Syr. of lemon
Oals. Capilla — ʒi
Sulph. acid — ʒi
Gum tragacanth q.s. f. Syrup.
Dose a tea spoon full morning
& evening — if it produce pain
give 20 drops laudanum
to be added —

To keep an action in the bowels

ʒ. Magnesia Sulph. ʒi
Sol. Acetat Ammon. ʒi
Sol. Tart. Antimon. et potassa ʒss
aqua — ʒv

a large table spoon full of this
mixture to be taken every four
hours. Lun. 11 — 524

Post Office of Dublin
Wayside, Wickham

Sicabroca. Monton 869

R. Catechu pulv - gr xv

Alumén. Sulph gr iiii

Concreta Rosae - ʒj

Syr. preparavis qd & bolus
to be taken at Bed time

R. Acum 3i
℞. Uthi Nitrosi 3i
℞. Cinnamon 3i
Lac Vaccin. 3vj
Una opii p. a. n.

Desfruch & her alia

R. Alumine Sulph. ℥ij
aq. Hordei — ℥vi.

Haemorrhæ by Despeck. Goupeau, &c
vol. 1. 491

℞ Aqua Menth,

„ fol Aurantior,

Bals. Copaiba,

Syr: Simonis $\overline{a\overline{c}}$ ʒi

Acid Sulph: ʒi

Gum Adraganth ʒss

~~Emulsio~~

Emulsio. de quarum capiatur

in cullere matutino et sero.

Copaiba is given in injections commencing with ʒij &
gradually augmenting the dose to ʒj. It may
be suspended in the yolks of eggs - mucilage of gums
&c &c — ib. P. 492 — if the rectum is in an
irritable state one grain of opium may be added
in painful evacuations a few grs of camphor

R. Bals Copal a	33
do Solu	33
Bals Camad	33
Spt. Turbith	33
Jr Cubu	33
Spt Nit Dale	33
" Camptora	33
R. Opia	33
R. Cinnamon	33

Sig Mē at directed
 Honor loco CS ee

Catarrh Johnson, Med. Pol. 167

R. G. myrrh — ʒi
S. Ammonis — ʒss.
P. R. Sill — gr ʒ.
Opium — gr ʒ.

Viz. Simp. q. s. f. m. a. p. a.
in pil. gr. ʒi dividenda.
dosis ʒi die 4. merca 6.
6.7+

Peristaltic Persuaders

R. P. Rhai: — ʒij
Syr. pond ʒi
Ol. Carui ʒij x. Minum
make 40 pills of which
each will contain ʒ
gr Rhai.

1811

℞ Muri. Morphia ꝑo iij
Tart. Emet. ꝑo xij
Syr. Lemnaceum ℥iij
Aquæ ℥ij
Sumat ℥ij 20li Horis

Deterium Ferens

Misturae Cardiacae. ^{Page 38} Med. Gaz. Part 4. 227

R. Mist. Camphorae ʒi

Carbonatis Ammoniac ʒi

Spt. Ether Nitrosi — ʒijm.

R. Misturae ^{Cardiacae.} ~~Camphorae~~ ʒij.

Tart. Emat.

sumat ʒi ʒtis Lovers over

℞. Pulv. Sabinæ

Extr. Anthemidis cā ʒss.

Exyd. Junci Majori

Extra. Aloes — ana ʒss. x v.

M. f. Ma. pit. xviii divide

To take one every night on
going to rest.

262

Handwritten numbers and a scribble on a piece of aged paper. The numbers are arranged vertically: 187, 5, 3, 4. A horizontal line is drawn between the 5 and 3. To the right of the numbers is a small dot. A large, illegible scribble is present above the numbers.

Fucus Eb. 1. 89

℞ Pulv. cinchon. condam. ℥ij

℥i

℞ Muciat Ammoniac ℥ij

in Charta No 10 dividenda
omn. to be taken every hour or two.

~~Epist. p. 2. 63
R. Nitrat. argem. gr. ʒ.
S. Opur. gr. x.
Extr. perstern. ʒi. m.
Extr. Aloes. ʒi. m.
Ann. Deinde in 2 gr. pills.~~

Dysmenorrhoea, Strimphelus, Diarrhoea
Dysentery, Cholera

℞ opii pulv. ʒij.

Camphorae — ʒij

Sod. sub. Carb. ʒij in all separately

Dose 10 gr — half tea spoon full 4 or 5.

Recd 719

℞ Pulv Rhei ————— ʒss
" Spicac ————— ʒiii
" Capsicum ————— ʒss
ol. Caryophylli ʒss
Syr. q. s. f. M in pil xii dividat

Hydroiodate of Potash in canes
31-34 Janet 7.8-346

R/ Extr. Aconitum ℥j,
Vin Antimo — ʒij m.
Dose 15 to 20 drops every two
Hours. Rheumatism. 343
Ephraim Garrett.

Dysphylis
℞ Felli Bov. gr XXX
Sac. Apofectis gr XX
M. f. M. dividetur pil
Xij. Cap tres in die

Dysentery
℞ Pulv. Rhei
" Doveri. \bar{a} ʒss
quaque 2^a hora antet
discharge in digested

of hypoxylon
the fruit
of
the
child of
at the first of
reb. consequence
Bark or Berries of Sumach,
white oak bark, white or
common elm bark, com-
mon black berry root of
each 2 parts or a hand full
of each: add black's make
root for hand full make
a strong decoction, some
water & add a lump

Sore throat
2 Table spoons full of Cayenne
pepper, salt a tea spoon full,
boiling water & vinegar of each
half a pint. Let it stand one
hour & strain through fine
linen. — Beach 296
~~Croup~~ Malignant Sore Throat

Suffragan Deacon
Q. Curros. Sub: — go jr.
Extr. Licentia — 31 m fm
in pte ltr dividen

Constringent Pills

Alum gr ʒ.

Extr. Opii gr ʒ.

powdered Catechu gr ʒss

divided in 6 pills —

One after each motion in
dysentery.

Leesley 87

Parreira Brava

root in substance gr^{ss} ʒj

23 to ³ pint of water

boiled to one to sweeten

& strained take a cupful

at a time Theron ton 854

℞ Soda bi Carbon ℥ij
Tinn Opia grs XXX
aq. Camomili ℥vj. m
℥ss part every hour until
relieved Strangury

Gonorrhoea by Dalpoch

R. q. Menth. $\frac{ij}{x}$

" fol. Laurator } $\text{z} \text{ss}$ Zi

S. Copaiva

Syr. Limonis a

Acid Sulphur: Zi

Gum Adragantha f. s. femurina

Atca spoon full morning &
evening

Glanders & Harey
℞ Cantharides grs vi to xij ℥
combined with Ginger. Pimento
& other aromatic stimulants
℞ per diem
Lancet 1830-31. P 514

Alex

Nervous debility & intermit
= terts

℞ Quinine Sulphat ^{ʒij}
Saccar. Alb. Zij.

℞ Mixce et fiat pulvis
in partes ʒ equalis divi-
= dendus.

℞ On a bow du morning &
evening in nervous debility
& intermit tert fever

Quinine 388

Dysentery
Dickson 159

Rf Magnes Sulph. ℥j
Sulph. Potassee ℥j
antimo. ℥j

M. p. Laustus statim
sem Sumendus

Gout 1 grain of acetate of veratrica, 1 gr of
acetate of Morphine, 6.02 of clarified
syrup, mix & take a tea spoon full
every hour or every 2 hours, until the
pain abates, which it will do in the
course of 2 hours the night. This must
be followed by a dose of opium
salt & senna in the morning

Alexr Methy

℞. Copaiba — ℥ij
Mucilaginis acacia ℥iv
Spt. cistheris nitrosi
Spt. Lavendulae — ℥ij
olei cinnamomi ℥ij
aqua — ℥v
Sig. A Table spoon full 4 times
a day

℞. Aluminos.

Sulph. Zincii aa ℥i.

aq. bullientis — ℥vi.

Solve et Cola pro injectio
astringent.

Case No. M.D. & Co. 315

℞ Arsenic - gr ij
Aqua - to ij
Centers a bowl
every morning, after
8 days 2 M & Even

℞ Hydrate of Potash. ℥ss
Apothe — ℥ss.

Föhl
de Instrument
Milano

Stc L Carenam & Schedel

℞ Sulphur . ℥v.

Sub. carbon: petap ℥ij

Water

Olive Oil

℥i

℥iv.

Dissolve the petap add
the oil & evaporate the
other ingredients with
the soap.

^{17th}
Pomade d'Almerick

℞ Sulphur Sublimat ʒss

Sub: carb. potass ʒij

Axonge — ʒij

Use in Morning & Evening

℞ Sulphur ʒss

Mur: Ammoni ʒij

Axonge — ʒij

M —

Caenare & Schedel

R. Argill purae - ʒʒ

S. Arab — ʒi

Sac, alb — ʒii

aq. faemel — ʒiiiii.

A tea spoon to a Child

2 years old with Diarrhoea

① Dysentery Lancet p. 525

℞ Opium gr i

℞ Lepros Sulph. gr ss bis in die

℞ Lepros Sulph. gr ij

Opium — gr i℥

② Dyspepsia Annals Boke 348

℞ Extr. Amygdamarum ℥ij

Pulv. Specac — ℥ss

℞. pulveris equalis ℥

1 a 2 in oleo

Paris

Rf Soda Subcarb ℥ij
Tine Opie — ℥ss
Sp. Myrist ℥ss
aq. Camam ʒij. m
Dissolve in a table spoon full
every half hour
Janet 22.595.

R Plumbi sulph acetatis ʒss
Opii duris — ʒss
Aqua libram j.

Hernia ^{Humoralis}

℞ Ungt. Hydrat. to wiew ℥ j. fatrid
add. ℥ j. of Camphor & dissolved
in a few drops of Spirits & a ℥ j
of oil or lard. — spread on
lint & renewed night & morning
Luncet 22. 47

Electuary for Gonorrhoea.

R. Lenitive electuary ℥ij. Jalap ℥ij
P. Rheubarb. ℥ij - Nitre ℥ss.

Syrup simple q. s. f. elect.

Dose, the size of a nutmeg 2 or 3
times a day.

Rowville's Medicine for Land drain

Fluor Albus Breach 2549

R \bar{y} Tine. Aloes — ʒi

" Ferri. Muriat. ʒij m

40 drops three times a day
in a little water

Injeet Plumbi Acetat ʒi

Zinci Sulph. ʒi

Aqua — ʒxvi

Dr. Keen's Family
Hand Book for
Winter, on Consumption
of all Seasons. on
Spaction and Haemorrhage;
Bladder & Urinary
of the Urinary
of Melancholy,
ous Debility of
Dr.
Photog.

Scarlatina Chew 1.220

Ry. Carbonate of Ammon $\frac{1774}{254}$

Distilled water 90

Syr. Marshmallows 32

A coffee-spoon full every
one or two hours.

310.6 — — — — —

571.0 — — — — —

669 — — — — —

Amurison of aceta
℞ Nutsche Plumbi ꝑ i
in a pill. 126 daily ℞
incase Chemist 1.31 -

Gaseous ethyl acetate
water. Chemist 1.63

℞ Bicarb. of Soda 3.200
Tartaric acid - 3.616
Sulph. iron - 0.152
Sugar - 9.032

Rf Corta pp — 2v.

Pulv. Gacacia — 2

Rf. Syr. Rhei Aromat ʒ ~~ij~~ jv

Extr. liq. Camphoriana ʒj-m

Diarrhoea.

R. Sp. Common: Aromat gr. i. xxx

Aqua ————— ℥j m.

Scundice Buekhamen 345

R. Sub. Phe 2j

Sapo Castil - ʒss

Calomet - ʒss. m

divide in pil 24 - 2 or 3. at 13. at 10m

℞ Ung Sulph ʒij
℞. Cneorata qttv
m. s.
Stich Tetter

Rf. Creta pp.

P. G. Meuciwia ℥iv

agua ————— ℥vss,

Sp. Vin }
Sacar Alb } iia ℥ii

Ol. Cinnamon qth vj

Tine Opia qth xxx in

To an adult a table spoon
ful after every liquid stool.

- For a Child a tea spoon ful
as above

Ryan 236

Anti-dysmenorrhœal. Mixture

R. Mixture Camphore	℥ss
Tinc Guaiaci Ammoni	℥vj
Liq. Ammon. Acetat	℥i
Tinc Opii	℥i-℥ss
Syrupi Aurantior	℥i

Fiat Mixture, de qua unum
cochlear amplum, mane
vespereque exhibetur

Lencorho Jan 23. 1113

Liqua Styrax - Liquorice powder
to a convenient quantity to form pills of
which 6 to 12 daily

Syrup Styrax 2℥ water 2℥ Sugar
℥℥℥

Leucorhoea. Grain 3℥o

℞ Tinc: Lytta ʒjss

Mucilag: parat ʒijssm

℞ tea spoon full twice a day

Line to destroy

May vom: 31

axony — 31.72

fungus

Dissolve 3j opii in a pint of
boiling water & strain; then
add, zij acetate of lead.
Injection in Leucorrhoea
Vollg. 328

R. Bac: Capsici — ss
S: accac: $\text{gr} - \text{ss}$
Syr: alb — q. s. ft pill
• XX quai. sum: iv .
2da quaq. hora dolore
urgente.

Uterine Hemorrhage

= 99.

℞ Zinc Sulph ʒij

agua — ʒij.

A scroll of linnen wet
introduced in the Vagina.

Itch - ointment of Hebmerrich

R. Sulphur ʒij
Sub castor: Oil ʒi
Roxen — ʒviij. ʒ.

In the position of the Doctor 1844
~~R. E. the Cadocynth from per gr XXIV
Map full of the man: gr XII
Cayenne pepper gr
Opium gr
of m. & sprichin full Xij
2 to 4 every 6 or 8 hours~~

Herb —

℞ Hydriodate of Potash ʒj
Uxumy ʒi

~~Scrophularia~~

~~Elephantaria~~

~~Erigeron~~

~~Carum & Sida~~

Inauguration.

~~Q. Ex. tr. Poluayn th. Com. p. 100
gr xxiv
M. op. Pol. Ex. tr. gr xxv
P. in Cassini M.
Op. in gr. in
for in pit & in dir. de
2 to every 6 or 1000~~

℞. Resinæ guaiaci ʒss.
Calomel
Sulph. Aurati. Antimonii ʒij
Elaeosachy. Veniculi ʒm

℞. 39

Leigold's formula for Scurvy

℞ Scurvi gr. v.

Potassa Hydrat. gr. x-

Aq. distilla — ℥jv.

Caput gutt. vj' bis in olei don
aucta gradatim ad gutt. xi

Boston M. Mag.

Lon. M. Gar: Decem 27. 1834

P446

cream Tart

Zalop — — — — — 3i

Elec. Camma — — — — — ʒii

Sulph — — — — — ʒss

Nitrate potash — — — — — ʒss

Hyg. G. o.

Brach

℞
Opii — ʒjss.
" Lavand: ℥i.
Soda carbon: ℥i.
aq. menth. ʒiijss.
℥iijss.
of haust. statem secund:
Gastric irritation

℞. M—

Head scald Favels & eruptions

Siniment

℞ Potassa Sulphurata ℥ij
Sapon melleis ℥i
Ag. Calcis ℥viij
Spt. vini rect. ℥ij m

Palpitation of the Heart
15 drops Spt. Sea to turn ^{menstrum}

960
240
1200

180
1440
288

Hiemerkreis

R Sup Tart. Potassa

Pulv. Nit. Potassa

Pulv. Gal. aa ʒss

.. Sensitive Electuary ʒi

Molasses q. s. to make
a mass

R/ P. Rhei - gr ij
P. Ipecac - gr j
Sapo - gr i f m
fil j
tu in die Graham 59.

Indigestion

Inflammation in Children

R/ Hydru. cum. creta gr j
Pulv. Rhabarb. gr iiii
oleo. 39

Indigestion Dr. 2. 291

R/ Tart. Ferri ʒi

P. Ipecac gr ʒm

divid. in 3 equal parts
1 morning noon & evening.

Acth. R. Fol. Sulph. pp. - ℥i

Sap. Lapo. Nigra ℥ii

Aqua q. s. f. lotio

to be appliced twice a day

Indigestion

R. Tinct. Opii — ℥ss

" " Cassia — ℥i

Soda Carbon — ℥i

aq. menth — ℥ss

℥ss m

Gastric irritation

R/ Sulphate of Zinc ℥ij
Powdered Opium ℥i
" Galls ——— ℥i
Mercurial ointment ℥j ℞
Pills Howell 280

S.

Ammonia
Rf. Pulv. G. Guine. ——— ʒiʷ
Soda Carbonat ——— ʒss.
Caryophil, pulv ——— ʒi
Alcohol ——— ʒxvii
digest for few days then add
1 or 2 ʒ of Carb. Ammon to every
4 ʒ of the tincture Dewees Benzol 1857

Dr Cullen

11 Domestic

1. Diseases of

2. Diseases of

3. On leontis

4. On Porrea

5. On Fructus

6. On the Anator

7. On the Mure

8. On the Mure

9. On the Mure

10. On the Mure

Receipt 11. 447. H. H.

R Potassa Sub-carb: ℥ij
Aqua — ℥i
Ol. Olive — ℥ij
Sulph — ℥ij

① Dissolve the sub-carbonated in
warm water, & add gradually the oil to
form a soap, then add the Sulph
& mix the whole carefully. ~~add~~
℥ij camphor

Act. Green 67

℞ Potassa sub-carb. ℥i
Sulph. sublim. ℥iij
Adeps) ℥j

(a fresh butter -
rub in the whole before
the firmest ointment)

Required the sum of the different permutations of 893.

$$\frac{1 \times 2 \times 3}{3} = 2$$

$$(8+9+3)2 = 40$$

$$\begin{array}{r} 4040 \\ 4040 \\ \hline 4440 \end{array}$$

$$\begin{array}{r} 893 \\ 839 \\ 983 \\ 938 \\ 389 \\ 398 \\ \hline 4440 \end{array}$$

Mindoo Rule

Chilblains when the skin
is unbroken

R. Tric. Iodini f 3ij

Linamentum Japonis

Comp:

f 3v. m

Saepe applicandum

Scarlatina Rayer 1. 121

~~℞ Callomellanos ʒi 6 s ʒi 8~~

~~Golden Sulph. Antimo. ʒi 6~~

~~Sacar. All. s. s. Malp. s. s. i. a.~~

~~g. s. 3. vel 4. in div.~~

~~℥ 2. 7~~

℞ Pulv. Antimo.

Callomel. — ʒi 6 s ʒi 8

U. cold. Coturis —

Night sweats in Consum
 =ptisium Foy. For. 15
~~R. Plomb. acat.
 G. m. Capcio
 f. m. p. x x x
 ovid. — — — — —~~

26 120
 144
 132

Bi Chromate of Potash gr x
Sulph: of Copper — " x
Water ————— 31
Sol. Nitrate of Silver in the dark —
when exposed to the light the
Object will appear

Aperient for Children
℞. P. Rhei. gr. vj +
Potassa bi Sulph. gr. viii
M. p. d. v. i.

pararopi
Lacet 24.591.
Dyopina

Gonorrhoe. Scorbicki 3ʒo
ʒ. Electuaire lenitif ʒʒ
Creme de tartre } ʒʒ
P. Rhei ——— } ʒʒ
Bals. Copaiba ʒʒ
Syr. q. s. f. Electuaire ʒʒ
Dose a tea Spoonful morning
& night —

sent appearances
there. No 143 South
or next day, which
renewed you, as you
state.

Respectfully
D. Williams

15 grs Zinc Spii, 30 grs of Ammonia
taken on the accession of the Chilly fit, is
said never to fail curing of Pains

Will Mr. Putnam have the goodness to

Lavret v 23. 23
 Rj. Crota ff - ziiij
 Soda carb. ziiij
 Ammon. carb. gr xx
 Fine Opium m l
 aq. Cinnamon zvj
 aq. distilata zivj
 M. p. Lavret.
 after every defecation

zvj zvj
 ziiij zi
 xx
 xxx
 gr iij
 zvj

Crota ff zvj
 Soda Carb. ziiij
 Ammon. Carb gr xv
 Fine Opium gr xx
 Ol. Cinnamon gr v
 Macer alle } zi
 qd vin }
 aq — } zvj

Styrax
 v 23
 492

474
 448
 16

Dyspepsia

R. Pulv. Doveri ℥ss
" Capsici ℥ss

Divide in 4 powder
em. take every
3 or 4 hours

R/ Iodine grj
Aqua . . . pint
Mun: Soda - ℥ij

alluvium
Dissipata Buchanan
R. P. Rhein
S. Alton
Fiori Sulphur
+ pit found on I.
2 lot m. R.

Dysmenorrhoea 558 Buck

Rf camphorae ℥j

alcohol — ℥ss

Rub together until camphor is
dissolved, then add

G. officinalis pulp ℥j

Sacchar ℥ij

aq. Cinnamon ℥ij

dose ʒss repeat 4 or 5

R. Opii pulv. ʒj
Camphora ʒij
Pulv. Opae ʒj
Bi Carb. Soda ʒj
Aqua ʒm — p. r. o. a

Dyspepsia Oil

Dec 187

℞ Pulv. Ipecac: grs iv

℞ Rhei: —

℞ Jalapa — ~~ss~~ grs x

Syr. q.s. f. mass in pill

℞ divide the whole for

a dose

Dyspepsia Abercrombie

R. Sulph. ferri gr ii. — gr xxiv

Pulv. aromat gr v. — 3i

Aloes — gr j — gr xii.

Sigs q. s. — f. pil. — 12

Mayo 224

^{gr i}
℞. ~~gr i~~ lactose. ^{gr ii} poudre de ipecac. —
Sulph. précipité d'antimoine ^{gr i}.
Ramadef. Mactis fer

Intermittent Fever 2. 36

R. Acid Arsenicon gr i

Sacae

qs 20 m.

to divide in 20 powders

one 4 or 5 minutes before the accf

Trypheus Sunset 16. 204

℞ Sub. om. Hydrazoy

Pulv. Jalap. gr viii

Statim

℞ Potap. Sub. carbon ʒii

Aqua menth p ʒvi

M. f. mistur euja capt
quant. part 6^a g. hora

℞ Sub. carb. soda ʒii

Spl Eker Nitro ʒij

aq. menth p ʒo ft haud

M. f. mistur euja capt
4 quadr. hora ii

M. nodosa sub. carb. 3111
P. Rhei — 3111
M. f. fulv. in chost 11
dwid. statim 1. 30 od
4a g hora

℞. Sacchar: Sp. of Nitre: ʒss
Bals: of Copaiva: ʒss
Laudanum: ʒss
Mij —

To prevent erections in Gonorrhoea

R Camphorae

Plumb. acetat. ana gr j.

Opii pulv. gr ss M

f. pill. statim sumendus et

repet. p. o. n.

Daysmenorr holl 404 232

✓ R. S. Opie grj gr. v
3 ps. Camphoræ gr vj. m in 3 ps
til ij divid. one morning
Evening

Drops

℞ Confect. Senna

ʒij ʒ

℞ Jalapa —

ʒi.

℞ Potapha Surtoras

ʒʒ

℞ Syr Zingiber —

ʒij ʒ

a tea spoonful 2 or 3 times

in aie

Note by Dr. P. S.

℞ Ol. Amig. ℥ij. Cera. Alb. ℥ij
melt the wax & oil in a moderate
heat & allow the mixture to cool. Then
incorporate with it, in a marble —
mortar Protochloruret of mercury
finely powdered. ℥ij —

The above will almost always cure
It is divided into 16 or 17 parts &
one rubbed on the part affected
every night. The ointment is de-
void of smell & may be scented
with Ol. Bergam. &c &c
Bulletin Gen. de Therapeut
Mey 1838. Mag. J. 45. 1838

Note — Brown soap, ℥ij.
common salt — ℥ss.

Sulphur — ℥ij
Soft wine — ℥ij
vinegar — ℥ij
Chloride of lime — ℥ss
Essence of Myrror — ℥ij

Mix & put in
lots for use.
Cures in 4 days
Med. Pocket book
260 —

Stech -

R. Sulph. loti ℥ss
Sodae boracis

Ammon. mur. ac. ℥ss

Hydrar. precip. alb. ℥j

Unguent simpl. ℥ij

Used in India for curing
Scabies. Germ. 358

To the above ℥ss to ℥ij of
ol. turpenth. may or not
be added at pleasure

Q. Ol. Cuba — 31/2
Tinc. Canthar. 311
" Nino — 31/2
Bab. Copraiba 311
Ol. Menthe gth 311
Syr. Totate gth x + ten in die

Gonorrhoea

Druid 199

R. Sulph Aluminosa

" Zincii — aa vi. m for injection

R. Capivi — ʒij a iv

Mucilaginis G. Arabica — ʒij

Spt. Utheris Nitrici } aa ʒij

Spt. Lavendula — } aa ʒij

Ol. Cinnamomi ʒij

agua — ʒvj m

A Table spoon ful 3 in die

Druid
575

Doypent 24.77.
Neuralgia & amenorrhoea
gr/℥ of the extract to gr/℥
twice a day — In chronic
spinal disease where the obje-
ct is to calm the sufferings of
the patient gr/℥ twice a day
in hysteria where it is desi-
-ous to rouse the patient,
I order it gr three times a
day at the commencement
℥. Strichnine

Pneumoniae young person

White exudate of
Lung
old persons.

Rx do — 30 yrs
dise increased next
day Lancet 26. 86

Hemorrhoea

R Argent Nitrat \mathfrak{ss}
Aqua - \mathfrak{ss}

Gastric irritation

R Pine Oil - \mathfrak{ss}
" Lavender
Soda carbonica \mathfrak{ss}
aq. Menth - \mathfrak{ss}
M. f. - Laur. tar \mathfrak{ss}

Govt. Chemist V. P. 385

Spt. Ammon: aromat. rubbed
on the affected part.

Extr. Cicuta - gr ʒ
Pulv. Specae. ʒ ʒm
ʒ pil, Conrad

Musk. Sulph₃ Ether &
ammoniac. to stand 14
days: droopt in the ear

R. lime water
 oil of almonds } ac 3 jr
 camellianum 3i. m
 by stirring then apply
 cotton dipst in the
 solution to the part

A saturated solution
of Alum.

4 oz to a pint of water

⁶⁰⁸
Collyrium Lanet 23

R. Aluminis gr xx

Aqua — ʒxviii

fiat collyrium

to be dropped in the eye

three times a day

Curminative

Op. Othos — 3ij
Spt. Lemmo. foctis 3ij
Tine Castor — 3ij
Laudan — 3ij
aq. Camphor. 3vj

Indigo in Epilepsy
L. M. Guer. M.D.
1838

Neuralgia Tronpeury
& Pidalmy 21. 220

Neuralgia

R. Extr. Belladonna gr^{ss}
℥ pil - dose one every
hour until vertigo is
produced.

(ib) Epilepsy. Fatuity, Coma
234 Sat. Sante Viti.

R. Extr. Stramon gr^{ss}
Morning & evening

Hydrar. c. Creta.

[Faint, mostly illegible handwritten text, possibly bleed-through from the reverse side of the paper.]

~~℞ Soda Sulphas.
Magnes. Sulphas \bar{a} \bar{a} ℥ij
Sicc. Antimo. \bar{a} \bar{a} XL,
Sicc. Fol. Ferussae - ℥ij
aq. Menth. ℥jss.
M. p. Dosis~~

To each ounce of Olive
oil, add one drachm of
Camphor, broken into small
pieces, & expose it to a gentle
heat, in a bottle, till all the
camphor dissolves. To each
ounce of the oil so prepared,
add one drachm of Spitt.
of Lantz horn No. 56.
Swelling underneath the
skin.

Syzyphi in Children Jan. 26 479

Rf Proto. iodot. Hydrang gr $\frac{1}{8}$

Extr. Opii. Gummosas. gr $\frac{1}{10}$

Extr. Guaiac gr i

Trinaeae gr $\frac{1}{2}$ M

f. fil unam.

for Children up to 6 months old

after that you may give $\frac{1}{6}$, $\frac{1}{8}$, or $\frac{1}{10}$

gr. according to the age

M. Ricord. Hospital des

veneriens, Paris

Dr Holland says, "that if persons are always
supposing that they are liable to a certain disease
distemper, the nerves will so act on the part that
it is very likely to come on them."

Unguentum Belladonna ℥ijj
Camphora rasata adacta grxxij
Zinc Oxii camphorata grxii

~~℥v~~ ℥iv
gr . . . grxv
gr āā gr xv

℥j
℥ss
℥ss

Fullness, distention acidity,
eructation &c after food

R. Pit. Hydrarg. gr. ij

Pulv. Rhei gr. iij

- Specac. comp. gr. i

Mucilag. acacie q. s. ut
fit. pill. ij. bis terve in die
sumend.

Medico ~~Surg~~ Surgical
Review July 1838. 5th

Formula on the card:

℞ Glucate of lead — ʒm jv

 aqua — — — ʒij

 thrice daily thru

℞ pyroliz. acid — ʒij

aqua — — — ʒij

R. liquor Potapco $\frac{1}{2}$ M

Bals. Copapaco $\frac{1}{2}$ M

Mist. Camphora $\frac{1}{2}$ M.

Druic. Durand Crostata

Piles. Cycloproctia of Prae: Receipts
℞ Spermacei ointment. 50 parts
Powdered opium 16 "
" Galls 16 "
acetate of Lead - 2 " M

℞ Cerat. Plumbi sub acetatis ℥i
Extr. Scamonium — ℥ss. m
℞ Cerat

Consumption Bech 321

Take a table-spoon ful of common tea, three
spoons ful of honey, three yolks of eggs, half
a pint of wine, mix together in a dish with
a knife a spoon, then bottle for use.
don A tea spoon ful morning, noon & night

Cancer — Magendie gives from
one to three drachms of the solution
of Hydroiodate of potash in cancers of
the tongue.

Croup June 17 - 1862

R/ P. varians - ʒij

Oxygal Silla - ʒij

Tide ʒij - ʒij

liquor ʒij

at the spoon every hour

in child 2 to 5 - 5 to 8 every 2 or 3

45.

Sulphuric ether. Compound Spirits
of lavender each ʒiʒ. Wine of Opium
2 drachms. Oil of Cloves 10 drops
A tea spoon full to an adult after
every stool proportionably less to a
child
D. Meredith Russ

℞ Powder of Opium ℥ss xij
Camphor — ℥ss
Capsicum gr vjiii
Spt Wine Cons. Rosar. ꝑo m
Divide in xij pills

℞ Chloric Ether
Arom: Spt. Ammon
Camphorated Spirit
Tinct Opii — aa ℥j
Cinnamon Water ℥iij m.

How them on Chelce

Injures Thursday

June 14. 1849

℞ Bals. Capilla ʒi
" Sola - ʒi
Spt. Eth. Nitros - ʒss
" Camphor
Tinc. Opii aa ʒi
aq. Rosae - ʒvj

Collyrium Lun. g. 813

Lotion.

M. Alum gr ~~ij~~ $\frac{ij}{vj}$.

Aqua $\frac{ij}{vj}$.

~~Ammonioea. Froupeau M. 625~~

~~Alum. Ammon. Zij ~~ij~~ $\frac{ij}{vj}$~~

Lac vaccin - 107 -

Medication of the day
 of the afternoon
 sine digestion
 of the morning
 31
 30
 29
 28
 27
 26
 25
 24
 23
 22
 21
 20
 19
 18
 17
 16
 15
 14
 13
 12
 11
 10
 9
 8
 7
 6
 5
 4
 3
 2
 1
 0

Jan-29-9. 1850. Sat. mt. cont.

Antecright Remedy

20 gr Hydrar. cum Creta.

20 gr Cayenne Pepper.

10 gr Camphore.

15 gr Calcined Charcoal.

15 gr Gum Arab. M. J. d. l. o. r. i.

given in 2 table spoon full

of water. Cholera Asiatica

Called to see W. Hemtel
gain at $\frac{1}{4}$ before 2 o'clock
today.

R. Brita p*er* ℥ijss

Soda Carbon: ℥ij

Ammon: Carb: gr̄ xv

Tine Opii gr̄s xxx.

Sacar Alb.

Spt vini aa ℥ij

Aqua Cinnamonii ℥v. m

To be made into a stable Spoon

After every hour stool. to a Child a tea

Spoon

R. ol. Sijli. — — — — —
Estr. colocynth compo^r ʒi. m
f. pil ʒij — — — — —

Mitte R. Pil. Galban. compo^r. ʒij
one of the purgative pills & two of
the Gum pills to be taken on going
to Bed.

Doopry.

Sp. Etheris Nitrosi 3i.

is a good diuretic

and containing one

grain of powder of

Squill, tenix 4x 100

Johnson's Med. Rec. 181.

℞ Magnis. Sulph ʒʒ.
Magnis. Calcis ʒʒ.
Manc. opt. ʒʒ.
aq. Menth. virid ʒʒ. m
Aline glassful every morning

Swelling & Structure of the Prostate

℞ Pulv. Carbon. terribil. grs ʒss

Ammon. Muriat. pulv. ʒij.

Extr. Coni. maculat. ʒij.

- glycyrrhizae q. s. fiat bolus

one of these to be taken ter in die

Dunghen 100 117

Dry Mortification
in Cattle is occasi-
-oned by ergot &
the (*poa viridis*)
green grass.
Linnon 1. P. 35
Mease

To Remove flatulency after eating.
Take a spoon full of the following mixture
in a little water as soon after eating as
convenient. Magnesia ʒ drachms; ✓
Carbonate of Soda ʒij; sal volatile
4ʒ; rose water ʒij Mix and well shake
bottle before using.
U.S. Pract. Encyclopedia of practical
receipts

Heart burn during Pregnancy
Sol. of Ammon $\mathfrak{z}i$
Calined Magnesia $\mathfrak{z}i$
Cinnamon water $\mathfrak{z}ii$
Common water $\mathfrak{z}viii$
Dose a table spoon full as often as
required

234 American Encyclopedia

4 or 5 lb
Chlorophyll
157 m water spec

Mizella.
Fragaria.
Guinea.
Caladium.

A. R. Aloes — ⁴⁸⁰ Zi Zi
 Ferri Sulph — Zi ⁴⁸⁰ XX
 Extr. Hellebori — Zi ⁴⁸⁰ XX
 Myrrhe — Zi ⁴⁸⁰ XX
 Saponis — Zi ⁴⁸⁰ XX
 Extr. Gent. — Zi ⁴⁸⁰ viij
 Zingiber — Zi ⁴⁸⁰ viij

480		480	
480		120	
120		480	
		120	
<u>1080</u>	25	<u>1080</u>	480 pills
216 pills		1080	
		240	
		<u>240</u>	
			5106
			<u>22</u>

Being Draught

3

J. Magnep. Subpt

Sealae: Sulph. aa ʒii

aq. ment —

ʒʒ

Mi Antimo ʒm

Mi Sennae —

ʒii

M. for a Draught

Graham 25. 877

10
n,
e-
d
e
f
P

THE SULPHUR REMEDY.—Dr. Terry of Detroit has written a second letter reiterating his statement that Dr. Bird's sulphur and carbon pills contained morphine. However, Dr. Bird, not to be outdone in the way of letters, writes to the editor of the Chicago Journal, acknowledging that narcotic effects have been produced by sulphur pills, but denying that the pills prepared by him contained morphine, or anything but four parts of sulphur and one part of charcoal. His letter has appended to it a certificate, signed by seven of the apothecaries of Chicago, that the pill prepared and sold by them as Dr. Bird's Sulphur Pill, has never contained any other active ingredient than the sulphur and charcoal, in the proportions, as mentioned in Dr. Herrick's letter, published in the Chicago Journal for May 29.

“Who shall decide, when Doctors disagree?”

EXCERPTS FROM A NEWS PAPER

ted
ind
is n
con
deed

T
of t
cons
miss
the
Bridg
a con
matt
small
of th
mitte
next

In J
voted
in sta
tion t
in fav
thoug
much
was i

A NACROSTIC.

Pieria's daughters ne'er a theme have sung,
 In breathing numbers from the golden lyre,
 Like this for which my harp all rudely strung,
 Essays to pour its trembling notes along—
 Science our theme! Her works our thoughts
 [inspire!

Compared with her, when to the healing art
 United—where is the power on earth
 Remaining, which yields or can impart
 Ease to the writhing pain, joy to the heart?
 Disease by her alone is driven forth!

Far through the earth her generous power is
 [known,
 O'er every land her ever conquering touch
 Roots up disease, and hurls it from its throne!

Long has she battled with that scourge the Piles,
 In vain, but now with Upham's magic art,
 Fierce racking pains give place to cheerfu
 [smiles;

Each former sufferer owns a grateful heart.

Dr. Upham's **VEGETABLE ELECTUARY**, or
 internal remedy for the Piles, prepared by A. Upham,
 M. D., a regularly educated physician, is a certain
 cure for the Piles, whether Bleeding or Blind, In-
 ternal or External, and also for other diseases of a
 similar nature, which are frequently found in con-
 junction with Piles—such as

INFLAMMATORY DISEASES.

Although the **ELECTUARY** was originally pre-
 pared for the cure of **PILES**, yet it has proved itself
 to be a medicine far superior to all others, in all
 diseases of an Inflammatory character, with a deter-
 mination of blood to any particular part or organ.—
 In Inflammation and Congestion of the Liver and
 Spleen; Inflammation, Soreness and Ulceration of
 the Stomach, Bowels, Kidneys and Bladder; in In-
 flammatory and Mercurial Rheumatism, it is the best
 medicine ever discovered.

TO MARRIED LADIES

Married Ladies are almost invariably
 that painful and injurious disease
 consequent Inflammation

℞ Plumbi acetat
Pulv. Ipecac. ita ʒss
Opii ʒss
Divide in partes
quatuor. — in eaq
huic hanc intit hanc
mor hanc ceasos

Menorrhagia

℞ Plumbi acetat grx

Acet. Acetat

Aqua — — — ℥ij

Tinc Opii ℥ij

Sig. Atate psumpt

ter in die

Ryan. 42

Menstrual discharge
Jan 25. 1899

R. Tr. Lytta — ʒij

To. Aloe Comp. ʒij

Spts. Rhubarb ʒij

Aq. Cinam. ʒvj

M. Capt. coch. mag. ʒi
in die.

R. G. Galbannum

Pil. Hydrarg.

G. ellyptica ʒp

~~Hydrarg.~~ ʒi

Capt. ʒi h. v. om. nocte

Menorrhagia
Medical Gazette
New Series, May 1840
vol 1st part 8. P 266

℞. Liq. anisic. ℥ijj
Spt. Lavand^{com.} ℥ijm
Cap. ℥ijj ter quor
= tidie et aqua

Wm. Thomson

in obstruction of Menstrua
Dumescus maceribus
ad 1 Spoon full of starch
tea spoon Camellolamum
30 grs Camphor &
2 or 3 tea spoon full
of tincture of Spafati
do. — also 1/2 oz
do. of tincture of
aloe & Myrror —
Rexon. 36. 8. 8 —

R^x Coctu p^r ʒjv

Pulv. Catechu gr xx

ʒpt vini

Sacar. alb c^{ia} ʒiii

Aqua Cinnamon ʒvss.

Tinc Opii grs xxx

A table spoon full after
every loose stool for an
adult. A tea spoon
full to a Child as above.

R_x. Sol. Epsom
" Glauberitica ʒij
Potassa Carbon. ʒss. dissolve
wh. in a tumbler — In another
tumbler dissolve ʒss acid Tart.
& drink during the Effervescence
Graham 400

Rf. Ammon. Carb — ʒi * 6
Spt. Ether Nitros — ʒvi
Tinc Digital — ʒii
Coam liq. Camphor ʒvi
Drops of Graham ʒvi
ʒ/6 ana tablespoon
ful bid in die

Trochiscus of thalnia

℞ Quinine Sulphat. grj - ij.

Soda Carbonat. — grj - v.

Sacchar. alb. — — — — —

Dose morning & evening

℞ Minc fiat pulvis

Ten grains of Carbonate of potash, given with
one grain of opium, prevents the distressing
effects of the opium. Armstrong 357

Rf Mop Hydriac: $\text{gr} \text{ iij}$
Extr: ~~Hyoscyam~~ ^{Colybinth}: $\text{aa} \text{ iij}$
to be taken at bed-time

Sanct N 10. 540

Rf Soda subcarb: $\text{gr} \times 4$
Infus: Gentian zj
to be taken three times a day

$\times \text{zj}$

Leycei pilula pro scrofula

R. Extr. coloc. Comp. gr. ij.

Pul. Rufi gr. ij.

Calomet. gr. j.

fiat pulula

Lament 24. 643

Serofulus ophthalmicus
examit 1.256
of Extr. Corii. Maculatum

Op. juv. potapa gth xv
Bab. Copaila gth v.
Mist. Cufonphora 3/1/1.
In p. olvii. prustale

Dr Clark.
Pils. Spese. bruised root Zij
water 1 quart boiled to a
pint strained & given as an
Laxament

Rhizoma betulae gr xv — 3i

Bals. Capivi gr v. — ʒi

Mistura Camphor ʒss ʒvj. m

A tatte opoon full ter in die

Swelling of the Prostrate
Magen di

Bohus Carbonis Animalis

℞ Pulv. carbon: Animalis ꝑ ij

Ammon: Mur: putr. ℥ij

Extr. Conii macul. ꝑss ij

glycyrizis ꝑss f. bolus

one to be taken 3 times

in the day. — in swelling

of the Prostrate & swelling

of the mucous membrane

of the urethra

Douglas on 117

R Blue ointment ʒi.
Camphor ʒi.
Hydrochlorate of Potash ʒi.
to be used every night
along the Perineum for
retention of Urin
Lewerwell

Vomiting During Pregnancy

R. Potassa bitartratis 3iv
Sulphuris lot - 3i
Melap - — 3i
M of electuary - done at
tea spoon full one or
twice in the day
in piles

℞ Potassa trita ℥iv;
Sulphuris — ℥i;
Sacchar alba ℥ij;
p. densis colla; ℥ij;
f. electuary 1 or 2 tea
spoons full in dia

Phlegma Siccum Siccum
℞ Yin. Colchic. ℥ss
Magnes. Carbon. ℥j
aq. Camphor. ℥ss
Aqua dentata ℥ss

variale

Dr. J. L. Harrison

Ammoniacum
Munrothay's Expectorant

Rheumatismus acutus

pag 94

~~℞ Vin. Rosolici Bolchici~~

~~Magnesia Carbonata~~

~~aq. Ment. Piperitis 3j~~

~~m. fiat haustus ter in~~

~~die sumendus -~~

~~℞ morphini tritici~~

~~rain~~

Chemist

N. S. Str. Acetum d. jr

vin Antimo - 31/10

Sij 1874 was 2 Louis

Menorrhagia Chemist 482

℞ Acid Tartaric 10 or 20 gr

made in pills per day

Piles. a M. J. 903.324

℞. Tinc. Ferri. Muscati ʒij

 " Opii ʒiij

Decoct. Rordei ʒvj

♀ ennuva. bi in die
injicenda

Lancet vi. 18423 233

Purigo. Sir frame uses
a sol. of iodide of potash
ium. & in cancerous ones

Hydrocal Serre uses
tine. iodid. $\frac{1}{4}$ parts water
4 parts

Amstrong
Astringent injection
Purulent Ophthalmia

R. Mucor. Oxymur. gr j.
Vin. Opii — ʒi
Aqua — ʒvi

~~Galena. Ferri Ferr.
mud xiii 153~~

~~R. Chlorate of Lime ʒii
Aqua — ʒi~~

Dr. Lechman says the result of
his experience is that Savin

Juniperus Sabina is the most
successful in Chronic Rheu-
matism in doses of 12 to 15 gr
3 times a day

Adhesive Plaster of
Andrew De La

Ceroid

Resin — ℥xvi

G. Elemi — ℥j

Turbinthin

Ol. Lauracerasat. aa ℥ij

Carton en l'assemblé
carte 262
~~Q. Dames de la paroisse~~
~~de la paroisse~~
~~de la paroisse~~
M. de la paroisse 3/4

P. Morphina gr ij
P. C. Cacia ℥ij
qj. — ℥ij
tea spoon every 3.4
in oil

P. Linnia — ℥i
Alcohol ℥ss
20 to 40 grs every 2
Hours

Ointment for Piles

Rj: Ung: Hydrarg: mit: ℥j

Pulv: opii fine . . . ℥ss

Goulard Ext: Saturni: q^{tt} ~~℥~~ ^{xxv}

~~M~~ ft ung^d

Ponige Decalvans.

Bald-Head

R. Vint. of tobacco.

Citron vint aen

Lanett 25. 443

White Mustard Lanett 25. 669

R. vloer loe Zis

Gambogia -

Sapo Cast aen Zis 992

Syri 2 -

in pil 26 jr 54

one at bed time.

~~Pill Ruffi~~

R Aloes pulv. ℥ij

G. Myrrid " ℥ij

Crocus Sativus ℥ij

Syr. q.s. fm in 120 pills
divides

R Extr. Colic. Comp. gr 41

Til Ruffi gr ij

Calomel. gr i

fiat Pilula. L24. 643.

Crota pp	-	ʒjv	ij
p garab	—	ʒjv	ij
agua	—	ʒvj	iii
ʒt wine			
Sae alb	{ aa	ʒij	ij
oC Common	g ^{tt}	vij	ij
Long Land	- g ^{tt}	xxx	ij

P^ro^pterative Lib. 2. 82
 R^omapa Hydraz. ʒj
 G Aloes ʒvj
 Tart. Antimonis ʒij
 in 20 pits - one every night

For the Piles

$\frac{1}{2}$ Oz Crem Tartar

$\frac{1}{2}$ Oz Sal. Nitre

$\frac{1}{2}$ Oz Gallus

1 Oz Lenitive Electuary

mixt with a small quantity of
Mclaff is sufficient to make it up
into Pills & take for a dose the size
of a common Marble - it is best to
take it in the morning fasting to
prevent being disturbed in the night
take it twice or thrice a week
till a Cure is effected

R. Magnesia Calcin. — ʒss
R. Rhei — ʒss
Sacchari alb. — ʒi
Ol. Mentha Piperita ʒi
Aqua — ʒiij
Sig. A tea Spoon full every
two or three hours until
it is perfected



~~Look to the stomach, I say~~
Look to the digestive organ for the
origin, & for the constant provocatives
of all diseases. The stomach I say
is the root of man, & if you would
eradicate any evil you must
look to the root of it

Janest 24. 1866

At Lyman's Lectures.

Lyman

shall be bound with early books

Consumption Jan 24 1877
℞. Tinct. Ictha et Ar. limo. ꝑij
Infus. Sol. Sann. luci ℥ij
Syr. Simp. ℥ij

Morning & evening a spoonfull
Dialia

℞. Pulv. Digital. ꝑ. +
Specie ꝑ. + m

Make 10 pills. take one
every hour or after every
evacuation (ib)

℞ Potassa Nitrat ℥j
Tartaric acid Potass gr. ʒij
Syn. Percol — ʒij
Barley water — ʒij
every 5 or 6 hours
Nervic Fever
Rin a d'p

1466
8956

7/525

sextum

septem

℞. Zinc. Aloes
" Castor. ꝑ̄ss ʒiij
" Cort. Aurantior ʒiv

Orn 15 drops in a
Cup of weak infus-
ion of fennel seed

Hufelands anti vomitive Mist. Chemist
page 387 W. F. 587

Hammerton
P. Petr. Belladonna 3i
Opunge 3i m

3 2
3 2
3 2

Unguentum Belladonna

R. Ex. Belladonna ℥i P 222

Acumy - ℥i m.

Hemorrhoidis

R. Unguent Belladonna ℥i

Camphora rasata ℥ - ℥i P 424

Resacta

Tine opii Camp ℥i m

horata

^{Chem.}
Hydrocephalus^x 1. 218

Rj. Hydrag. submurg. viii

Sodin — — — gr i

Sucari alb — — — ℥lxxx

M. f. pulv. divid. in xxi

partes aequales.

Herbarium
of
the
University
of
Michigan
Ann Arbor
Michigan
April 22, 1858

Magnesia Aperient
Calcinæ Magnesiæ 3 parts
Bicarb. Soda 3"
Tart. Acid - 4".m

pro Laest.

Encyclopædia 147

*℞. Vin: Antimo: ℥vi.
Tinc: Opii ℥jss. ℞.
To take ten drops every
Four Hours.
C. P. A. M.*

Liquor Aluminium
Compositus.

Aluminium
Zinc Sulphate 3 p.
Aqua ferventis q. s.
Alumina et zinci in aqua
simul liqua. ~~Alumina~~
per chartam cola.

cholera morbus.
Dr Ayre says ʒi ʒss of Calomel
sat every half hour in almost
a specific in arresting it
Wm J. Johnson 53

Hoopings Coughs

R[℞] Tine Opii gr j — ℥jii

Wm. J. Macae ℥ v. — ℥ijm

Sod Carbon. gr iiii — ℥ijm

Aqua — ℥i. m — ℥j. don't tra spoon

pro doris. It repeat

quaque tertio horae

Whooping Cough

6

R. Magnes: list gr v. — 3i

P. Opium. — gr $\frac{1}{4}$ — ~~gr $\frac{1}{2}$~~ $\frac{1}{2}$

Extr. Belladonna gr $\frac{1}{6}$ m. — gr $\frac{1}{2}$ in divided
for a child 1 or 2 years old — in pul. $\frac{1}{2}$.

R^{ij} Ferri Sulphatis
Soda sub. Carbonatis
Saccari — $\frac{aa}{30}$ XV
Pulveris Myrtis ʒss. m
ʒmij pit XV divide
Conamagoue

$$\begin{array}{r} 90 \\ 16 \\ \hline 5 \overline{) 150} \\ 90 \end{array}$$

$$\begin{array}{r} 45 \\ 25 \\ \hline 5 \overline{) 225} \\ 15 \end{array}$$

℞ Aqua distillatae ℥vii
Aluminis et potassa sulph. ℥ij
Mellis Rosarum ℥j m. ff. garg.

Convulsion of Children

9 34
Apoplecticæ ℥i Subst 296
Soot of wood ℥ii
alcohol ℥iii
digest for 6 days
in sugared water a few drops

Dr. Arch. Schmitt 3/1
" Comptroller 3/1
Dr. Min. Schmitt 3/1

Prolapsus Ani.

R. Sacchar. Satur grs v
Tine Rubiae grs xv
Aq. Frig — ʒi m pro
injection. for a Child 3 years
Old

Piles Cyclo. of Receipts

R Compound Sol: of Alum 1 1/2

Lactarium ————— 1 "

Rose Water ————— 8 1/2 ℥

Suppression of Urine

R. Ag. Ammo.

℞. terbinth. ac. ℥i. ℥ss.

M. J. W. C. 1815.

Prot. sp. loc. 1877
Superf. in flavo
Linea. Negotiana
gth. + 1/2 in a cup of
linseed tea every day
with honey
Lancet 1. 1869

℞ Liqueur Peupier \mathfrak{ss} ʒv,
Bals. Capivi \mathfrak{ss} ʒi,
Mistura Camphor \mathfrak{ss} ʒi,
℞ haust. Prostata
Cooper

By Zinc Blai - 31
" Opui 23. 31
P. Hunter's 1800
- 1800 Cumberland

In *Spasmodic Cholera* Dr R. J. Graves of
Dublin gives \mathcal{R} . Acetatis Plumbi \mathcal{ss} . —
Opii \mathcal{ss} . Fiat secundum artem massa,
in pilul. xij dividenda — The most
convenient way to make these pills is to
add 5 or 6 grs of powdered liquorice to the
 \mathcal{ss} of acetate of Lead, forming the mass
by mucilage. — British & Foreign
Medical Review of Practical Med. &
Surgery — No 9, 1838

~~Consumption Buchanan 192
R. sulphureum sulph. grs xii
I. Ammoniacum ʒi
forn in pot xii divide
one every 3 or 4 Hours~~

Cutaneous Diseases
Med. & Surg. 1834.

P 360

H. Jodini ʒj.

Potapa-Hgaricou. ʒj.

tere simul; addde *Stolepis*

ʒj - ft long.

Night & morning

Cough. Buck 249
℞. ℥ss. Glycyrrhizae ℥iij
Aqua ℥iv
Effect solution in a Mortar
then add
℥ss Nitri Dulce ℥ij
vir. antim. o. ℥i
Laudanum ℥ss
Dissolve in every 2 or 3
hours

Fol. Sennae ʒij

ʒi

Ther. Bohea ʒij

Scurry ʒij

croton oil ʒtt̄ is
ʒij 3. Cap. iij
Linn. Linn. 19. 380

Periostitis. Lancet 21. 166

R. Pulv. cort. rad. meseri gr̄ jv
divide in pil x̄ is quarum sumat
j̄ ter in die.

Gastric irritation (ib) 300

Rf Carb. Soda. ℥i
? ? ? ? ?

Haemorrhoides Adem

morrhagiae

℞ Plumbi acetatis ꝑijss

aq. Distil — ℥ijj

acid Acet — ℥ij

Zinc Opii — ℥ss

Syr. Simp ℥vj

Dosis coch ampl. secundum

vel tertiam horam q̄s

℞ are 80

Q. Pulv. sabinae
Extr. antheroides a. c. 3/4 p
Cryd. Sars nigri
Extr. Aloes — einig XV.
M. f. in pil 262

Acoustic Injection
of Bellin's ³ⁱⁱ ~~balls~~
Balsam Peruv, ³ⁱ
in fetid purulent dischar-
-ges from the ear
Ryerson 191

Rj. Plumbi acetatis ʒi
Zinci Sulph — ʒi
Aqua — ʒi xvj.
Tinc Aloes — ʒi
" Ferri muris ʒi m
40 grs ter in die

R. P. Rhein - gm & 4711
Morphine gm - i m f
M. in pet & ii de vial
flatulentia leater

Piles Emcy: 44

Rf catechu powder ʒss

Alum ʒss

Simple ointment ʒss

Mix the catechu & Alum
with a little ^{warm} water to
proper consistence, then
add the ointment.

R Magnesia ʒi
aqua ——— ʒv̄p.
aqua Ammon. Puræ ʒi
Ol. Cinnamon. ʒʒ — v̄m

sig. 2 or 3 times per day full
occasionally

Prostate enlarged
R. Liqueur Potassa ʒi x v̄
Copaiba — ʒʒ v̄
Mixture Camp. ʒi m̄
p. clon. Castel 262

Infusion of guaiac 1 pint
Brown Sugar — 4 Oz
Ground Pepper — 2 "
well mixed & placed in shallow
dish

No 3-

R. Iodine - gr $\frac{1}{2}$ - ii - iv
Sod. Potash: gr i - iv - viii
aq. Distil. ℥iss - vj - xii.

No 2

R. Iodine - gr $\frac{1}{4}$ - ij - iv.
Sod. Potash gr $\frac{1}{2}$ - iv - viii.
aq. Distil. ℥iiss - ℥iiss - vi.

No 1

R. Iodine gr $\frac{1}{8}$ - i - ij.
Sod. Potash gr $\frac{1}{4}$ - ij - iv.
aq. Distil ℥iiss - ℥iiss - vj.

Gonorrhoe
Furunculoe,
Argent Nitrat
gr \times xx
aq. z viij
M ft. injectio
tu in die utero
Hydrag, cum
crota gr \times li
quotidie
Lencet 117.

For my charge from
~~Mr. H. Lewis Esq.~~
of Boston and from mine to me
for services rendered at request
of the Board of
Charity on Dec 18
1818 -

J. Copaiba ——— *ʒij*
G. Acacia ——— *ʒiij*
Spt. atheris Nitrosi
Spt. Lavendula ——— *ʒij*
Oleū Cinnamomi *ʒij*
agua ——— *ʒvj*

*Sig. ʒtable spoon full in the
course of the Day*

Rf. Sp. Etheris Nitrosi

Ol. Amygdalina sic ℥ii

Bals. Copaiba

Sp. Firebrant sic ℥i ss

Campborae pulv. ℥j ss

A smalt teespoon full given

3 or 4 in dew

Gravel

R Castile Soap 8 parts

Caustic Soda 4 "

bit of Tartar to mix

Dived in 3 gr pills; one to be taken
every 2 hours

℞ Zinci Sulph. gr̄x
Plumbi acetat. gr̄xv.
Pulv G. acacia ℥ii
aqua — ℥viiij M finge
ta in die
hemorrhœa.

Mr. Mitchell
17 May 1862

R. Bala Copaiba	
Tine. Gab & co	ʒi
Spt. Nutri Dulce	ʒss
Tine opii	ʒi
Sacca. Alb	ʒi
T. Garab.	ʒi
aq. font.	ʒi
	ʒviii

Divide in 4 Tablespoonful

4 in die

G. Meacica ℥ ʒ. Sugar
refined) ʒ ʒ. Water 1
pint

N. Guaiac ℥ i
Sugar ℥ ʒ
Aqua ℥ ʒ

No. 210 Market, corner of Decatur street.

Electuary for the Gonorrhoea
when the inflammation has
subsided.

Electuary ℥ ʒ i
Bals. Copaiva ℥ ʒ i
S. Guaiac — ℥ ʒ i
Rheubarb. pow. ℥ ʒ i
Sy. q. s. of electuary

the size of a nutmeg
3 times a day

Londrain 126

℞ Maf Hydric - ʒv
in one hour after
taking the above

℞ Magn. Sulph ʒi
Oli Antimo ʒi
aqua — ʒviij

To take a wine glass
full every hour
until it operates.

Genosskoe Franck 17. 1791

if this be a cold

℞ ʒij. Menth.

" Orantier.

B. Copaiva

Syr. limon. aa ʒi

Acid. Sulph ʒi

Gum. Adragant ʒi s. f.

mulrio

Dose A tea spoon full ter
in die

Gonorrhoea. Impunity at Pilsbury
Jan. 2. 2^d part 47

R. Rad. Colocynth ʒij
Cloves no — ʒj
anniseed — ʒj
saffron — ʒss
tine foliated tart. ʒij

Digest 1 month in 20 ʒ of
alcohol. Draw ʒ in a
glass of wine. omit the 4 day
recommenced for 3 days.
and the 4th day

The last Will & Testament
of Juliana Baker

Mr. Gray.

17. ~~W. H. H. Dale~~

Don Antonio van Zyl

Wind. Hillas Zij

th

Philada

D. Dick

Received Jan

Wm. Kentland

Dick Lane

Gonorrhoea

Trousseau et Pidoux II - 491

R. Ag. Menth.

" fol. orantior.

B. Copallina

Sap. Limon: \bar{a} Zi.

Acid. Sulph. Zi.

S. Adraganth g. o. f. emulsion

To take a quart spoon full

Morning & evening
Laudanum to it

Received of
Miss M. H. H. H.
the sum of \$100.00
on the 10th day of
March 1861
for late pay
Dues

Sin A. Carlile's recipe for Erysipelas called
by the President Sac from S. A. C. K.

R. P. Jalap } zi

Potash Sup. tart. } zii

Sub. carb. soda } zii

Infus. Senae - } ʒvj. m

dose ʒj.

Lancet 24. 6444

Intention d'arriver de la France en Angleterre
15 jours de la France à l'Angleterre
coûtera 1/2 £ par semaine
23 annes de la France à l'Angleterre
137

Dr. Ammon. Baden 1798
Stunde - 11 hours 8 & every

Cholera

Lava a curran 16 to 25 grs. Paulyoni 16 to 100 grs
Spice of peppermint 16 to 30 grs. Spts. Camphora 16 to 20
Fine Ginger 26 to 40. Cinnamon Myrr 16 to 30 grs
occasionally 1 or more spoonful of Spice
Rheubarb with a few drops tincture of kino
or catechu

Mentum 1 spoon (table) for a vomit

Engerer May 23/49 Coy

Cholera — Dr Meigs Aug 8/49

Sulph: Morphia grs 5

Camphor — grs 20

Cajeput Oil drops 10

Tragacanth, & extract of gentian
sufficient quantity.

Make smallest possible mass & divide
in 100 pills & keep in a well stoppered
bottle 5 to 20 per dosis

Amild aperient McW. 270

R. Magnes. Sulph. ℥i

liqua menth. ℥v.

Ext. Cantaro ℥i.

Tinc. Senna ℥jss.

two or three table spoons full
to be taken every six hours or
as often as is necessary.

Magnesian Spirit

R Calined Magnesia 3 parts

Bi carbonate of Soda 3 ii

Tartaric Acid dried 11 p.

Mix by clo. of Prac. Medicin

117

R. O. Cuba — ʒjʒ
Tine. Oanthan. ʒiii
" Nino — ʒjʒ.
Bals. Cobiaba ʒjii
Ol. Menthe ʒss. ^{vj. m}
ʒj. ^{stake} ʒʒb chropten in die —

Bronchitis. Herwood

R Gum Ammoniac ℥ss
Honey & Wine qss
Vinegar a table spoon
ful

Hot water half a pint
A tea to a table spoon
ful every 2-3 hours
according to the age
of the person

Podice of starch

R. Podini — gr xiv

Amyli in pulverem
Ternipimum triti } ʒi

Tuc Sodinum cum
pauxillo aquæ et
Amylum paulatim
inmiscere. Servetur
pulvis leni primo calore
exsiccatu, in vase bene
obturando.

~~Dose~~

Dose gr x & encreas

p. r. n. to ʒi —

Diarrhœa

R. Aromatic Confec. ʒi

opiate Confec. ʒij

P. Rhubarb. gr ʒij

Crustationis provalu ʒi

aq. Ammonia ʒx

Sal. volatile ʒij

Syr. Zingiber ʒij

& others.

Surgery 1810.

Arctostaphylos

40	38
48	45
60	60
70	70
80	72
73/18/11	70
70	100/18/12
60	54
45	40
36	30
28	30
30	32
<u>640</u>	<u>593</u>
53.34	49.24

47	40
55	48
62	50
75	60
78	70
75	75
70	79
55	70
48	65
40	65
30	18/8
35	50
<u>650</u>	<u>30</u>
55.84	18/8

42	42
50	48
60	60
75	70
79	78
70	18/11
65	70
65	60
50	45
30	36
35	28
<u>40</u>	<u>36</u>
66/1	640
55.4	53.34

40	40
60	48
70	60
78	70
18/11	78
70	73
60	70
45	60
36	54
28	30
<u>36</u>	<u>30</u>
640	18/11
53.34	53.34

38	38
45	45
50	50
70	70
72	72
70	70
45	45
60	60
54	54
30	30
32	32
<u>8</u>	<u>8</u>

Accession Lib. 2. 449

R^y. P. Crem. tart ʒij

P. Sulph. Potapue ʒss

P. Sellaee Murkina ʒij

Tact. Antimo. ʒij

A Table spoon ful to be taken
5 times daily.

Anarison of acortu. Chemist 61. 31

R^y. Plumbi acetat ʒss in a pil
1 to 6 times daily.

amenorrhoea.

R^y. Hyaric date Ferri — ʒij

Crocus Sativ ʒss

Sacchar Alb — ʒij

ʒ Sacchar q. s. f. m in pil xx divide

M. P. J. V. 11. 1804

aque.

R^y. Cupri Ammoniac ʒj

Mica panis — ʒij

ʒp. Cort. Aurantior q. s. f. m in
pil xx jr divide — Capt. j vel jii-iii

sensim augenti doses horae dieu bitus
quotidie

Alterative.

R^y. Hydrargyri usabreta ʒij

Pulv. Rhei — ʒij

omni nocte

Acidity of the Stomach

carbonate — ʒij

Pulv. Rhei — ʒij

P. Cammon " ʒij. f. 2 doses

during the day

Tinctura Iodini

Lancet p. 347

Iodini — ʒi
Spiritus Rectificat — ʒiij
Solve, terendo in vase vitreo.

Liquor Iodini

R. Potassa Hydris datis — ʒm xxxv
Iodini — ʒm x
Aque Distillate — ʒi x
Solve, terendo in vase vitreo

Solutio Iodini

R. Potassa Hydris datis — ʒm xxxiv
Aque Distillate — ʒi
Solve terendo in vase vitreo

Sinimentum Iodini

R. Sinimentum Saponis Comp. — ʒi
Tinctura Iodini — ʒi
Misce

Unguentum Iodini

R. Potassa Hydris datis — ʒi
Adipis Preparatee — ʒi
Misce