



# SYRUP TRIFOLIUM COMP.



## An Improved Alterative and Antisyphilitic.



EACH FLUIDOUNCE CONTAINS THE ACTIVE CONSTITUENTS OF 32 GRAINS RED CLOVER, 16 GRAINS EACH OF STILLINGIA, BURDOCK ROOT, POKE ROOT, BERBERIS AQUIFOLIUM, AND CASCARA AMARGA, 4 GRAINS PRICKLY ASH BARK, WITH 8 GRAINS OF POTASSIUM IODIDE.



This syrup is recommended as superior in efficacy to the combination of alteratives that has recently acquired considerable notoriety under the name of Bamboobrier Root compound or simply Alterative compound. Experience with this latter combination led to the belief that the formula could be greatly improved, and after many clinical tests the combination represented in this preparation was adopted as that best adapted for general use. Its restorative action in nearly every case of secondary syphilis is prompt and unequivocal. Send for literature.

PARKE, DAVIS & CO.,

Mfg. Chemists,

DETROIT, MICH.

NEW YORK:

60 Maiden Lane &

21 Liberty St.

A full line of Parke, Davis & Co.'s Sugar-  
and Gelatin-Coated Pills kept

in stock by

**L. BURTON & CO.,**

Druggists,

87 and 89 Congress St.,

TROY, N. Y.



# Hypodermic Case.



We have just added to our list a new, morocco-covered, silk-lined, hypodermic case, containing a hypodermic syringe of improved construction, together with 25 tablets (see next page) each of the following selection:

Apomorphine muriate . . . . .	1-10 gr.
Atropine sulphate . . . . .	1-50 gr.
Morphine sulphate . . . . .	1-4 gr.
Morphine and atropine, No. 2:	
{ Morphine sulphate . . . . .	1-4 gr. }
{ Atropine sulphate . . . . .	1-50 gr. }
Physostigmine sulphate . . . . .	1-100 gr
Strychnine sulphate . . . . .	1-50 gr

---

## PRICES.

Case filled, <i>with syringe</i> . . . . .	\$3 00
Case filled, <i>without syringe</i> . . . . .	2 00

We furnish these cases *without syringes*, if desired. The syringes we supply with these cases, however, are of the best approved construction, and will be good investments, even to those who already have hypodermic syringes.

PARKE, DAVIS & CO.,  
Detroit, Mich.



96-186703

# FORMULÆ

OF

Sugar & Gelatin-Coated Pills,

---

MANUFACTURED BY

PARKE, DAVIS & Co.,

DETROIT, MICH., AND NEW YORK CITY,

U. S. A.

THE FOLLOWING LIST comprises most of the official and popular formulæ known to the profession, and to which we have added many new and valuable combinations.

Our pills are made entirely by hand, from the purest materials and are coated by a method avoiding the application of any degree of heat which could impair their efficacy.

We direct especial attention to the perfect distribution of the ingredients and permanent softness of the mass.


For superiority of finish, ready solubility and uniformity of coating, our pills are unexcelled.

The formula in each instance is strictly followed, irrespective of cost, and the entire process conducted under scientific management and by improved methods.

Particular care is taken to insure the preservation of the drug.

They are put up for the trade in bottles of 100 or 500 pills each, *excepting a few pills of Rare Alkaloids*, which are put up in bottles of 25 each, for list of which see page 38.



 Special quotations for pills of special formulæ or for pills in bulk.



- Aconite Ext. (*of the leaves*), 1-4 gr.  
 Aconite Ext. (*of the leaves*), 1-2 gr.  
 Aconite Ext. (*of the leaves*).. 1 gr.  
 Aconitine, cryst..... 1-200 gr.  
 Aconitine, cryst..... 1-500 gr.  
 Ague..... 3 gr.  
 Chinoidin, 2 gr.  
 Ext Coioc co., 1-3 gr.  
 Oleoresin Black Pepper, 1-6 gr.  
 Iron Sulph. exsic., 1-2 gr.
- Ague, Improved..... 2 1-4 gr.  
 Cinchonidine sulph., 1 gr.  
 Xanthoxyllin, 1 gr.  
 Gelsemperin, 1-16 gr.  
 Powd. Capsicum, 1-16 gr.
- Aloes, U.S.P..... 4 gr.  
 Purified Aloes, 2 gr.  
 Soap, 2 gr.
- Aloes and Asafetida, U.S.P., 4 gr.  
 Purified Aloes, 1 1-3 gr.  
 Asafetida, 1 1-3 gr.  
 Soap, 1 1-3 gr.
- Aloes and Iron..... 3 gr.  
 Purified Aloes, 1 gr.  
 Iron sulph. exsic., 1 gr.  
 Jam. Ginger, 1-2 gr.  
 Ext. Conium seed, 1-2 gr.
- Aloes and Iron, U.S.P..... 3 gr.  
 Purified aloes, 1 gr.  
 Iron sulph exsic., 1 gr.  
 Aromatic Powder, 1 gr.  
 Confection Rose, q. s.
- Aloes and Mastich, U.S.P., 2 gr.  
 Purified Aloes, 2 gr.  
 Mastich, 1-2 gr.  
 Powd. Red Rose, 1-2 gr.
- Aloes and Myrrh, U.S.P., 3 1-2 gr.  
 Purified Aloes, 2 gr.  
 Myrrh, 1 gr.  
 Aromatic Powder, 1-2 gr.
- Aloes and Nux vomica..... 2 gr.  
 Purified Aloes, 1 1-2 gr.  
 Ext. Nux vomica, 1-2 gr.

- Aloes, Nux & Belladonna . . . 2 1-4 gr.  
 Purified Aloes, 1 1-2 gr.  
 Ext. Nux vomica, 1-2 gr.  
 Ext. Belladonna, 1-8 gr.
- Aloin, 1-10, 1-5, 1-4, 1-2 and 1 gr.  
 Aloin Co. . . . . 1-2 gr.  
 Aloin, 1-8 gr.  
 Ext. Belladonna, 1-4 gr.  
 Podophyllin, 1-8 gr.
- Aloin and Strychnine . . . . 1-4 gr.  
 Aloin, 1-5 gr.  
 Strychnine, 1-60 gr.
- \*Aloin Co. & Strychnine . . 1-2 gr.  
 Aloin, 1-8 gr.  
 Podophyllin, 1-8 gr.  
 Ext. Belladonna, 1-8 gr.  
 Strychnine, 1-80 gr.  
 Oleoresin Capsicum, 1-10 gr.
- Aloin, Strych. & Belladon. 1-2 gr.  
 Aloin, 1-5 gr.  
 Strychnine, 1-60 gr.  
 Ext. Belladonna, 1-8 gr.
- \*Aloin, Strych. and Bella-  
 donna Comp. . . . . 2-3 gr.  
 Aloin, 1-5 gr.  
 Strychnine, 1-60 gr.  
 Ext. Belladonna, 1-8 gr.  
 Ext. Rhamnus Purshianus, 1-2 gr.
- Alterative . . . . . 1 1-4 gr.  
 Blue Mass, 1 gr.  
 Powd. Ipecac, 1-8 gr.  
 Powd. Opium, 1-8 gr.
- Alterative Comp. . . . . 3 gr.  
 Ext. Smilax Sarsap., 2-3 gr.  
 Ext. Stillingia sylvat, 2-3 gr.  
 Ext. Burdock, 2-3 gr.  
 Ext. Poke Root, 2-3 gr.  
 Ext. Prickly ash bark, 1-3 gr.
- †Aluminium Comp. . . . . 2 1-4 gr.  
 Metallic Aluminium, 1 gr.  
 Hydrate Aluminium, 5-8 gr.  
 Calcium carb., 5-8 gr.
- †Ammonium bromide . . . . . 1 gr.  
 †Ammonium chloride . . . . . 3 gr.

\*Gelatin-coated only.

†Sugar-coated only.

- Ammonium picrate.....  
 1-8, 1-4, 1-2, 1, 2 and 3 gr.
- †Ammonium valerianate... 1 gr.
- Anderson's Scots'..... 2 gr.  
 Purified Aloes, 1 3-5 gr.  
 Powd. Colocynth, 4-15 gr.  
 Powd. Gamboge, 1-15 gr.  
 Powd. Soap, 1-15 gr.  
 Oil Anise, 1-30 gr.
- Anodyne..... 2 1-4 gr.  
 Camphor, 1 gr.  
 Ext. Henbane, 1 gr.  
 Morphine acetate, 1-20 gr.  
 Oil Capsicum, 1-20 gr.
- Anthelmintic..... 2 gr.  
 Santonin, 1 gr.  
 Calomel, 1 gr.
- Anthemis Ext..... 2 gr.
- Anti-Bilious..... 2 3-4 gr.  
 Ext. Coloc. co., 2 1-2 gr.  
 Podophyllin, 1-4 gr.
- Anti-Chill..... 4 gr.  
 Chinoidin, 1 gr.  
 Iron ferrocyanide, 2 gr.  
 Arsenious Acid, 1-20 gr.  
 Oleoresin Black Pepper, 1 gr.
- Anti-Constip'n, Br'dage's.. 1 gr.  
 Podophyllin, 1-10 gr.  
 Ext. Nux vomica, 1-4 gr.  
 Powd. Capsicum, 1-4 gr.  
 Ext. Belladonna, 1-10 gr.  
 Ext. Henbane, 1-4 gr.
- \*Anti-Constip'n, Carsons', 2 3-4 gr.  
 Ext. Cascara sagrada, 1 gr.  
 Ext. Rhubarb, 1 gr.  
 Ext. Nux vomica, 1-4 gr.  
 Aloin, 1-3 gr.
- Anti-Constip'n, Palmer's, 2 1-2 gr.  
 Purified Aloes, 1 gr.  
 Ext. Henbane, 1 gr.  
 Ext. Nux. vomica, 1-3 gr.  
 Powd. Ipecac, 1-10 gr.

\*Gelatin-coated only.

†Sugar-coated only.

- Anti-Constipation, Goss', 2 1-4 gr.  
 Podophyllin, 1-4 gr.  
 Ext. Coloc., 1-4 gr.  
 Ext. Butternut, 1-2 gr.  
 Ext. Nux vomica, 1-8 gr.  
 Ext. Henbane, 1-8 gr.  
 Ext. Gentian, 1-4 gr.  
 Ext. Cascara sagrada, 1-4 gr.  
 Powd. Canadian Hemp, 1-2 gr.
- Anti-Dyspeptic . . . . . 4 1-4 gr.  
 Strychnine, 1-40 gr.  
 Ext. Belladonna, 1-10 gr.  
 Powd. Ipecac, 1-10 gr.  
 Blue Mass, 2 gr.  
 Ext. Coloc. co., 2 gr.
- Anti-Epileptic . . . . . 3 gr.  
 Iron ferrocyanide, 1-2 gr.  
 Quinine valerianate, 1 gr.  
 Zinc valerianate, 1-2 gr.  
 Ext. Valerian, 1 gr.
- Antimony Comp., U.S.P. . 2 gr.  
 (Plummer's Pills).  
 Sulphurated Antimony, 1-2 gr.  
 Mild chloride Mercury, 1-2 gr.  
 Powd. Guaiac, 1 gr.  
 Mucilage Tragacanth, q.s
- Anti-Malarial, McCaw's . . . . 2 gr.  
 Quinine sulph., 1 gr.  
 Iron sulph. exsic., 1-4 gr.  
 Arsenious Acid, 1-80 gr.  
 Gelsemerin, 1-4 gr.  
 Podophyllin, 1-8 gr.  
 Oleoresin Blk Pepper, 1-16 gr.
- Anti-Periodic . . . . . 2 gr.  
 Cinchonidine sulph., 1 gr.  
 Iron sulph. exsic., 1-2 gr.  
 Podophyllin, 1-20 gr.  
 Strychnine sulph., 1-33 gr.  
 Gelsemerin, 1-20 gr.  
 Oleoresin Capsicum, 1-10 gr.
- †Anti-Syphilitic . . . . . 2 1-2 gr.  
 Potass iodide, 2 1-2 gr.  
 Corrosive Sublimate, 1-40 gr.
- Aperient . . . . . 3 gr.  
 Ext. Nux vomica, 1-3 gr.  
 Ext. Coloc. co., 2 gr.  
 Ext. Henbane, 1-2 gr.

†Sugar-coated only.

- Aperient, Bauer's.....4 gr  
 Ext. Henbane, 1-2 gr.  
 Ext. Aloes, 1 gr.  
 Ext. Coloc. co., 1 gr.  
 Potass. and Sod. tart., 1½ gr.
- Aperient, Drysdale's....3 1-2 gr.  
 Powd. Rhubarb, 1 1-4 gr.  
 Powd. Ipecac, 5-12 gr.  
 Purified Aloes, 1 1-4 gr.  
 Powd. Nux vomica, 1-2 gr.
- Aperient, Mild.....3 1-2 gr.  
 Ext. Coloc. co., 1-2 gr.  
 Ext. Henbane, 5-6 gr.  
 Powd. Rhubarb, 2 gr.  
 Oil Caraway, 1-20 gr.
- Aphrodisiac Comp.....2 3-4 gr.  
 Ext. Coca, 1 gr.  
 Cinchonidine sulph., 1-2 gr.  
 Phosphorus, 1-200 gr.  
 Ext. Nux vomica, 1-8 gr.  
 Iron bromide, 1 gr.
- Apocynum Extract.....2 gr.
- Arsenious Acid.....  
 1-60, 1-50, 1-40, 1-32, 1-30,  
 1-20, and 1-12 gr.
- Asafetida, U.S.P.....3 gr.
- Asafetida.....2 and 4 gr.
- \*Asafetida.....5 gr.
- Asafetida Comp.....2 1-2 gr.  
 Opium, 4-5 gr.  
 Ammonium carb., 4-5 gr.  
 Asafetida, 4-5 gr.
- Asafetida and Iron.....3 gr.  
 Asafetida, 2 gr.  
 Iron sulph. exsic., 1 gr.
- Asafetida & Nux vom....3 1-4 gr.  
 Asafetida, 3 gr.  
 Ext. Nux vomica, 1-4 gr.
- Asafetida and Rhubarb.....3 gr.  
 Asafetida, 1 gr.  
 Powd. Rhubarb, 1 gr.  
 Iron by hydrogen, 1 gr.
- Atropine...1-120, 1-100 & 1-60 gr.

\*Gelatin-coated only.

- Ballou.....3 1-4 gr.  
 Ext. Coloc. co., 1 gr.  
 Ext. Jalap, 1 gr.  
 Calomel, 1 gr.  
 Powd. Ipecac, 1-8 gr.
- Belladonna Ext. 1-8, 1-4, 1-2 & 1 gr.  
 Berberine hydrochlorate....1 gr.  
 Berberine sulphate.....2 gr.  
 Berberine and Podophyllin, 1-4 gr.  
 Berberine sulph., 1-4 gr.  
 Podophyllin, 1-20 gr.
- Berberis Aquifolium Ext....3 gr.  
 Berberis Comp.....3 gr.  
 Ext. Berberis Aquifol., 2 gr.  
 Ext. Cascara sagrada, 1 gr.
- Bilious, Junge's.....2 gr.  
 Manganese iod., 1-2 gr.  
 Leptandrin, 3-10 gr.  
 Juglandin, 3-10 gr.  
 Sanguinariin, 1-5 gr.  
 Ext. Henbane, 3-5 gr.
- Bilious, Wann's.....2 gr.  
 Ext. Coloc. co., 1 gr.  
 Podophyllin, 1-4 gr.  
 Ext. Jalap, 1-4 gr.  
 Ext. Henbane, 1-8 gr.  
 Powd. Capsicum, 1-4 gr.
- Bismuth and Ignatia....4 1-4 gr.  
 Bismuth subnitrate, 4 gr.  
 Ext. Ignatia bean, 1-4 gr.
- Bismuth and Nux vom...5 1-2 gr.  
 Bismuth subnitrate, 5 gr.  
 Ext. Nux vomica, 1-2 gr
- Bismuth subcarbonate.....3 gr.  
 Bismuth subnitrate...2 and 3 gr.  
 Black Haw Ext.....3 gr.  
 Black Hellebore Ext.....1 gr.  
 †Blennorrhagic.....3 1-8 gr.  
 Terebinth, alb., 1 1-2 gr.  
 Ext. Humuli, 3-4 gr.  
 Camphor monom., 3-4 gr.  
 Podophyllin, 1-8 gr.
- Blue Mass.....1-2, 1, 3 and 5 gr.

†Sugar coated only.

- Blue Mass Comp. . . . . 1 3-4 gr.  
 Blue Mass, 1 gr.  
 Powd. Ipecac, 1-4 gr.  
 Powd. Opium, 1-2 gr.
- Caffeine citrate . . . . . 1 gr.
- Calabar bean Ext. . . . . 1-12 gr.
- Calcium sulphide . . . . .  
 1-10, 1-5, 1-4, 1-2, 1 and 2 gr.
- Calisaya Alkaloids . . . . . 2 gr.  
 Quinine sulph., 1-2 gr.  
 Cinchonine sulph., 1-2 gr.  
 Quinidine sulph., 1-2 gr.  
 Cinchonidine sulph., 1-2 gr.
- Calomel . . . . .  
 1-10, 1-4, 1-2, 1, 2, 3 & 5 gr.
- Calomel Comp. . . . . 3 gr.  
 Calomel, 3-4 gr.  
 Resin Guaiac, 1 1-2 gr.  
 Sulphurated Antimony, 3-4 gr.
- Calomel & Ext. Coloc. co., 3 1-2 gr.  
 Calomel, 1 gr.  
 Ext. Coloc. co., 2 1-2 gr.
- Calomel and Opium . . . . . 3 gr.  
 Calomel, 2 gr.  
 Opium, 1 gr.
- Calomel and Rhubarb. . 1 1-2 gr.  
 Calomel, 1-3 gr.  
 Ext. Rhubarb, 1-2 gr.  
 Ext. Coloc. co., 1-2 gr.  
 Ext. Henbane, 1-6 gr.
- Camphor Comp. . . . . 3 gr.  
 Camphor, 1 gr.  
 Powd. Opium, 1 gr.  
 Powd. Kino, 1 gr.  
 Ext. Capsicum, 1-16 gr.
- Camphor and Henbane . . . . 2 gr.  
 Camphor, 1 gr.  
 Ext. Henbane, 1 gr.
- Camphor monob. . . 1, 2 and 3 gr.
- Camphor and Opium . . . . . 3 gr.  
 Camphor, 2 gr.  
 Powd. Opium, 1 gr.
- Camphor, Opium and Hen-  
 bane . . . . . 2 1-2 gr.  
 Camphor, 1 gr.  
 Powd. Opium, 1-2 gr.  
 Ext. Henbane, 1 gr.

- Camphor, Opium and Lead acetate.....3 gr.  
 Camphor, 1 gr.  
 Opium, 1 gr.  
 Lead acetate, 1 gr.
- Camphor, Opium and Tannin.....3 1-4 gr.  
 Camphor, 1 gr.  
 Tannin, 2 gr.  
 Opium, 1-4 gr.
- Camphor, Valerian and Henbane.....2 gr.  
 Camphor, 1 gr.  
 Powd. Valerian, 1-2 gr.  
 Ext. Henbane, 1-2 gr.
- Cannabis Indica Ext. 1-4, 1-2 & 1 gr.  
 Capsicum.....1 gr.  
 Capsicum Ext.....1-2 gr.  
 Carminative.....3 1-4 gr.  
 Strychnine, 1-20 gr.  
 Powd. Ipecac, 2-3 gr.  
 Powd. Black Pepper, 1 1-2 gr.  
 Ext. Gentian, 1 gr.
- †Cascara Co. Pellets, D'Ary's, 1 gr.  
 Ext. Cascara sag, 4-15 gr.  
 Ext. Nux vomica, 1-30 gr.  
 Ext. Belladonna, 1-60 gr.  
 Euonymin, 1-5 gr.  
 Xanthoxyllin, 4-15 gr.  
 Oleo-res Capsicum, 1-20 gr.
- Castara sagrada Ext.....2 gr.  
 Catarrh, Hager's.....2 1-3 gr.  
 Quinidine sulph, 3-8 gr.  
 Cinchonidine sulph, 3-8 gr.  
 Powd. Marshmallow, 1-4 gr.  
 Powd. Gentian, 1-4 gr.  
 Powd. red Sandalwood, 1-12 gr.  
 Powd. Tragacanth, 1-4 gr.  
 Glycerin, 1-4 gr.  
 Hydrochloric Acid, 1-4 gr.
- Cathartic Co. Cholagogue, 1 gr.  
 Podophyllin, 1-2 gr.  
 Ext. Henbane, 1-8 gr.  
 Oleores. Capsicum, 1-8 gr.  
 Blue Mass, 1-4 gr.  
 Ext. Nux vomica, 1-16 gr.

†Sugar-coated only.



- Cathartic Co., Granules... 3-4 gr.  
 Jalapin, 1-16 gr.  
 Leptandrin, 1-16 gr.  
 Aloin, 1-8 gr.  
 Podophyllin, 1-4 gr.  
 Powd. Gamboge, 1-32 gr.  
 Powd. Capsicum, 1-64 gr.  
 Ext. Henbane, 1-8 gr.  
 Oil Peppermint, 1-128 gr.
- Cathartic Co., Improved... 3 gr.  
 Ext. Coloc. co., 1 gr.  
 Ext. Jalap, 1-2 gr.  
 Podophyllin 1-4 gr.  
 Ext. Gentian, 1-2 gr.  
 Leptandrin, 1-4 gr.  
 Ext. Henbane, 1-4 gr.  
 Oil Peppermint, q. s.
- Cathartic Comp., Mild... 3 gr.  
 Ext. Coloc. co., 1 gr.  
 Jalap res., 1-2 gr.  
 Calomel, 1-2 gr.  
 Gamboge, 1-4 gr.  
 Ext. Henbane, 1-2 gr.  
 Oil Peppermint, q. s.
- Cathartic Co., Modified... 3 1-2 gr.  
 Ext. Coloc. co., 1 gr.  
 Ext. Jalap, 3-4 gr.  
 Calomel, 3-4 gr.  
 Powd. Gamboge, 1-6 gr.  
 Powd. Rhubarb, 1-2 gr.  
 Powd. Jam. Ginger, 1-4 gr.
- Cathartic Co., U.S.P... 3 1-2 gr.  
 Ext. Coloc. co., 1 3-10 gr.  
 Ext. Jalap, 1 gr.  
 Calomel, 1 gr.  
 Powd. Gamboge, 1-4 gr.
- Cathartic Co., Vegetable... 2 1-2 gr.  
 Ext. Coloc., 1-3 gr.  
 Podophyllin, 1-4 gr.  
 Powd. resin Scammony,  $\frac{1}{3}$  gr.  
 Purified Aloes, 1 1-4 gr.  
 Powd. Cardamom, 1-8 gr.  
 Powd. Soap, 1-8 gr.
- Caulophyllin... 1-8 gr.  
 Cerium oxalate... 1-4 and 1 gr.  
 Charcoal, Willow... 3 gr.  
 Chimaphila Ext... 3 gr.  
 Chinoidin... 1-2, 1, 2 and 3 gr.

- Chinoidin Comp. . . . . 3 1-2 gr.  
 Chinoidin, 2 gr.  
 Piperin, 1-2 gr.  
 Iron sulph. exsic., 1 gr.
- Cholagogue . . . . . 3 gr.  
 Podophyllin, 1-4 gr.  
 Ext. Henbane, 1-2 gr.  
 Powd. Capsicum, 1-4 gr.  
 Purified Aloes, 1 gr.  
 Powd. Rhubarb 1 gr.
- Cimicifugin . . . . . 1 gr.
- Cinchonine sulphate, 1 1-2 & 3 gr.
- Cinchonidine Comp. . . . . 2 gr.  
 Cinchonidine sulph., 1 gr.  
 Arsenious Acid, 1-32 gr.  
 Iron by hydrogen, 1.
- Cinchonidine Co & Strych. . 2 gr.  
 Cinchonidine sulph., 1 gr.  
 Arsenious Acid, 1-20 gr.  
 Iron by hydrogen, 1 gr.  
 Strychnine, 1-20 gr.
- Cinchonidine and Iron . . . . 2 gr.  
 Cinchonidine sulph., 1 gr.  
 Iron by hydrogen, 1 gr.
- Cinchonidine, Iron & Strych. 3 gr.  
 Cinchonidine sulph., 1 gr.  
 Iron proto-carb. (Vallet's), 2 gr.  
 Strychnine sulph., 1-60 gr.
- Cinchonidine salicylate . . 2 1-2 gr.
- Cinchonidine sulph. 1-2, 1, 2 & 3 gr.
- \*Cinchonidine sulph. . 4 and 5 gr.
- Cincho-Quinine . . . . 1, 2 and 3 gr.
- Coca Ext. . . . . 3 gr.
- \*Cocaine muriate, 1-16 and 1-8 gr.
- Cochia . . . . . 3 1-2 gr.  
 Ext. Coloc. co., 1 gr.  
 Purified Aloes, 1 gr.  
 Powd. Potass. sulph., 1-2 gr.  
 Powd. Gamboge, 1-2 gr.  
 Powd. Scammony, 1-2 gr.
- Codeine . . . . 1-16, 1-8 and 1-4 gr.
- Colchicum Ext. . . . . 1-2 gr.
- Coloc. co. ext., U. S. P., 3 gr.

\*Gelatin-coated only.

- \*Coloc. co. Ext., Belladonna  
and Nux vom. . . . . 3 3-4 gr.  
Ext. Coloc. comp., 3 gr.  
Ext. Belladonna, 1-4 gr.  
Ext. Nux vomica, 1-2 gr.
- Colocynth co. Ext. & Blue. 3 gr.  
Ext. Coloc. co., 2 1-2 gr.  
Blue Mass, 2 1-2 gr.
- Colocynth co. Ext. & Blue. . 5 gr.  
Ext. Coloc. co., 2 1-2 gr.  
Blue Mass, 1-2 gr.
- Colocynth comp. Ext., Blue  
Mass and Ipecac. . . . 4 1-6 gr.  
Ext. Coloc. co., 2 gr.  
Powd. Ipecac, 1-6 gr.  
Blue Mass, 2 gr.
- Coloc. co. Ext. and Hen-  
bane . . . . . 3 gr.  
Ext. Coloc. co., 2 gr.  
Ext. Henbane, 1 gr.
- Colocynth comp. Ext. and  
Henbane. . . . . 5 gr.  
Ext. Coloc. co., 3 1-3 gr.  
Ext. Henbane, 1 2-3.
- \*Coloc. co. Henbane and Blue  
Mass. . . . . 5 gr.  
Ext. Coloc. co., 3 gr.  
Ext. Henbane, 1 gr.  
Blue Mass, 1 gr.
- Coloc. co., Henbane and Po-  
doph. Formula "A." 4 1-4 gr.  
Ext. Coloc. Co., 3 gr.  
Ext. Henbane, 1 gr.  
Podophyllin, 1-4 gr.
- Coloc. co., Henbane and Po-  
doph. Formula "B." 4 1-8 gr.  
Ext. Coloc. co., 3 gr.  
Ext. Henbane, 1 gr.  
Podophyllin, 1-8 gr.
- Coloc. co. Ext. & Ipecac. . . 3 gr.  
Ext. Coloc. co., 2 1-2 gr.  
Powd. Ipecac, 1-2 gr.

---

\*Gelatin-coated only.

- Coloc. co. Ext. & Podoph.. 3gr.  
 Ext. Coloc. co., 2 1-2 gr.  
 Podophyllin, 1-4 gr.  
 Powd. Licorice, 1-4 gr.
- Conium Ext. (*of the seed*), 1-4 gr.  
 Conium Ext. (*of the seed*), 1-2 gr.  
 Conium Ext. (*of the seed*), 1 gr.  
 Conium Ext. and Ipecac... 1 gr.  
 Ext. Conium seed, 1-2 gr.  
 Powd. Ipecac, 1-2 gr.
- Cook's Pill..... 3 gr.  
 Purified Aloes, 1 gr.  
 Powd. Rhubarb, 1 gr.  
 Powd. Soap, 1-2 gr.  
 Calomel, 1-2 gr.
- Copaiba..... 3 and 4 gr.  
 Copaiba Comp..... 3 gr.  
 Pil. Copaiba, 1 1-2 gr.  
 Resin Gualac, 3-8 gr.  
 Iron citrate, 3-8 gr.  
 Ext. Cubeb, 5-8 gr.
- Copaiba & Oleo-resin Cubeb. 3 gr.  
 Pil. Copaiba, 2 gr.  
 Oleo-resin Cubeb, 1 gr.
- Copaiba, Cubeb & cit. Iron. 3 gr.  
 Pil. Copaiba, 3-4 gr.  
 Ext. Cubeb, 1 1-2 gr.  
 Iron citrate, 3-4 gr.
- Cornin..... 2 gr.  
 Cornus florida Ext..... 2 gr.
- Corrosive Sublimate.....  
 1-100 1-50, 1-40, 1-30, 1-20,  
 1-16, 1-12 and 1-8 gr.
- Cubeb Ext..... 2 gr.  
 Cubeb and Alum..... 3 gr.  
 Oleo-resin Cubeb, 2 gr.  
 Powd. Alum, 1 gr.
- Cubeb Ext., Rhatany & Iron. 3 gr.  
 Ext. Cubeb, 1 1-2 gr.  
 Iron sulph. exsic., 1 gr.  
 Ext. Rhatany, 1-2 gr.
- Cypripedium Ext..... 2 gr.  
 Damiana Ext..... 3 gr.  
 Dandelion and Leptandrin. 2 gr.  
 Ext. Dandelion, 1 1-3 gr.  
 Leptandrin, 2-3 gr.

- Diaphoretic . . . . . 1 1-2 gr.  
 Morphine acetate, 1-25 gr.  
 Powd. Ipecac, 1-4 gr.  
 Powd. Potass. nitrate, 1 gr.  
 Powd. Camphor, 1-4 gr.
- Diarrhœa Pellets . . . . . 1-2 gr.  
 Calomel, 1-8 gr.  
 Morphine sulph., 1-16 gr.  
 Powd. Capsicum, 1-16 gr.  
 Powd. Ipecac, 1-32 gr.  
 Powd. Camphor, 1-16 gr.
- Digestive Pellets, Hager's 3 1-2 gr.  
 Cinchonidine sulph., 1-5 gr.  
 Pepsin, 1 1-5 gr.  
 Powd. Ginger, 3-25 gr.  
 Powd. Cardamom, 3-25 gr.  
 Powd. Pimento, 3-25 gr.  
 Powd. Gentian root, 6-25 gr.  
 Powd. Marshmallow root, 6-25 gr.  
 Powd. Tragacanth, 6-25 gr.  
 Glycerin, 2-5 gr.  
 Acid hydrochloric, 2-5 gr.
- Digitalin, pure . . . . . 1-60 gr.  
 Digitalis Ext. . . . . 1-2 gr.  
 Digitalis Comp. . . . . 4 gr.  
 Powd. Digitalis, 1 gr.  
 Powd. Squill, 1 gr.  
 Powd. Potass. nitrate, 2 gr.
- Dinner, Chapman's . . . . . 3 gr.  
 Purified Aloes, 1 gr.  
 Gum Mastich, 1 gr.  
 Powd. Rhubarb, 1 gr.
- \*Dinner, Cole's . . . . . 4 gr.  
 Blue Mass, 1 1-5 gr.  
 Purifi'd Aloes, 1 1-5 gr.  
 Powd. Jalap, 1 1-5 gr.  
 Ant. and Pot. tart., 1-50 gr.
- Dinner, Lady Webster's . . . . 3 gr.  
 Purified Aloes, 1 4-5 gr.  
 Gum Mastich, 3-5 gr.  
 Rose leaves, 2-5 gr.
- Diuretic . . . . . 3 gr.  
 Powd. Soap, 1 1-2 gr.  
 Oil Juniper berries, 1-16 gr.  
 Sodium carb., 1 1-2 gr.

---

\*Gelatin-coated only.

- Dupuytren . . . . . 3 1-4 gr.  
 Powd. Guaiac, 3 gr.  
 Powd. Opium, 1-8 gr.  
 Corrosive Sublimate, 1-10 gr.
- Dysentery . . . . . 2 1-6 gr.  
 Blue Mass, 1 gr.  
 Gelsemerin, 1-6 gr.  
 Powd. Ipecac, 1 gr.
- Dysmenorrhœa, Alvord's . . . 1 1-2  
 Morphine sulph., 1-10 gr.  
 Cimicifugin, 2-3 gr.  
 Quinine sulph., 2-3 gr.
- Dyspepsia . . . . . 2 gr.  
 Ext. Ignatia bean, 1-4 gr.  
 Ext. Cinchona bark, 1 gr.  
 Ext. Rhubarb, 1-4 gr.  
 Powd. Capsicum, 1-2 gr.
- Dyspepsia, Moore's . . . . . 2 gr.  
 Cinchonidine sulph., 1-2 gr.  
 Ext. Capsicum, 1-3 gr.  
 Powd. Rhubarb, 1 gr.
- Eccoprotic . . . . . 2 1-2 gr.  
 Ext. Soc. Aloes, 2 gr.  
 Ext. Nux vomica, 1-5 gr.  
 Podophyllin, 3-10 gr.  
 Oil Cloves, 1-10 gtt.
- Elaterium (Clutterbuck's) . . . . .  
 1-0, 1-8 and 1-4 gr.
- Emmenagogue, Im 'd . . . 4 1-2 gr.  
 Ergotin, 1 gr.  
 Purified Aloes, 1 gr.  
 Oil Savin, 1-2 gr.  
 Ext. Black Hellebore, 1 gr.  
 Iron sulph. exsic., 1 gr.
- Emmenagogue, Mutter's, 3 1-2 gr.  
 Iron sulph. exsic., 1 1-2 gr.  
 Gum Turpentine, 1 1-2 gr.  
 Purified Aloes, 1-2 gr.
- Emmenagogue No. 4 . . . 4 1-2 gr.  
 Ergotin, 1 gr.  
 Ext. Cotton root, 1 gr.  
 Purified Aloes, 1 gr.  
 Iron sulph. exsic., 1 gr.  
 Oil Savin, 1-4 gr.
- Emenagogue, Rigaud's . . 3 3-4 gr.  
 Purified Aloes, 1 1-2 gr.  
 Powd. Rue, 3-4 gr.  
 Powd. Saffron, 3-4 gr.  
 Powd. Savin, 2-4 gr.

- Ergotin . . . . . 1-2, 1, 2 and 3 gr.  
 Ergotin & Cannabis Ind. 1 1-2 gr.  
 Ergotin purified, 1 gr.  
 Ext. Cannabis Indica, 1-2 gr.
- Eucalyptus Comp. . . . . 1 5-8 gr.  
 Ext. Eucalyptus, 1 gr.  
 Ext. Canadian Hemp, 1-2 gr.  
 Sanguinariin, 1-8 gr.
- Eucalyptus Ext. . . . . 2 gr.
- Female, Amenorrhœa . . . . . 4 gr.  
 Ext. Black Cohosh, 1 gr.  
 Iron sulph. exsic., 1 gr.  
 Ext. Cotton root, 1 gr.  
 Purified Aloes, 1 gr.
- Female, Hooper's . . . . . 2 1-2 gr.  
 Purified Aloes, 1 gr.  
 Iron sulph. exsic., 1-2 gr.  
 Ext. Black Hellebore, 1-4 gr.  
 Powd. Jam. Ginger, 1-8 gr.  
 Gum Myrrh, 1-4 gr.  
 Castile Soap, 1-8 gr.  
 Powd. Canella, 1-8 gr.
- Female, Leucorrhœa . . . . . 3 gr.  
 Hamamelin, 2 gr.  
 Senecin, 1-2 gr.  
 Hydrastin, 1-2 gr.
- Ferruginous, Blaud's . . . . . 3 gr.  
 Iron sulph. exsic., 1 1-2 gr.  
 Potass. carb., 1 1-2 gr.
- Ferruginous, Blaud's . . . . . 5 gr.  
 Iron sulph. exsic., 2 1-2 gr.  
 Potass. carb., 2 1-2 gr.
- Fever and Ague . . . . . 2 gr.  
 Ext. Eucalyptus, 1-4 gr.  
 Chinoidin, 1 gr.  
 Iron ferrocyanide, 1-2 gr.  
 Powd. Capsicum, 1-4 gr.  
 Arsenious Acid, 1-200 gr.
- Fucus vesiculosus Ext. . . . . 3 gr.
- Galbanum Co. U.S.P. . 3 1-2 gr.  
 Galbanum, 1 1-2 gr.  
 Asafetida, 1-2 gr.  
 Myrrh, 1 1-2 gr.
- Gamboge Comp. . . . . 3 gr.  
 Powd. gum Gamboge, 3-5 gr.  
 Purified Aloes, 3-5 gr.  
 Powd. Cinnamon comp, 3-5 gr.  
 Soap, 1 1-5 gr.

- Gelsemperin . . . . . 1-8 and 1-4 gr.  
 Gentian Comp. . . . . 3 gr.  
 Ext. Gentian, 2-3 gr.  
 Purified Aloes, 2-3 gr.  
 Powd. Rhubarb, 1 1-3 gr.  
 Oil Caraway, 1-10 gr.
- Gentian Ext. . . . . 2 gr.  
 Geranin . . . . . 1 gr.  
 Glonoin, see Nitroglycerin.  
 Gonorrhœa . . . . . 3 gr.  
 Powd. Cubeb, 1 1-4 gr.  
 Solid. Copaiba, 1 1-4 gr.  
 Iron sulph. exsic., 1-4 gr.  
 Venice Turpentine, 1-4 gr.
- Grindelia robusta Ext. . . . . 3 gr.  
 Guarana Ext. . . . . 3 gr.  
 Headache . . . . . 3 gr.  
 Lactated Pepsin, 1 gr.  
 Guarana, 1-2 gr.  
 Sodium bicarb., 1 gr.  
 Cypripedin, 1-2 gr.
- Helonin . . . . . 1-8 gr.  
 Henbane Ext. . 1-4, 1-2 and 1 gr.  
 Hepatica . . . . . 3 1-3 gr.  
 Blue Mass, 2 gr.  
 Ext. Henbane, 2-3 gr.  
 Ext. Coloc. co., 2-3 gr.
- Hepatic, Eclectic . . . . . 1 1-2 gr.  
 Podophyllin, 1-4 gr.  
 Leptandrin, 1-2 gr.  
 Irisin, 1-4 gr.  
 Ext. Nux vomica, 1-16 gr.  
 Powd. Capsicum, 1-3 gr.
- Hoang-Nan . . . . . 3 gr.  
 Hydrastin (neutral) . . . . . 1 gr.  
 (*See also "Berberine."*)
- Ignatia amara Ext. 1-4, 1-2 & 1 gr.  
 Iodoform . . . . . 1 gr.  
 Iodoform and Iron . . . . . 2 gr.  
 Iron by hydrogen, 1 gr.  
 Iodoform, 1 gr.
- Iodof. Iron & Quinine . . 3 1-2 gr.  
 Iodoform, 1 gr.  
 Iron proto-carb. (Vallet's), 2 gr.  
 Quinine sulphate, 1-2 gr.



Ipecac Ext.....	1-4 gr.
§Ipecac and Opium..	1-2 gr.
Powd. Opium,	1-4 gr.
Powd. Ipecac,	1-4 gr.
§Ipecac and Opium.....	1 gr.
Powd. Opium,	1-2 gr.
Powd. Ipecac,	1-2 gr.
§Ipecac and Opium...	2 gr.
Powd. Opium,	1 gr.
Powd. Ipecac,	1 gr.
Ipecac and Squill....	3 gr.
Powd. Ipecac. co.,	2 gr.
Powd. Squill,	2-3 gr.
Amoniac,	2-3 gr.
Irisin.....	1-2 and 1 gr.
Irisin Comp.....	1-2 gr.
Irisin,	1-4 gr.
Strychnine,	1-40 gr.
Podophyllin,	1-10 gr.
*Irisin Comp. and Henbane.	1 gr.
Irisin,	1-4 gr.
Strychnine,	1-100 gr.
Podophyllin,	1-10 gr.
Ext. Henbane,	1-2 gr.
Iron and Aloes.....	3 gr.
Purified Aloes,	2 gr.
Iron sulph. exsic.,	1 gr.
Iron bromide.....	1 gr.
Iron citrate.....	2 gr.
Iron cit. & Strychnine cit...	2 gr.
Iron citrate,	2 gr.
Strychnine citrate,	1-50 gr.
Iron Compound, U.S.P....	3 gr.
Myrrh,	1 1-2 gr.
Sodium carb.,	3-4 gr.
Iron sulph.,	3-4 gr.
Iron ferrocyanide.....	3 gr.
Iron by hydrogen (Q'venne's)	1 gr.
Iron by hydrogen (Q'venne's)	2 gr.
Iron iodide, U.S.P.....	1 gr.
Iron iodide and Quinine,	1 3-4 gr.
Iron iodide,	1 1-2 gr.
Quinine sulph.,	1-4 gr.

§Equal to 2½, 5 and 10 grains  
Dover's powder respectively.

\*Gelatin-coated only.



- Laxative . . . . . 2 gr.  
 Purified Aloes, 1 gr.  
 Sulphur, 1-5 gr.  
 Podophyllin, 1-5 gr.  
 Resin Guaiac, 1-2 gr.  
 Syrup Buckthorn, q. s.
- \*Laxative "Special," . . . . 4 2-3 gr.  
 Ext. Coloc. co. powd., 1 2-3 gr.  
 Ext. Henbane, 1 1-4 gr.  
 Soc. Aloes, powd., 5-6 gr.  
 Ext. Nux vomica, 5-12 gr.  
 Res. Podophyllum, 1-12 gr.  
 Powd. Ipecac, 1-12 gr.
- Leptandrin. 1-8, 1-4, 1-2 and 1 gr.
- Leptandrin Comp. . . . . 1 3-8 gr.  
 Leptandrin, 1 gr.  
 Podophyllin, 1-8 gr.  
 Irisin, 1-4 gr.
- Lettuce Ext. . . . . 2 gr.
- Liver, Christopher's. . . . 3 1-2 gr.  
 Calomel, 2 gr.  
 Rhubarb, 1 gr.  
 Powd. Ipecac, 1-2 gr.
- Liver, Improved. . . . . 2 3-4 gr.  
 Purified Aloes, 1 gr.  
 Powd. Jalap, 1 gr.  
 Powd. Gamboge, 1-8 gr.  
 Leptandrin, 1-8 gr.  
 Calomel, 1-8 gr.  
 Oil Capsicum, 1-48 gr.  
 Tinct. Verat. Viride, 1-4 gr.
- Liver, Imp. Vegetable. . 2 3-4 gr.  
 Purified Aloes, 1 gr.  
 Powd. Jalap, 1 gr.  
 Powd. Gamboge, 1-8 gr.  
 Leptandrin, 1-8 gr.  
 Podophyllin, 1-8 gr.  
 Oil Capsicum, 1-48 gr.  
 Tinct. Verat. Viride, 1-4 gr.
- Liver, Dr. Taylor's. . . . 2 4-5 gr.  
 Podophyllin, 1 gr.  
 Powd. Ipecac, 1 gr.  
 Powd. Camphor, 4-5 gr.

\*Gelatin-coated only.

- Liver, Waxham's.....2 1-4 gr.  
 Ext. Culver's root, 1 gr.  
 Powd. Capsicum, 1-2 gr.  
 Podophyllin, 1-4 gr.  
 Ext. Jalap, 3-8 gr.  
 Powd. Gamboge, 1-8 gr.
- Lupulin.....3 gr.
- Manganese binoxide.....1 gr.
- Magnesia calcined.....2 gr.
- Magnesia and Rhubarb.....2 gr.  
 Magnesia calcined, 1 gr.  
 Powd. Rhubarb, 1 gr.
- Mercury biniodide. 1-16 and 1-8 gr.
- Mercury protiodide.....  
 1-8, 1-6, 1-5, 1-4, 1-3 & 1-2 gr.
- Mercury protio. & Opium, 1 1-3 gr.  
 Mercury protiodide, 1 gr.  
 Powd. Opium, 1-3 gr.
- Morphine acetate.....1-8 gr.
- Morphine and Atropine... 1-8 gr.  
 Morphine sulphate, 1-8 gr.  
 Atropine sulphate, 1-100 gr.
- Morphine hydrochlor. 1-4 & 1-8 gr.
- Morphine sulphate.....  
 1-32, 1-20, 1-16, 1-10, 1-8, 1-6,  
 1-4 and 1-2 gr.
- Morphine sulph. & Bellad. 1-2 gr.  
 Morph. sulph. 1-4 gr.  
 Ext. Belladonna, 1-4 gr.
- Morphine sulphate comp., 3-4 gr.  
 Morphine sulph., 1-4 gr.  
 Antimony and Potass. tart.,  $\frac{1}{4}$  gr.  
 Calomel, 1-4 gr.
- Morphine valerianate..... 1-8 gr.
- †Morphine valerianate... 1-4 gr.
- Neuralgic Idiopathic, Brown-  
 Sequard's.....3 1-2 gr.  
 Ext. Henbane, 2-3 gr.  
 Ext. Ignatia, 1-2 gr.  
 Ext. Aconite leaves, 1-3 gr.  
 Ext. Stramonium seed, 1-5 gr.  
 Ext. Conium seed, 2-3 gr.  
 Ext. Opium, 1-2 gr.  
 Ext. Cannabis Indica, 1-4 gr.  
 Ext. Belladonna, 1-6 gr.

†Sugar-coated only.

Neuralgic Idiopathic, Br-Seq.	
half-strength . . . . .	1 3-4 gr.
Neuralgic, Dr. Gross' . . . . .	2 1-2 gr.
Quinine sulph., 2 gr.	
Morphine sulph., 1-20 gr.	
Arsenious Acid, 1-20 gr.	
Ext. Aconite leaves, 1-2 gr.	
Strychnine, 1-30 gr.	
Neuralgic without Morphine,	
Dr. Gross' . . . . .	2 1-2 gr.
Night Sweat . . . . .	3 gr.
Zinc oxide, 1-2 gr.	
Salicin, 1 gr.	
Ext. Belladonna, 1-25 gr.	
Hydrastin, 1 gr.	
Lactated Pepsin, 1-2 gr.	
Nitroglycerin . . . . .	
1-200, 1-100, 1-50, 1-33, 1-25 &	
1-10 gr.	
Nux vomica Ext. . 1-8, 1-4 & 1-2 gr.	
Opium . . . . .	1-2 gr.
Powd. Opium, 1-2 gr.	
Soap, 1-8 gr.	
Opium, U.S.P. . . . .	1 gr.
Powd. Opium, 1 gr.	
Soap, 1-4 gr.	
Opium Ext. . . . .	1-4, 1-2 and 1 gr.
Opium and Lead acetate . . . . .	2 gr.
Opium, 1 gr.	
Lead acetate, 2 gr.	
†Opium and Lead acetate,	
Formula "B." . . . . .	2 gr.
Opium, 1-2 gr.	
Lead acetate, 1 1-2 gr.	
Ox Gall . . . . .	3 gr.
Ox Gall, 2 gr.	
Powd. Jamaica Ginger, 1 gr.	
Ox Gall, Craig's . . . . .	3 gr.
Ox Gall, 2 gr.	
Ext. Coloc. co., 1 gr.	
Ox Gall Comp . . . . .	2 1-3 gr.
Ox Gall, 2 gr.	
Ext. Stramonium seed, 1-6 gr.	
Purified Aloes, 1-10 gr.	
Berberine hydrochlor., 1-12 gr.	

†Sugar-coated only.

- Ox Gall & Pepsin, Armor's 4 1-8 gr.  
 Purified Aloes, 1 gr.  
 Iron sulph. exsic., 1-2 gr.  
 Ext. Nux vomica, 1-12 gr.  
 Ox Gall, 1 1-2 gr.  
 Pepsin, 1 gr.
- Pepsin and Bismuth . . . . 2 1-4 gr.  
 Pepsin, 1 1-2 gr.  
 Bismuth subcarb., 3-4 gr.
- \*Pepsin, Bismuth and Strychnine, No. 1 . . . . . 5 gr.  
 Pepsin, sacchr. 2 1-2 gr.  
 Bismuth subnitrate, 2 1-2 gr.  
 Strychnine, 1-60 gr.
- \*Pepsin, Bismuth and Strychnine, No. 2 . . . . . 6 gr.  
 Pepsin pure, 1 gr.  
 Bismuth subnitrate, 5 gr.  
 Strychnine, 1-60 gr.
- Pepsin and Iron by hydr. 2 1-4 gr.  
 Pepsin, 1 1-2 gr.  
 Iron by hydrogen, 3-4 gr.
- Pepsin and Iron iodide. . 3 3-4 gr.  
 Pepsin, 1 1-2 gr.  
 Iron by hydrogen, 1 1-2 gr.  
 Iron iodide, 3-4 gr.
- Phosphorus . . . . .  
 1-100, 1-50, 1-33, 1-25 and 1-20 gr.
- Phosphorus and Aconite, 1-8 gr.  
 Phosphorus, 1-50 gr.  
 Ext. Aconite leaves, 1-16 gr.
- Phos. Aloes, Iron & Strych. 2 1-2 gr.  
 Phosphorus, 1-50 gr.  
 Ext. Aloes, 1 gr.  
 Iron sulph. exsic., 1 1-2 gr.  
 Strychnine, 1-30 gr.
- Phosph., Aloes & Nux. . . . 3-4 gr.  
 Phosphorus, 1-50 gr.  
 Ext. Aloes, 1-2 gr.  
 Ext. Nux vomica, 1-4 gr.
- Phosphorus, Aloes and Nux vomica, Formula "B." 1 gr.  
 Phosphorus, 1-20 gr.  
 Ext. Aloes, 1-2 gr.  
 Ext. Nux vomica, 1-2 gr.

\*Gelatin-coated only.

- Phosphorus & Belladonna. 1-8 gr.  
 Phosphorus, 1-100 gr.  
 Ext. Belladonna, 1-8 gr.
- Phosphorus and Belladonna  
 Formula "B." . . . . . 1-4 gr.  
 Phosphorus, 1-33 gr.  
 Ext. Belladonna, 1-4 gr.
- Phos. & Cannabis Indica. . 1-4 gr.  
 Phosphorus, 1-50 gr.  
 Ext. Cannabis Indica, 1-4 gr.
- Phosphorus & Cannabis Ind.  
 Formula "B." . . . . . 1-4 gr.  
 Phosphorus, 1-25 gr.  
 Ext. Cannabis Indica, 1-4 gr.
- Phosphorus & Cantharides co. 2 gr.  
 Phosphorus, 1-50 gr.  
 Cantharides, 1 gr.  
 Powd. Nux vomica, 1 gr.
- Phosphorus and Cantharides  
 co., Formula "B." . . . . 2 gr.  
 Phosphorus, 1-33 gr.  
 Cantharides, 1 gr.  
 Powd. Nux vomica, 1 gr.
- Phosphorus Co. No. 1 . . . . 1-4 gr.  
 Phosphorus, 1-100 gr.  
 Ext. Nux vomica, 1-4 gr.
- Phosphorus Co. No. 2 . . . . 1-4 gr.  
 Phosphorus, 1-60 gr.  
 Ext. Nux vomica, 1-4 gr.
- Phosphorus Comp., No. 3. 1-8 gr.  
 Phosphorus, 1-50 gr.  
 Ext. Nux vomica, 1-8 gr.
- Phosphorus & Digitalis co. . 2 gr.  
 Phosphorus, 1-50 gr.  
 Ext. Henbane, 1 gr.  
 Powd. Digitalis, 1 gr.
- Phosph. Digitalis & Henbane, 3 gr.  
 Phosphorus, 1-33 gr.  
 Powd. Digitalis, 1 gr.  
 Ext. Henbane, 2 gr.
- Phosphorus, Digitalis & Iron, 2 gr.  
 Phosphorus, 1-50 gr.  
 Powd. Digitalis, 1 gr.  
 Iron by hydrogen, 1 gr.

- Phosphorus, Digitalis and  
Iron, Formula "B."...4 gr.  
Phosphorus, 1-33 gr.  
Powd. Digitalis, 1 gr.  
Iron by hydrogen, 3 gr.
- Phosphorus and Iron.....1 gr.  
Phosphorus, 1-100 gr.  
Iron proto-carb. (Vallet's), 1 gr.
- Phosph. & Iron, Formula "B" 3 gr.  
Phosphorus, 1-50 gr.  
Iron by hydrogen, 3 gr.
- Phosphorus, Iron & Quinine. 2 gr.  
Phosphorus, 1-100 gr.  
Iron proto-carb. (Vallet's), 1 gr.  
Quinine sulph., 1 gr.
- Phosphorus, Iron & Quinine,  
Formula "B.".....3 1-2 gr.  
Phosphorus, 1-50 gr.  
Iron by hydrogen, 3 gr.  
Quinine sulph., 1-2 gr.
- Phosphorus, Iron, Quinine  
and Strychnine.....3 1-2 gr.  
Phosphorus, 1-50 gr.  
Iron by hydrogen, 3 gr.  
Quinine sulph., 1-2 gr.  
Strychnine, 1-40 gr.
- Phosph. Morph. & Zinc. 1 1-4 gr.  
Phosphorus, 1-50 gr.  
Morphine sulph., 1-12 gr.  
Zinc valerianate, 1 gr.
- Phosph. Morph. & Zinc valerian-  
ate, Formula "B." 1 1-4 gr.  
Phosphorus, 1-25 gr.  
Morphine hydrochlor., 1-12 gr.  
Zinc valerianate, 1 gr.
- Phosphorus & Nux vomica. 1-4 gr.  
Phosphorus, 1-50 gr.  
Ext. Nux vomica, 1-4 gr.
- Phosphorus and Nux vom-  
ica, Formula "B."...1-2 gr.  
Phosphorus, 1-33 gr.  
Ext. Nux vomica, 1-2 gr.
- Phosph. Nux & Damiana. 2 1-4 gr.  
Phosphorus, 1-100 gr.  
Ext. Nux vomica, 1-8 gr.  
Ext. Damiana, 2 gr.



- Phosphorus, Nux & Iron... 3-4 gr.  
 Phosphorus, 1-100 gr.  
 Ext. Nux vomica, 1-4 gr.  
 Iron phosphate precip., 1-2 gr.
- Phosphorus, Nux and Iron,  
 Formula "B."... 3 1-2 gr.  
 Phosphorus, 1-33 gr.  
 Ext. Nux vomica, 1-3 gr.  
 Iron by hydrogen, 3 gr.
- Phosphorus, Nux vomica,  
 Iron and Quinine... 2 1-4 gr.  
 Phosphorus, 1-100 gr.  
 Ext. Nux vomica, 1-8 gr.  
 Iron proto-carb. (Vallet's), 1 gr.  
 Quinine sulph., 1 gr.
- Phosph. Nux, Iron & Quinine,  
 Formula "B."... 3 1-2 gr.  
 Phosphorus, 1-25 gr.  
 Ext. Nux vomica, 1-3 gr.  
 Iron by hydrogen, 2 gr.  
 Quinine sulph., 1 gr.
- Phosph. Opium & Digitalis... 1 gr.  
 Phosphorus, 1-50 gr.  
 Powd. Ipecac, 1-4 gr.  
 Powd. Opium, 1-4 gr.  
 Powd. Digitalis, 1-2 gr.
- Phosphorus, Opium and Dig-  
 ital, Formula "B."... 1 gr.  
 Phosphorus, 1-33 gr.  
 Powd. Ipecac, 1-4 gr.  
 Powd. Opium, 1-4 gr.  
 Powd. Digitalis, 1-2 gr.
- Phosphorus and Quinine... 1 gr.  
 Phosphorus, 1-50 gr.  
 Quinine sulph., 1 gr.
- Phosph. Quin. Aloes & Nux. 1 1-2 gr.  
 Phosphorus, 1-33 gr.  
 Quinine sulph., 1-2 gr.  
 Ext. Aloes, 1-2 gr.  
 Ext. Nux vomica, 1-3 gr.
- Phosphorus & Quinine Co. 1 3-4 gr.  
 Phosphorus, 1-50 gr.  
 Iron by hydrogen, 1 gr.  
 Quinine sulph., 1-2 gr.  
 Strychnine, 1-60 gr.

- Phosphorus, Quinine and  
Digitalis Comp. . . . . 1 1-2 gr.  
Phosphorus, 1-50 gr.  
Quinine sulph., 1-2 gr.  
Powd. Ipecac, 1-4 gr.  
Powd. Digitalis, 1-2 gr.  
Powd. Opium, 1-4 gr.
- Phosph. Quin. & Nux vom. . 1 1-2 gr.  
Phosphorus, 1-50 gr.  
Quinine Sulph., 1 gr.  
Ext. Nux vomica, 1-4 gr.
- Phosphorus & Strychnine. 1-30 gr.  
Phosphorus, 1-50 gr.  
Strychnine, 1-60 gr.
- Phosphorus and Strychnine  
Formula "B." . . . . 1-15 gr.  
Phosphorus, 1-25 gr.  
Strychnine, 1-30 gr.
- Phosph. Strych. and Iron. . 1 gr.  
Phosphorus, 1-100 gr.  
Strychnine, 1-60 gr.  
Iron proto-carb. (Vallet's), 1 gr.
- Phosph., Strych., and Iron  
sulph. . . . . 1 gr.  
Phosphorus, 1-100 gr.  
Strychnine, 1-100 gr.  
Iron sulph., 1 gr.
- Phosphorus & Zinc comp. . . 2 gr.  
Phosphorus, 1-50 gr.  
Lupulin, 1 gr.  
Zinc sulph., 1 gr.
- Phosph., Zinc & Strych. . . . . 1 gr.  
Phosphorus, 1-70 gr.  
Zinc valerianate, 3-4 gr.  
Strychnine, 1-30 gr.
- Phosph., Zinc and Valerian. 3 gr.  
Phosphorus, 1-40 gr.  
Zinc sulph., 1 gr.  
Ext. valerian, 2 gr.
- Phytolaccin. . . . . 1-2 gr.  
Picrotoxin . . . . . 1-60 gr.  
Pilocarpine nitrate. . . . . 1-16 gr.  
Podophyllin. . 1-8, 1-4, 1-2 & 1 gr.

- Podophyllin & Belladonna .2 gr.  
 Podophyllin, 1-4 gr.  
 Powd. Capsicum, 1-2 gr.  
 Ext. Belladonna, 1-8 gr.  
 Powd. Sugar Milk, 1 gr.
- Podophyllin, Belladonna and  
 Calabar . . . . .3-4 gr.  
 Podophyllin, 1-4 gr.  
 Ext. Belladonna, 1-4 gr.  
 Ext. Calabar bean, 1-4 gr.
- Podophyllin and Blue . . .2 1-4 gr.  
 Podophyllin, 1-4 gr.  
 Blue Mass, 2 gr.
- Podophyllin Comp. . . . .3-4 gr.  
 Podophyllin, 1-2 gr.  
 Ext. Nux vomica, 1-16 gr.  
 Ext. Henbane, 1-8 gr.
- Podophyllin Co. Eclectic. 1-2 gr.  
 Podophyllin, 1-8 gr.  
 Juglandin, 1-16 gr.  
 Oleo-resin Capsicum, 1-32 gr.  
 Leptandrin, 1-16 gr.  
 Macrotin, 1-32 gr.
- Podophyllin & Leptandrin. 1 1-2 gr.  
 Podophyllin, 1-2 gr.  
 Leptandrin, 1 gr.
- †Podophyllotoxin . . . . .1-8 gr.  
 Podophyllum Ext. . . . .1 gr.  
 Poppy Extract . . . . .2 gr.  
 †Potassium bromide. . 1 and 5 gr.  
 †Potassium iodide. . . .2 and 5 gr.  
 Potassium & Iron tartrate. .2 gr.  
 †Potassium permanganate. .1 gr.  
 Quassia Ext. . . . .1 gr.  
 Quinidine sulphate. . 1, 2 and 3 gr.  
 Quinine and Aloes. . . . .1 gr.  
 Quinine sulph., 3-4 gr.  
 Purified Aloes, 1-4 gr.
- Quinine bisulphate. . . . .  
 1-4, 1-2, 1, 2 and 3 gr.
- \*Quinine bisulphate. .4 and 5 gr.

---

†Sugar-coated only.

\*Gelatin-coated only.

- Quinine bisulphate and Capsicum . . . . . 2 1-2 gr.  
 Quinine bisulph., 2 gr.  
 Powd. Capsicum, 1-2 gr.
- Quinine and Blue Mass, 3 1-4 gr.  
 Quinine sulph., 1 gr.  
 Oleoresin Black Pepper, 1-4 gr.  
 Blue Mass, 2 gr.
- Quinine bromide. . . . . 2 gr.
- Quinine and Capsicum. . 2 1-2 gr.  
 Quinine sulph., 2 gr.  
 Powd. Capsicum, 1-2 gr.
- Quinine Comp. . . . . 2 gr.  
 Quinine sulph., 1 gr.  
 Arsenious Acid, 1-32 gr.  
 Iron by hydrogen, 1 gr.
- Quinine Co. and Ext. Dandelion . . . . . 4 1-2 gr.  
 Quinine bisulph., 1 1-4 gr.  
 Iron sulph. exsic., 2 gr.  
 Arsenious Acid, 1-24 gr.  
 Ext. Dandelion, 1 1-4 gr.
- Quinine Co. & Strych. . . . 2 1-4 gr.  
 Quinine sulph., 1 gr.  
 Arsenious Acid., 1-20 gr.  
 Iron by hydrogen, 1 gr.  
 Strychnine, 1-20 gr.
- Quinine & Ext. Bellad. . 1 1-2 gr.  
 Quinine sulph., 1 gr.  
 Ext. Belladonna, 1-2 gr.
- Quinine and Iron. . . . . 2 gr.  
 Quinine sulph., 1 gr.  
 Iron by hydrogen, 1 gr.
- Quinine and Iron carbonate, 2 gr.  
 Quinine sulph., 1 gr.  
 Iron proto-carb. (Vallet's), 1 gr.
- Quinine, Iron and Nux. . 3 1-4 gr.  
 Quinine sulph., 1 gr.  
 Iron proto-carb. (Vallet's), 2 gr.  
 Ext. Nux vomica, 1-4 gr.
- Quinine, Iron and Strychnine phosphates . . . . . 2 gr.  
 Quinine phosphate, 1 gr.  
 Iron phosphate (precip.) 1 gr.  
 Strychnine phosphate, 1-60 gr.

- Quinine, Iron & Strychnine .3 gr.  
 Quinine sulph., 1 gr.  
 Iron proto-carb. (Vallet's), 2 gr.  
 Strychnine sulph., 1-60 gr.
- Quinine & Iron valerianate..2 gr.  
 Quinine sulph., 1 1-2 gr.  
 Iron valerianate, 1-2 gr.
- \*Quinine, Iron and Zinc val-  
 erianate .....3 gr.  
 Quinine valerianate, 1 gr.  
 Iron valerianate, 1 gr.  
 Zinc valerianate, 1 gr.
- Quinine and Strychnine....1 gr.  
 Quinine sulph., 1 gr.  
 Strychnine, 1-60 gr.
- Quinine sulphate.....  
 1-4, 1-2, 1, 2 and 3 gr.
- \*Quinine sulphate...4 and 5 gr.
- Quinine valerianate.....1-2 gr.
- Rheumatic .....3 gr.  
 Ext. Coloc co., 1 1-2 gr.  
 Ext. Colch. acet., 1 gr.  
 Ext. Henbane, 1-3 gr.  
 Calomel, 1-3 gr.
- Rhubarb Ext.....1 gr.
- Rhubarb, U. S. P.....3 gr.
- Rhubarb and Blue.....3 1-4 gr.  
 Blue Mass, 1 3-4 gr.  
 Sodium bicarb., 1-2 gr.  
 Powd. Rhubarb, 1 gr.
- Rhubarb Comp.....3 1-2 gr.  
 Powd. Rhubarb, 1 1-2 gr.  
 Powd. Myrrh., 3-4 gr.  
 Purified Aloes, 1 1-8 gr.  
 Oil Peppermint, q. s.
- Rhubarb Co. U. S. P..4 1-2 gr.  
 Powd. Rhubarb, 2 gr.  
 Purified Aloes, 1 1-2 gr.  
 Powd. Myrrh., 1 gr.  
 Oil Peppermint, 1-10 gr.
- Rhubarb and Iron.....3 gr.  
 Powd. Rhubarb, 2 gr.  
 Iron sulph. exsic., 1 gr.
- Salicin... ..1, 2 and 3 gr.
- Salicylic Acid..1, 2 1-2 and 3 gr.

\*Gelatin-coated only.

*Salicylic Acid.....	5 gr.
Sandal Wood comp.....	3 gr.
Oil Sandal Wood, 1 gr.	
Ext. Cubeb, 1 gr.	
Bals. Copaiba, 1 gr.	
Sanguinaria Ext.....	1-2 gr.
Sanguinariin (conc.), 1-2 and 1 gr.	
Santonin.....	1-2 and 1 gr.
Santonin and Calomel.....	1 gr.
Santonin, 1-2 gr.	
Calomel, 1-2 gr.	
Cacao Butter, q. s.	
Santonin and Podophyllin, 1-2 gr.	
Santonin, 1-2 gr.	
Podophyllin, 1-20 gr.	
Sarsaparilla Ext.....	3 gr.
Savin Ext.....	1 gr.
Sedative.....	2 gr.
Ext. Musk root, 1-2 gr.	
Ext. Henbane, 1-2 gr.	
Ext. Valerian, 1-2 gr.	
Ext. Cannabis Ind, 1-10 gr.	
Senna Alex. Ext.....	2 gr.
Silver iodide.....	1-4 gr.
Soap and Opium.....	3 gr.
Powd. Opium, 3-5 gr.	
Soap, 2 2-5 gr.	
Sodium bicarbonate.....	4 gr.
Squill Comp.....	3 gr.
Powd. Squill, 3-8 gr.	
Powd. Jam. Ginger, 3-4 gr.	
Powd. Soap, 1 1-8 gr.	
Ammoniac, 3-4 gr.	
Stillingin.....	1 gr.
Stramonium Ext. ( <i>seed</i> )..	1-4 gr.
Stramonium Ext. ( <i>seed</i> )..	1-2 gr.
Stramonium Ext. ( <i>seed</i> )....	1 gr.
Strychnine.....	
1-100, 1-60, 1-50, 1-48, 1-40,	
1-32, 1-30, 1-20 and 1-16 gr.	
Strychnine sulphate....	1-100 gr.

\*Gelatin-coated only.

## Strychnine Comp., Formula

- "B. §" . . . . . 2 gr.  
 Strychnine, 1-100 gr.  
 Ext. Cannabis Ind., 1-16 gr.  
 Powd. Ginseng, 1 gr.  
 Phosphorus, 1-100 gr.  
 Iron proto-carb. (Vallet's), 1 gr.
- Sulphur iodide . . . . . 1-25 gr.  
 Sundew Ext. . . . . 3 gr.
- Syphilitic, Ricord's, Modified  
 . . . . . 2 1-2 gr.  
 Mercury protiodide, 1-2 gr.  
 Lactucarium, 1-2 gr.  
 Ext. Opium, 1-10 gr.  
 Ext. Conium seed, 1 1-2 gr.
- Tannin . . . . . 1 and 3 gr.  
 \*Tannin . . . . . 5 gr.
- Taraxacum Ext. . . . . 3 gr.
- Tartar emetic . . . . .  
 1-16, 1-10, 1-8 and 1-4 gr.
- Tonic, Aiken's . . . . . 2 gr.  
 Quinine sulph., 1 gr.  
 Arsenious Acid, 1-50 gr.  
 Iron by hydrogen, 2-3 gr.  
 Strychnine, 1-50 gr.
- Tonic, Hæmatic, Andrews', 2 3-4 gr  
 Quinine sulph., 1 gr.  
 Iron by hydrogen, 1 1-2 gr.  
 Arsenious Acid, 1-40 gr.  
 Powd. Ipecac, 1-8 gr.  
 Strychnine sulph., 1-40 gr.
- Tonic Hæmatic with Cincho-  
 nidine . . . . . 2 3-4 gr.  
 Cinchonidine sulph., 1 gr.  
 Powd. Ipecac, 1-8 gr.  
 Arsenious Acid, 1-40 gr.  
 Iron by hydrogen, 1 1-2 gr.  
 Strychnine sulph., 1-40 gr.
- Tonic, Waxham's . . . . . 2 gr.  
 Cinchonine sulph., 1 gr.  
 Ext. Prickly-ash bark, 1-4 gr.  
 Ext. Cinchona bark, red, 1-4 gr.  
 Ext. Dogwood bark, 1-4 gr.  
 Powd. Capsicum, 1-4 gr.

§For Formula "A" see Quinine  
 Co. and Strychnine.

\*Gelatin-coated only.

- Trilliin.....1-8 gr.  
 Triplex.....3 1-4 gr.  
   Purified Aloes, 2 gr.  
   Blue Mass, 1 gr.  
   Podophyllin, 1-4 gr.  
 Triplex, Dr. Francis' .....4 gr.  
   Purified Aloes, 1 1-5 gr.  
   Blue Mass, 1 1-5 gr.  
   Oil Caraway, 1-5 gr.  
   Res. Scammony, 1 1-5 gr.  
   Croton Oil, 1-20 gr.  
   Tr. Aloes and Myrrh, 1-4 gr.  
 Uva-ursi Ext.....2 gr.  
 Valerian Ext.....2 gr.  
 Veratrine..1-60, 1-32 and 1-12 gr.  
 Veratrum viride Ext.1-4 & 1-2 gr.  
 \*Warburg's Tincture.....  
   Each pill contains the medicinal  
   constituents of one fluidrachm  
   of the tincture.  
 Yerba santa Ext.....3 gr.  
 Zinc oxide.....1 gr.  
 Zinc phosphide.....  
   1-10, 1-8, 1-6, 1-4 and 1-2 gr.  
 Zinc phosphide Comp....3-8 gr.  
   Zinc phosphide, 1-8 gr.  
   Ext. Nux vomica, 1-8 gr.  
   Ext. Cannabis Ind., 1-8 gr.  
 Zinc phos. and Nux. ... 1-4 gr.  
   Zinc phosphide, 1-10 gr.  
   Ext. Nux vomica, 1-4 gr.  
 Zinc valerianate.....1 and 2 gr.

---

\*Gelatin-coated only.



# PINK GRANULES

(Sugar-coated.)

These granules are intended to supply the needs of physicians in such cases as require minute or frequently repeated doses. A glance at the list will show that they are distinguished from our regular line of pills in that they represent doses suitable for children. This diminishes the risk there might otherwise be of giving to a child an overdose of some powerful remedy. At the same time their distinctive color renders them attractive to the class of patients for which they are intended.

As we have not the protection of a government copyright or trademark on the name "Pink Granules," we are enabled to offer these granules at about one-half the price of similar articles in the market. We guarantee the material to be unqualifiedly the best.

---

Aconite root.....	1-20 gr.
Aloin.....	1-10 gr.
Alum.....	1-10 gr.
Ammonium chloride....	1-10 gr.
Anodyne .....	1-4 gr.
Camphor, 1-8 gr.	
Ext. Henbane, 1-8 gr.	
Morphine acetate, 1-160 gr.	
Oil Capsicum, 1-160 gr.	
Anti-Chill.....	1-4 gr.
Chinoidin, 1-16 gr.	
Iron ferrocyanide, 1-8 gr.	
Arsenious Acid, 1-320 gr.	
Oleo. Blk. Pepper, 1-16 gr.	
Anti-Constipation.....	1-4 gr.
Podophyllin, 1-40 gr.	
Ext. Nux vomica, 1-16 gr.	
Powd. Capsicum, 1-16 gr.	
Ext. Belladonna, 1-40 gr.	
Ext. Henbane, 1-16 gr.	

- Apomorphine.....1-60 gr.  
 Arnica flowers.....1-5 gr.  
 Arsenic iodide.....1-100 gr.  
 Arsenious Acid.....1-100 gr.  
 Belladonna leaves.....1-20 gr.  
 Calomel.....1-20 gr.  
 Camphor.....1-20 gr.  
 Camphor and Opium....1-4 gr.  
   Camphor, 1-6 gr.  
   Powd. Opium, 1-12 gr.  
 Camph, Opium & Tannin 1-4 gr.  
   Camphor, 1-16 gr.  
   Tannin, 1-8 gr.  
   Opium, 1-64 gr.  
 Cantharides.....1-50 gr.  
 Capsicum .....1-20 gr.  
 Cathartic Comp., Imp....1-4 gr.  
   Ext. Coloc. co.  
   Ext. Jalap.  
   Podophyllin.  
   Leptandrin.  
   Ext. Henbane.  
   Oil Peppermint.  
 Cathartic Comp., U.S.P., 1-4 gr.  
   Ext. Coloc. co.  
   Ext. Jalap.  
   Calomel.  
   Gamboge.  
 Corrosive Sublimate...1-100 gr.  
 Croton Oil.....1-50 gr.  
 Digitalis leaves.....1-20 gr.  
 Dover's Powder.....1-4 gr.  
 Ergotin . . . . .1-10 gr.  
 Gamboge.....1-32 gr.  
 Gelsemium root.....1-50 gr.  
 Henbane Ext.....1-8 gr.  
 Hydrastin .....1-20 gr.  
 Iodoform.....1-10 gr.  
 Ipecac .....1-50 gr.  
 Iron by hydrogen.....1-10 gr.  
 Jalapin.....1-16 gr.  
 Leptandrin .....1-16 gr.  
 Mercury with chalk.....1-10 gr.  
 Mercury protiodide.....1-20 gr.

Morphine sulphate.....	1-50 gr.
Neuralgic, Dr. Gross'....	1-4 gr.
Nux vomica.....	1-50 gr.
Opium.....	1-40 gr.
Peppermint Oil.....	1-128 gr.
Phosphorus.....	1-200 gr.
Piperin.....	1-20 gr.
Podophyllin.....	1-40 gr.
Potass. arsenite.....	1-100 gr.
Potass. bromide.....	1-5 gr.
Potass. nitrate.....	1-10 gr.
Quinine sulphate.....	1-10 gr.
Quinine, Iron & Strych..	1-4 gr.
Quinine sulph.,	1-16 gr.
Strychnine sulph.,	1-960 gr.
Iron proto-carb.,	1-8 gr.
Salicylic Acid.....	1-10 gr.
Santonin.....	1-10 gr.
Strychnine.....	1-100 gr.
Tannic Acid.....	1-20 gr.
Tartaric Acid.....	1-10 gr.

## PILLS OF

## RARE ALKALOIDS

ETC. IN BOTTLES OF 25

AND 100 EACH.

—

This is an entirely new addition to our list, and will be found acceptable to those physicians who prefer the more concentrated medicaments to the old-fashioned infusions, decoctions and compounds. For the convenience of both the trade and profession they are put up in bottles of 25 each, and are all gelatin-coated, with the single exception of Hyoscine hydrobromate, which is sugar-coated only.

—

Adonidin . . . . .	1-10 gr.
Colchicin . . . . .	1-60 gr.
Colocynthin . . . . .	1-8 gr.
Convallamarin . . . . .	1-12 gr.
Daturine sulphate . . . . .	1-100 gr.
Elaterin . . . . .	1-20 gr.
Hyoscine hydrobromate, 1-400 gr.	
Hyoscyamine, pure . . . . .	1-200 gr.
Muscarine sulphate . . . . .	1-100 gr.
Pilocarpine hydrochlorate, 1-16 gr.	
Physostigmine salicylate, 1-100 gr.	
Scillitoxin . . . . .	1-300 gr.

---

FILLED SOLUBLE ELAS-  
TIC CAPSULES OF QUI-  
NINE & CINCHONI-  
DINE SULPHATE.

---

We present on the following page a list of Soluble Elastic Capsules filled with Quinine and Cinchonidine in dry powder form. These Capsules differ from the fluid filled Capsules, which we have had on the market for several years and which have achieved such merited popularity, only in the nature of their filling. Their superiority as a device for administering quinine will be conceded by all who are familiar with this class of goods.

The contents of every Capsule are separately and carefully weighed before being encapsuled, and we are thus enabled to guarantee the correctness of the quantity specified on the label.



It will be observed that to our one, two and four grain capsules a certain quantity of sugar of milk is added. This is for the purpose of bringing the capsules to a uniform size and prevent the possible collapse of a partially filled capsule.


List No.	FORMULÆ.
206	Cinchonidine Sulphate, 1 gr. Each capsule contains: Cinchonidine sulph., 1 gr. Sugar of Milk, 2 gr.
207	Cinchonidine Sulphate, 2 gr. Each capsule contains: Cinchonidine sulph., 2 gr. Sugar of Milk, 2 gr.
208	Cinchonidine Sulphate, 3 gr. Each capsule contains: Cinchonidine sulph., 3 gr.
209	Cinchonidine Sulphate, 4 gr. Each capsule contains: Cinchonidine sulph., 4 gr. Sugar of Milk, 1 gr.
210	Cinchonidine Sulphate, 5 gr. Each capsule contains: Cinchonidine sulph., 5 gr.
201	Quinine Sulphate . . . . . 1 gr. Each capsule contains: Quinine sulph., 1 gr. Sugar of Milk, 2 gr.
202	Quinine Sulphate . . . . . 2 gr. Each capsule contains: Quinine sulph., 2 gr. Sugar of Milk, 1 gr.
203	Quinine Sulphate . . . . . 3 gr. Each capsule contains: Quinine sulph., 3 gr.
204	Quinine Sulphate . . . . . 4 gr. Each capsule contains: Quinine sulph., 4 gr. Sugar of Milk, 1 gr.
205	Quinine Sulphate . . . . . 5 gr. Each capsule contains: Quinine sulph., 5 gr.

# Parke, Davis & Co.'s

List of Manufactures comprises:

EXTRACTS; Fluid, Solid, Powdered.  
LIQUIDS, Normal.  
TINCTURES, German.  
PILLS, SUGAR AND GELATIN-COATED.  
PINK GRANULES.  
CONCENTRATIONS.  
ELIXIRS, WINES, SYRUPS.  
MALT EXTRACTS.  
INHALANTS.  
PRESSED DRUGS.  
EFFERVESCENT PREPARATIONS.  
LOZENGES; Medicated, Flavored.  
MINERAL WATER SALTS.  
COMPRESSED TABLETS.  
PLASTERS, Roll.  
CONFECTIONS, COLLOIDIONS.  
GLYCEROLES, CERATES.  
OINTMENTS, Benzoated.  
" of Oleates.  
OLEATES, Pure.  
" of Alkaloids in solution.  
CAPSULES, Soluble Elastic.  
" of Quinine sulphate.  
" Hard Filled.  
" Empty, Rectal, Horse.  
BOUGIES, Gelatin-coated Iodoform.  
PEPSIN, in all its forms.  
PANCREATIN; Saccharated, Liquid.  
FINE CHEMICALS.  
NEW DRUGS.  
SPECIALTIES, etc.

 Please specify "P. D. & Co.'s" on your orders and prescriptions. 

 Send for Price List.

# Parke, Davis & Co.'s

## LIST OF SPECIALTIES.



- Acid Phosphate, Liquid,
- Aromatic Troches,
- Beef, Iron and Wine, Improved,
- Beef, Peptonized Extract of
- Beef, Powder of
- Bone, Powdered
- Capsule Fillers,
  - Davenport's Unique
  - " Reymond's Patent
- Cascara Cordial,
- Chlor-Anodyne,
- Cocaine Preparations,
- Coca Cheroots and Cigarettes.
- Coca Cordial,
- Cocaine Case, Improved
- Cod Liver Oil,
- Compound Cerebral Sedatives.
- Compressed Troches,
- Dialyzed Iron, plain,
  - " " glycerated,
- Disinfectant and Antiseptic Pre-  
parations,
- Emulsions of Cod Liver Oil,
- Empty Capsules,
- Eulachon Oil,
  - " " Emulsion,
- Glycerole Yerbine compound,
- Hypodermic case,
- Hypodermic tablets,
- Issue Plasters,
- Lozenges, Druggists' Flavored,
- Lozenges, Medicated, for Retailing,
- Lozenge Counter Urns,
- Medicated soaps.

QV P 237f 1886



LIST OF SPECIALTIES — Con-  
CLUDED.

Menthol, in crystals,  
Menthol in pencils,  
Nitrite Amyl pearls,  
Opium Preparations,  
Ox Gall,  
Ozonized Aromatic Liquid,  
Pancreatins,  
Pepsins,  
Pills, Sugar and Gelatin-coated,  
in bulk,  
Pills, Sugar and Gelatin-coated,  
for retailing,  
Pocket Reagent Case, Physicians',  
Pressed Herbs, Roots, etc.  
Sanguis Bovinus Exsiccatus,  
Semple's Atomizing Inhaler,  
Solution of Sclerotic Acid,  
Sugar Test Flasks,  
Syringes, Chamberlin's Utero-  
Vaginal,  
" Indispensable Cup,  
" Smith's Safety,  
Syrup Trifolium Compound,  
Ureometer,  
Urinary Test Papers,  
Warburg's Tincture,  
Wilson's Abdominal Supporter,  
Witch Hazel, Concentrated,  
" " Distilled Extract,  
Rare Drugs and their Preparations,  
Fine Chemicals, Alkaloids, etc.  
Send for Price List.

PARK, DAVIS & CO.,  
Mfg. Chemists,  
DETROIT, MICH.

NEW YORK:  
60 Maiden Lane &  
21 Liberty St.

